

2010 рік - уточнена інформація

Статеві-вікові показники смертності

Додаток В

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
Всі злоякісні новоутворення																							C00-C96		
▼	1.9	6.8	4.7	4.3	5.2	8.0	11.4	17.4	32.8	62.6	126.9	267.7	478.1	785.4	827.5	1114.0	1131.3	1163.7	988.8	46827	221.9	151.1	0.7		
▲	2.8	4.8	3.8	2.7	4.5	6.6	11.6	23.7	40.0	68.7	102.8	172.6	236.5	358.8	352.9	501.1	486.0	468.0	430.6	38200	154.8	79.5	0.5		
Всі злоякісні новоутворення (за виключенням немеланомних ЗН шкіри)																							C00-C96 (за винятком C44, C46.0)		
▼	1.9	6.8	4.7	4.3	5.2	8.0	11.4	17.4	32.6	62.3	126.5	265.9	475.9	783.1	823.8	1105.9	1119.2	1140.6	945.5	46477	220.2	150.0	0.7		
▲	2.8	4.8	3.8	2.7	4.5	6.6	11.6	23.7	39.8	68.6	102.5	172.3	236.0	357.7	351.2	497.5	481.9	457.8	409.6	37890	153.6	79.1	0.5		
ЗН губи																							C00		
▼	-	-	-	-	-	-	-	-	-	0.1	0.2	0.5	0.8	2.0	2.7	5.3	7.3	9.9	8.7	173	0.8	0.5	0.0		
▲	-	-	-	-	-	-	-	-	-	-	0.1	-	-	0.1	0.3	0.7	0.6	1.3	1.8	40	0.2	0.1	0.0		
ЗН ротової порожнини																							C01-C08, C46.2		
▼	-	-	-	-	-	0.1	0.1	0.3	1.3	3.7	7.5	15.0	23.7	28.8	19.9	23.5	17.2	8.9	10.6	1476	7.0	5.0	0.1		
▲	-	-	-	-	-	0.1	0.1	0.1	0.4	0.4	0.9	1.2	2.1	2.4	2.0	2.5	5.1	3.3	4.6	273	1.1	0.6	0.0		
ЗН глотки																							C09-C14		
▼	-	-	0.1	0.1	-	0.1	0.2	0.3	0.6	2.2	6.6	16.1	25.8	32.1	24.0	21.1	12.1	11.7	4.8	1499	7.1	5.1	0.1		
▲	-	-	-	-	-	-	0.1	0.2	0.4	0.4	0.7	0.5	1.5	1.6	1.7	0.8	2.3	1.3	1.0	157	0.6	0.4	0.0		
ЗН стравоходу																							C15		
▼	-	-	-	-	-	0.1	-	-	0.3	1.2	4.1	12.4	22.1	28.4	23.2	19.3	20.9	17.1	19.2	1329	6.3	4.4	0.1		
▲	-	-	-	-	-	-	-	0.1	0.1	0.2	0.3	0.6	1.0	1.3	2.4	2.4	2.1	3.3	4.6	182	0.7	0.3	0.0		
ЗН шлунка																							C16		
▼	-	-	-	-	0.1	0.1	0.6	2.1	4.2	7.9	13.8	28.0	54.1	85.8	95.0	131.1	146.6	136.8	90.4	5314	25.2	16.8	0.2		
▲	-	-	-	-	-	0.2	0.6	2.2	2.5	5.0	6.7	11.5	17.7	31.2	33.2	51.8	58.2	50.4	36.4	3470	14.1	6.6	0.1		
ЗН тонкого кишківника																							C17		
▼	-	-	-	-	-	0.1	-	0.1	0.2	0.1	0.2	0.5	0.8	1.8	2.0	2.1	1.7	3.2	-	93	0.4	0.3	0.0		
▲	-	-	-	-	-	0.1	-	-	-	-	0.3	0.3	0.6	1.3	0.7	1.1	0.5	0.9	1.0	78	0.3	0.2	0.0		
ЗН ободової кишки																							C18		
▼	-	-	-	-	0.1	0.1	0.3	0.6	1.5	2.3	4.9	9.2	17.4	39.1	51.9	81.7	100.0	110.9	105.8	2810	13.3	8.6	0.2		
▲	-	-	-	-	-	0.1	0.4	0.8	1.3	2.5	4.6	8.4	16.6	25.3	31.5	50.3	53.6	51.9	50.6	3173	12.9	5.7	0.1		
ЗН прямої кишки, ануса																							C19-C21		
▼	-	-	-	-	-	0.1	0.3	0.3	1.2	2.9	6.0	11.6	23.2	47.5	55.5	81.0	87.4	103.8	88.5	2947	14.0	9.2	0.2		
▲	-	-	-	-	-	0.1	0.2	0.7	1.1	1.9	4.4	9.1	11.1	23.3	25.6	39.2	42.1	42.3	35.9	2568	10.4	4.7	0.1		
ЗН печінки та внутрішньопечінкових жовчних протоків																							C22		
▼	-	0.2	-	-	0.1	0.1	0.3	0.2	0.5	1.4	2.9	4.7	7.5	14.3	12.8	16.8	15.3	15.3	13.5	755	3.6	2.5	0.1		
▲	-	0.2	-	-	0.1	0.1	0.2	0.3	0.8	1.0	2.1	3.3	5.8	4.1	8.1	6.9	8.3	9.4	554	2.2	1.1	0.1			
ЗН жовчного міхура та позапечінкових жовчних протоків																							C23-C24		
▼	-	-	-	-	-	-	0.1	-	0.3	0.1	0.6	1.6	2.2	3.7	5.0	6.9	9.2	9.6	4.8	270	1.3	0.8	0.1		
▲	-	-	-	-	-	-	-	0.1	0.4	0.1	0.6	1.6	2.5	5.1	5.4	8.4	8.1	8.3	10.1	531	2.2	1.0	0.0		
ЗН підшлункової залози																							C25		
▼	-	-	-	-	-	0.1	0.2	1.0	2.5	3.4	8.7	15.6	26.1	37.6	37.3	49.0	41.3	52.2	29.8	2235	10.6	7.2	0.2		
▲	-	-	-	-	-	0.1	0.1	0.3	0.7	1.8	2.3	6.9	8.5	18.3	17.7	28.4	28.5	29.5	23.0	1829	7.4	3.4	0.1		

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2010 рік - уточнена інформація

Статеві-вікові показники смертності

Додаток В - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН порожнини носа, придаткових пазух та середнього вуха																							C30-C31		
▼	-	-	-	-	-	-	-	0.1	0.3	1.0	1.1	1.5	2.7	2.7	2.2	3.1	2.4	2.8	2.9	186	0.9	0.6	0.0		
▲	-	-	-	0.1	-	-	-	0.1	0.1	0.1	0.2	0.4	0.4	0.4	0.8	1.4	1.2	0.9	2.0	83	0.3	0.2	0.0		
ЗН гортані																							C32		
▼	-	-	-	-	-	-	-	0.1	0.4	1.7	4.4	10.1	18.0	28.8	24.9	30.7	20.1	26.7	12.5	1386	6.6	4.5	0.1		
▲	-	-	-	-	-	-	-	-	-	0.1	0.2	0.2	0.2	0.4	0.7	0.6	0.2	0.7	0.8	46	0.2	0.1	0.0		
ЗН трахеї, бронхів, легені																							C33-C34		
▼	-	-	-	-	0.2	0.3	0.4	0.9	3.1	10.3	26.8	66.5	132.7	214.9	225.2	283.6	249.5	200.4	162.6	11319	53.6	36.5	0.4		
▲	-	-	-	-	0.1	0.1	0.3	0.4	1.6	2.9	4.6	7.6	13.7	20.5	19.6	31.9	29.8	33.7	26.1	2179	8.8	4.2	0.1		
ЗН тимуса																							C37		
▼	-	-	-	-	-	0.1	0.1	0.2	0.1	0.3	0.2	0.3	0.7	0.5	0.1	0.5	-	-	1.0	42	0.2	0.1	0.0		
▲	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	-	0.1	0.2	0.1	0.2	0.2	-	0.1	-	24	0.1	0.1	0.0		
ЗН серця, межистіння																							C38 (за винятком C38.4)		
▼	-	0.1	-	-	0.1	0.3	0.2	0.1	0.2	0.1	0.6	0.7	0.6	2.1	1.1	2.1	3.9	1.4	1.9	114	0.5	0.4	0.0		
▲	-	-	0.2	-	-	0.1	-	0.1	0.1	0.2	0.1	0.2	0.4	0.4	0.2	0.6	0.7	0.4	0.3	51	0.2	0.1	0.0		
ЗН плеври																							C38.4, C45.0		
▼	-	-	-	-	-	0.1	0.1	0.1	0.2	0.3	0.5	0.8	1.1	2.2	2.2	3.0	1.2	3.6	3.8	131	0.6	0.4	0.0		
▲	-	-	-	-	-	-	-	0.1	-	0.3	0.2	0.2	0.6	0.7	1.2	1.2	1.2	0.9	0.3	83	0.3	0.2	0.0		
ЗН кісток та суглобових хрящів																							C40-C41		
▼	-	0.2	0.2	0.6	0.3	0.6	0.5	0.2	0.3	0.6	0.7	0.8	2.0	2.3	1.3	2.6	2.2	3.2	1.0	175	0.8	0.7	0.1		
▲	-	0.2	0.1	0.4	0.6	0.3	0.2	0.1	0.2	0.1	0.4	0.5	0.8	0.8	1.1	1.2	1.5	1.4	2.0	137	0.6	0.4	0.0		
Меланома шкіри																							C43		
▼	-	-	-	-	0.1	0.3	0.4	1.1	1.6	1.9	2.9	4.0	4.5	7.2	6.6	9.0	10.7	10.3	14.4	535	2.5	1.8	0.1		
▲	-	-	-	0.1	-	0.3	0.3	1.1	1.3	1.6	2.5	2.5	4.1	4.9	4.8	5.7	6.4	6.6	5.3	578	2.3	1.3	0.1		
Інші ЗН шкіри																							C44, C46.0		
▼	-	-	-	-	-	-	-	0.1	0.2	0.3	0.4	1.8	2.2	2.3	3.6	8.1	12.1	23.1	43.3	350	1.7	1.1	0.1		
▲	-	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.3	0.5	1.1	1.7	3.6	4.1	10.1	21.0	310	1.3	0.4	0.0		
Мезотеліома (за викл. мезотеліоми плеври)																							C45.1-9		
▼	-	-	-	-	0.1	-	-	0.1	0.1	-	0.1	0.1	0.2	-	0.1	0.1	-	0.7	1.0	14	0.1	0.0	0.0		
▲	-	-	-	-	-	0.1	0.1	-	-	-	0.1	0.2	0.1	0.3	0.7	0.6	0.3	0.4	0.3	39	0.2	0.1	0.0		
ЗН заочеревинного простору та очеревини																							C48		
▼	-	0.9	0.5	0.1	-	0.2	0.3	0.3	0.4	0.3	0.7	1.2	2.9	2.8	2.7	4.3	5.1	2.8	1.0	223	1.1	0.8	0.1		
▲	0.4	0.3	0.3	0.1	0.2	0.2	0.2	0.1	0.2	0.3	0.5	1.0	1.3	2.9	2.5	3.9	4.2	3.4	2.5	282	1.1	0.6	0.0		
ЗН сполучної та м'якої тканини																							C 46.1, C49		
▼	-	0.3	-	0.4	0.1	0.4	0.3	0.8	0.9	0.8	1.2	1.7	2.6	3.8	3.0	5.1	4.6	5.0	6.7	280	1.3	1.0	0.1		
▲	-	0.3	0.1	0.3	0.4	0.3	0.4	0.4	0.5	0.5	0.9	0.8	1.7	2.7	2.1	3.4	4.3	2.4	3.8	294	1.2	0.7	0.1		
ЗН молочної залози																							C50		
▼	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.7	0.5	0.7	1.1	2.0	2.2	2.1	1.9	70	0.3	0.2	0.0		
▲	-	-	-	-	-	0.1	0.8	3.7	8.1	16.9	27.3	48.2	60.0	83.5	69.2	92.2	76.8	78.3	82.0	7899	32.0	17.1	0.2		

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2010 рік - уточнена інформація

Статеві-вікові показники смертності

Додаток В - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка	
ЗН вульви																							C51	
▲	-	-	-	-	-	-	-	-	0.2	0.1	0.2	0.4	1.2	1.3	3.7	5.1	7.4	11.2	7.3	354	1.4	0.5	0.0	
ЗН піхви																							C52	
▲	-	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.5	0.3	0.7	1.1	0.5	0.2	1.6	1.0	70	0.3	0.1	0.0	
ЗН шийки матки																							C53	
▲	-	-	-	-	-	0.2	2.2	5.1	9.1	12.8	12.5	15.8	16.2	13.7	13.5	15.3	16.3	12.5	14.7	2170	8.8	5.6	0.1	
ЗН тіла матки																							C54	
▲	-	-	-	-	-	0.1	0.3	0.1	0.7	1.0	3.2	7.2	12.7	21.6	23.0	30.2	25.6	21.7	19.5	1949	7.9	3.8	0.1	
ЗН матки неуточної частини																							C55	
▲	-	-	-	-	-	-	-	-	0.1	-	0.2	0.4	0.5	1.2	0.4	0.8	0.5	0.7	1.3	70	0.3	0.1	0.0	
ЗН яєчника																							C56	
▲	-	0.1	-	0.1	0.5	0.6	0.5	1.0	2.2	6.6	11.8	17.9	21.0	25.8	23.5	26.6	23.0	15.4	12.1	2510	10.2	5.8	0.1	
ЗН інших придатків матки																							C57	
▲	-	-	-	-	-	-	-	-	-	0.1	0.2	0.3	0.5	0.7	0.5	0.6	0.7	0.4	0.5	55	0.2	0.1	0.0	
ЗН плаценти																							C58	
▲	-	-	-	-	-	-	0.1	-	-	0.1	0.1	-	-	-	-	0.1	-	-	-	4	0.0	0.0	0.0	
ЗН статевого члена																							C60	
▼	-	-	-	-	-	-	-	0.1	0.1	0.1	0.4	0.5	0.6	1.3	0.7	1.1	2.2	1.8	3.8	69	0.3	0.2	0.0	
ЗН передміхурової залози																							C61	
▼	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.9	4.6	13.5	42.2	65.6	114.0	138.6	171.6	165.4	3349	15.9	9.9	0.2	
ЗН яєчка																							C62	
▼	-	-	-	-	0.6	0.3	1.4	1.0	1.3	1.1	0.6	0.6	0.8	1.1	1.1	1.4	1.5	1.1	1.9	162	0.8	0.6	0.0	
ЗН нирки																							C64	
▼	-	0.4	0.2	0.2	-	0.1	0.1	0.4	0.7	1.9	5.4	11.9	18.6	30.9	25.7	31.3	37.4	38.0	29.8	1614	7.6	5.3	0.1	
▲	0.4	0.2	0.3	0.1	0.1	0.1	0.2	0.4	0.3	0.6	1.3	2.7	5.2	12.0	8.1	13.4	12.7	8.8	9.1	880	3.6	1.8	0.1	
ЗН ниркової миски																							C65	
▼	-	-	-	-	-	-	-	-	-	0.1	0.1	-	0.5	0.2	0.4	0.9	0.2	0.7	-	24	0.1	0.1	0.0	
▲	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1	0.1	0.2	0.3	-	0.1	0.3	11	0.0	0.0	0.0	
ЗН сечоводу																							C66	
▼	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.1	0.5	0.4	0.7	0.4	-	13	0.1	0.0	0.0	
▲	-	-	-	-	-	-	-	-	-	-	-	0.1	-	-	0.1	-	0.2	0.1	-	5	0.0	0.0	0.0	
ЗН сечового міхура																							C67	
▼	-	-	-	-	-	-	-	0.2	0.3	1.2	2.0	4.8	12.0	28.3	38.0	58.8	67.7	93.1	76.0	1960	9.3	5.9	0.1	
▲	-	-	-	-	-	-	-	0.1	-	0.1	0.3	0.6	0.6	2.7	2.5	5.7	7.6	10.3	11.9	373	1.5	0.6	0.0	
ЗН ока																							C69	
▼	0.4	0.1	0.2	-	-	-	0.2	0.2	0.1	-	0.1	0.7	0.7	1.1	0.5	1.3	0.2	1.1	-	61	0.3	0.2	0.0	
▲	-	0.2	-	-	-	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.4	0.7	0.7	0.8	1.0	0.7	0.5	73	0.3	0.2	0.0	

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2010 рік - уточнена інформація
Статеві-вікові показники смертності

Додаток В - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН мозкових оболонок та ін. відділів ЦНС																							C70-C72		
▼	-	1.7	1.3	0.7	1.5	1.1	1.6	1.8	3.5	4.1	6.6	8.2	12.6	13.6	12.5	9.2	8.0	5.0	4.8	1007	4.8	3.8	0.1		
▲	0.4	1.0	1.4	0.9	0.7	0.7	0.9	2.2	2.3	3.4	3.8	5.7	6.5	8.2	5.9	6.6	2.9	2.4	0.3	818	3.3	2.4	0.1		
з них: ЗН головного мозку																							C71		
▼	-	1.7	1.1	0.6	1.5	1.0	1.4	1.7	3.5	3.8	6.5	7.9	12.1	13.3	12.3	8.9	8.0	5.0	4.8	970	4.6	3.7	0.1		
▲	-	1.0	1.4	0.7	0.6	0.7	0.7	2.2	2.1	3.4	3.7	5.3	6.3	8.0	5.7	6.6	2.7	2.2	0.3	784	3.2	2.3	0.1		
ЗН щитовидної залози																							C73		
▼	-	-	-	-	-	-	0.1	0.1	0.1	0.3	0.6	0.8	0.9	1.4	2.0	2.0	1.5	4.3	1.9	105	0.5	0.3	0.0		
▲	-	-	-	-	-	-	0.1	0.1	0.3	0.2	0.3	1.2	1.3	2.4	2.4	4.4	4.2	5.1	2.8	277	1.1	0.5	0.0		
ЗН інших ендокринних залоз																							C74-C75		
▼	0.4	-	-	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.3	1.0	1.3	1.6	0.8	2.1	1.2	1.1	-	100	0.5	0.3	0.0		
▲	0.4	-	-	-	0.1	0.1	-	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.2	0.5	0.3	0.4	0.3	44	0.2	0.1	0.0		
Лімфоми та інші імуні- та лімфопроліферативні новоутворення																							C81-C85, C88, C90		
▼	-	0.3	0.4	0.9	0.3	1.8	1.9	2.4	3.0	4.5	5.2	8.0	10.4	18.2	17.1	18.9	19.9	16.7	16.4	1195	5.7	4.2	0.1		
▲	-	0.3	0.2	0.1	0.6	1.4	1.7	2.0	3.2	3.1	3.1	4.8	7.1	7.8	10.6	12.2	11.9	8.0	5.3	1083	4.4	2.6	0.1		
з них: Хвороба Ходжкіна																							C81		
▼	-	-	0.1	0.1	0.1	0.7	1.2	1.1	1.3	1.2	1.4	1.6	2.1	2.2	2.4	1.7	3.2	0.7	1.9	241	1.1	0.9	0.1		
▲	-	0.1	-	-	0.1	0.7	1.1	1.1	1.1	1.1	0.9	0.9	0.8	0.7	0.6	1.5	1.0	0.4	1.0	193	0.8	0.6	0.0		
Неходжкінські лімфоми																							C82-C83, C85		
▼	-	0.3	0.3	0.6	0.1	1.0	0.7	1.2	1.4	2.8	2.4	4.5	6.2	11.1	10.0	12.6	12.6	11.0	10.6	699	3.3	2.4	0.1		
▲	-	0.1	0.2	0.1	0.4	0.6	0.6	0.8	1.8	1.7	1.6	2.1	3.6	3.8	5.5	5.8	5.2	5.8	3.5	546	2.2	1.3	0.1		
Множинна мієлома та злоякісні плазмоклітинні новоутворення																							C90		
▼	-	-	-	-	-	0.1	-	0.1	0.1	0.4	1.1	1.8	2.0	4.3	4.2	3.9	4.1	3.6	3.8	219	1.0	0.7	0.1		
▲	-	-	-	-	-	-	-	0.1	0.2	0.3	0.5	1.7	2.2	2.9	4.3	4.5	5.4	1.4	0.8	311	1.3	0.6	0.0		
Лейкемії																							C91-C95		
▼	0.8	1.9	1.7	1.1	1.6	1.4	1.2	1.4	1.9	3.2	3.5	7.2	9.4	17.3	20.1	28.0	30.3	28.1	24.0	1291	6.1	4.6	0.1		
▲	0.8	1.7	1.2	0.6	1.1	1.1	1.4	1.1	1.2	1.7	2.7	4.1	4.9	10.1	9.8	14.9	12.4	10.0	5.6	1061	4.3	2.6	0.1		
з них: Лейкемія лімфоїдна																							C91		
▼	-	1.3	1.6	0.8	1.0	0.6	0.5	0.5	0.8	1.0	1.9	2.9	4.6	11.0	9.8	15.8	19.2	17.8	16.4	703	3.3	2.5	0.1		
▲	-	0.8	0.6	0.4	0.6	0.5	0.7	0.1	0.2	0.6	0.8	1.5	2.0	4.7	4.3	7.3	7.6	7.0	3.3	498	2.0	1.2	0.1		
Лейкемія мієлоїдна																							C92		
▼	0.4	0.2	0.1	0.3	0.3	0.4	0.5	0.7	0.7	1.4	1.3	2.8	2.8	3.9	5.8	7.9	6.6	5.3	4.8	364	1.7	1.3	0.1		
▲	-	0.7	0.4	0.2	0.3	0.5	0.3	0.5	0.6	0.8	1.1	1.7	2.0	3.7	3.6	4.9	3.0	2.0	0.8	362	1.5	1.0	0.1		
Лейкемія неуточненого клітинного типу																							C95		
▼	0.4	0.2	-	-	0.3	0.3	0.2	-	0.3	0.6	0.2	0.8	1.4	1.1	2.4	2.2	2.9	2.1	1.0	129	0.6	0.5	0.0		
▲	0.8	0.2	0.1	-	0.2	-	0.1	0.2	0.2	0.3	0.6	0.4	0.6	1.0	1.0	1.6	1.2	0.8	1.5	124	0.5	0.3	0.0		
ЗН неуточненої первинної локалізації																							C77-C80		
▼	-	0.1	-	-	0.1	0.2	0.3	0.7	1.1	2.4	5.5	13.2	22.0	34.3	36.3	48.8	46.8	38.7	33.7	2004	9.5	6.4	0.1		
▲	-	-	-	-	0.2	0.1	0.6	0.7	2.2	3.4	5.4	7.9	14.0	15.8	21.6	19.3	17.1	13.2	1426	5.8	2.8	0.1			

"а" - випадків не зареєстровано; 0.0 - показник менший за 0.05