

Додаток Б

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки	Грубий	Станд.	Похибка	
Всі злюйкісні новоутворення																								C00-C96
♀	4.3	5.4	4.4	3.4	4.5	7.1	11.0	19.7	33.8	61.8	130.8	276.4	485.0	728.4	974.6	1081.5	1304.9	1054.6	926.3	48064	229.1	154.2	0.7	
♂	6.6	4.1	2.7	3.6	3.0	6.2	10.7	21.9	41.4	69.8	104.9	168.8	245.3	337.9	418.5	476.3	571.1	480.3	431.3	39404	161.0	81.2	0.5	
Всі злюйкісні новоутворення (за виключенням немеланомних ЗН шкіри)																								C00-C96 (за винятком C44, C46.0)
♀	4.3	5.4	4.4	3.4	4.5	7.1	11.0	19.6	33.6	61.4	130.1	275.1	483.0	726.3	967.8	1073.8	1295.4	1036.3	893.6	47732	227.5	153.1	0.7	
♂	6.6	4.1	2.7	3.6	3.0	6.2	10.7	21.9	41.4	69.7	104.6	168.5	244.6	336.8	417.0	472.5	564.9	470.7	411.0	39072	159.6	80.7	0.5	
ЗН губи																								C00
♀	-	-	-	-	-	-	-	-	-	0.1	0.2	0.6	0.5	2.4	3.9	4.3	7.2	7.3	5.4	166	0.8	0.5	0.0	
♂	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.4	0.8	1.6	2.4	37	0.2	0.0	0.0	
ЗН ротової порожнини																								C01-C08, C46.2
♀	-	-	-	-	-	0.1	0.2	0.5	1.3	3.4	7.9	15.7	23.6	28.3	24.1	21.2	17.6	11.8	6.2	1526	7.3	5.1	0.1	
♂	-	-	-	-	-	0.1	0.1	0.2	0.3	0.5	0.9	1.4	2.1	2.2	2.6	3.6	4.5	5.5	283	1.2	0.6	0.0		
ЗН глотки																								C09-C14
♀	-	-	0.1	-	0.1	0.1	0.2	0.4	1.2	2.9	7.9	16.9	28.1	30.4	25.4	18.8	13.4	4.9	3.1	1563	7.5	5.3	0.1	
♂	-	-	-	-	-	0.1	0.1	0.2	0.3	0.5	0.9	1.4	2.1	2.2	2.6	3.6	4.5	5.5	151	0.6	0.3	0.0		
ЗН стравоходу																								C15
♀	-	-	-	-	-	-	-	0.1	0.1	2.0	5.7	11.8	21.0	26.8	28.2	22.4	19.0	15.9	10.1	1384	6.6	4.6	0.1	
♂	-	-	-	-	-	-	-	0.1	0.1	0.1	0.4	0.4	0.6	1.8	1.9	2.2	2.4	4.3	4.4	185	0.8	0.3	0.0	
ЗН шлунка																								C16
♀	-	-	-	-	-	0.2	0.3	1.5	4.5	6.7	13.1	29.0	52.6	79.5	106.8	122.2	145.4	122.0	95.7	5221	24.9	16.5	0.2	
♂	-	-	-	-	-	0.2	0.7	1.5	2.5	5.0	7.0	11.9	18.0	26.3	38.6	50.4	58.4	49.7	33.2	3441	14.1	6.6	0.1	
ЗН тонкого кишківника																								C17
♀	-	-	-	-	-	0.1	-	0.1	0.1	0.3	0.3	0.4	1.0	1.3	0.5	2.4	3.0	1.4	1.6	90	0.4	0.3	0.0	
♂	-	-	-	-	-	0.1	-	0.2	0.2	0.1	0.3	0.6	0.6	1.1	1.2	1.7	0.7	1.3	89	0.4	0.2	0.0		
ЗН ободової кишки																								C18
♀	-	-	-	-	0.1	0.1	0.2	0.6	1.6	2.6	4.7	11.2	21.8	38.7	60.0	80.8	111.3	100.1	112.9	3000	14.3	9.2	0.2	
♂	-	-	-	-	0.2	0.3	0.5	1.7	2.4	3.5	9.9	16.0	24.2	39.0	48.6	62.6	50.4	54.7	3315	13.5	5.9	0.1		
ЗН прямої кишки, ануса																								C19-C21
♀	-	-	-	0.1	-	0.1	0.2	0.6	1.6	2.6	4.7	11.4	25.4	42.6	70.1	79.5	111.5	93.9	79.4	3066	14.6	9.5	0.2	
♂	-	-	-	-	0.2	0.2	0.6	1.1	2.2	4.0	7.6	13.0	23.4	32.3	39.8	49.3	44.7	31.4	2732	11.2	5.0	0.1		
ЗН печінки та внутрішньопечінкових жовчних протоків																								C22
♀	-	0.3	0.1	0.2	0.2	-	0.3	0.3	1.1	1.3	2.7	5.8	8.6	15.5	14.9	19.8	21.8	19.7	17.9	907	4.3	2.9	0.1	
♂	0.8	0.1	-	0.1	-	0.1	0.3	0.3	0.5	0.5	1.8	1.7	3.0	5.6	7.6	9.8	11.9	11.5	9.0	697	2.8	1.3	0.1	
ЗН жовчного міхура та позапечінкових жовчних протоків																								C23-C24
♀	-	-	-	-	-	0.1	0.1	0.4	0.3	0.7	0.7	2.2	4.2	7.2	7.6	12.1	5.9	4.7	294	1.4	0.9	0.1		
♂	-	-	-	-	0.1	0.1	-	0.1	0.4	0.5	1.6	3.6	4.0	5.9	9.1	10.4	7.2	8.1	559	2.3	1.0	0.0		
ЗН підшлункової залози																								C25
♀	-	-	-	-	-	0.2	0.4	0.7	2.5	4.3	8.8	16.0	26.3	37.4	45.6	48.3	56.3	43.7	35.0	2372	11.3	7.7	0.2	
♂	-	-	-	-	-	0.1	-	0.5	0.6	2.3	2.9	5.5	9.7	15.9	21.8	27.8	36.3	30.4	27.0	1951	8.0	3.5	0.1	

"- - випадків не зареєстровано; 0.0 - показник менший за 0.05

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки	Грубий	Станд.	Похідка		
ЗН носової порожнини, придаткових пазух та середнього вуха																								C30-C31	
■	-	-	-	-	-	0.1	-	0.2	0.2	0.5	1.2	1.6	2.0	2.0	2.5	1.7	2.3	1.7	3.1	154	0.7	0.5	0.0		
▲	-	-	-	-	0.1	-	-	0.1	0.1	0.1	0.3	0.3	0.7	1.1	0.3	0.7	1.0	1.9	1.1	88	0.4	0.2	0.0		
ЗН горяні																								C32	
■	-	-	-	-	-	-	-	0.1	0.6	1.7	4.6	10.5	18.8	27.1	30.7	26.3	29.0	20.8	17.1	1436	6.8	4.7	0.1		
▲	-	-	-	-	-	-	0.1	0.1	0.1	-	0.2	0.4	0.5	0.1	0.9	0.6	0.2	0.3	0.7	52	0.2	0.1	0.0		
ЗН трахеї, бронхів, легені																								C33-C34	
■	-	-	-	-	-	0.2	0.4	1.2	3.4	10.6	29.9	68.1	134.1	199.0	264.8	282.2	287.5	189.2	137.0	11699	55.8	37.6	0.4		
▲	-	-	-	-	0.2	0.2	0.3	0.8	1.1	2.4	4.6	8.2	13.4	21.4	30.5	30.3	41.2	30.2	28.6	2381	9.7	4.6	0.1		
ЗН тимуса																								C37	
■	-	0.1	-	-	-	0.1	-	0.1	0.1	-	0.2	0.4	0.2	0.1	0.7	0.4	0.2	0.3	-	27	0.1	0.1	0.0		
▲	-	-	-	-	-	-	0.1	0.1	0.2	0.3	-	0.1	0.1	0.2	0.2	0.1	-	-	-	19	0.1	0.1	0.0		
ЗН серця, межистіння																								C38 (за винятком C38.4)	
■	-	0.4	-	-	-	-	0.4	0.2	0.2	0.7	0.3	0.6	0.7	1.3	3.6	2.3	2.1	2.1	0.8	117	0.6	0.4	0.0		
▲	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.6	0.8	0.7	0.5	0.7	51	0.2	0.1	0.0		
ЗН плеври																								C38.4, C45.0	
■	-	-	-	-	-	-	0.1	0.1	0.1	0.3	0.3	0.4	1.6	2.0	2.8	1.6	4.6	4.2	0.8	124	0.6	0.4	0.0		
▲	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.6	0.8	1.0	1.0	1.4	1.0	0.7	81	0.3	0.2	0.0	
ЗН кісток та суглобових хрящів																								C40-C41	
■	-	-	-	0.5	1.0	0.2	0.5	0.2	0.6	0.5	0.7	1.2	1.3	2.1	2.0	2.8	2.3	1.7	0.8	172	0.8	0.7	0.1		
▲	-	0.1	0.1	0.9	0.3	0.2	0.2	-	0.2	0.2	0.3	0.4	1.0	1.1	1.1	1.2	0.9	1.6	-	124	0.5	0.4	0.0		
Меланома шкіри																								C43	
■	-	-	-	-	-	0.4	0.7	1.5	1.3	1.5	3.0	4.5	4.1	7.5	8.5	10.1	11.8	11.1	10.9	576	2.7	1.9	0.1		
▲	-	-	-	-	0.1	0.3	0.5	0.8	1.0	1.9	3.1	4.0	3.8	5.3	4.5	4.8	6.4	5.4	6.2	598	2.4	1.4	0.1		
Інші ЗН шкіри																								C44, C46.0	
■	-	-	-	-	-	-	0.1	0.1	0.2	0.3	0.7	1.3	2.0	2.2	6.7	7.7	9.5	18.4	32.7	332	1.6	1.0	0.1		
▲	-	-	-	-	-	-	-	0.1	-	0.1	0.2	0.3	0.6	1.1	1.5	3.8	6.2	9.6	20.2	332	1.4	0.4	0.0		
Мезотеліома (за викл.мезотеліоми плеври)																								C45.1-9	
■	-	-	-	-	-	-	0.1	-	-	0.1	-	0.3	0.2	0.2	-	0.4	0.2	-	-	16	0.1	0.1	0.0		
▲	-	-	-	-	-	-	-	-	-	0.2	0.2	0.3	0.4	0.6	0.4	0.5	0.3	0.4	40	0.2	0.1	0.0			
ЗН заочеревинного простору та очеревини																								C48	
■	0.4	0.5	0.7	-	0.1	0.2	0.2	0.3	0.6	0.8	0.5	1.4	1.7	2.1	3.0	3.4	5.3	2.1	0.8	197	0.9	0.7	0.1		
▲	0.4	0.2	0.2	0.3	-	0.1	0.1	0.2	0.1	0.5	0.6	0.6	1.8	2.5	2.3	3.2	4.6	2.6	2.2	259	1.1	0.6	0.0		
ЗН сполучної та м'якої тканини																								C 46.1, C49	
■	-	0.2	-	0.3	0.2	0.3	0.6	0.2	0.4	0.7	1.1	1.8	2.4	2.5	2.5	5.3	6.7	3.5	1.6	251	1.2	0.8	0.1		
▲	-	0.1	-	0.4	0.2	0.1	0.5	0.1	0.2	0.6	1.4	1.2	1.4	2.3	2.0	2.4	3.1	2.7	3.7	262	1.1	0.6	0.0		
ЗН молочної залози																								C50	
■	-	-	-	-	-	-	-	0.1	-	0.2	0.4	0.3	0.9	0.8	1.7	2.3	3.8	3.1	68	0.3	0.2	0.0			
▲	-	-	-	-	-	0.3	0.9	3.7	9.3	14.6	28.6	44.7	63.3	72.6	78.3	83.3	88.3	78.1	84.1	7880	32.2	16.8	0.2		

"- - випадків не зареєстровано; 0.0 - показник менший за 0.05

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки	Грубий	Станд.	Похідка				
3Н вульве																								C51			
■	-	-	-	-	-	-	-	-	0.1	0.4	0.2	0.3	1.2	1.6	2.9	5.1	7.1	9.5	5.9	331	1.4	0.5	0.0				
3Н піхви																								C52			
■	-	0.1	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.5	0.5	1.0	0.8	1.0	0.8	0.9	71	0.3	0.2	0.0				
3Н шийки матки																								C53			
■	-	-	-	-	-	0.1	1.5	5.5	9.7	14.9	13.3	16.9	16.2	15.6	14.3	13.4	16.6	14.0	12.1	2257	9.2	5.8	0.1				
3Н тіла матки																								C54			
■	-	-	-	-	-	-	-	-	0.2	0.3	0.6	1.8	3.2	8.2	13.5	22.1	28.0	26.2	33.0	25.5	19.3	2097	8.6	4.1	0.1		
3Н матки неуточненої частини																								C55			
■	-	-	-	-	-	-	-	-	0.2	0.1	0.5	0.3	0.5	0.5	0.8	0.5	0.8	1.0	1.9	0.7	85	0.3	0.2	0.0			
3Н яєчника																								C56			
■	-	-	0.1	-	0.2	0.2	0.6	0.9	3.4	5.4	10.5	13.8	20.9	24.8	27.6	28.3	24.5	15.2	8.8	2458	10.0	5.6	0.1				
3Н інших придатків матки																								C57			
■	-	-	-	-	-	-	-	-	-	0.1	-	0.2	0.3	0.3	0.8	0.7	0.6	0.4	0.4	42	0.2	0.1	0.0				
3Н плаценти																								C58			
■	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	2	0.0	0.0	0.0				
3Н статевого члена																								C60			
■	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.5	0.7	1.4	2.1	2.0	1.9	3.8	5.4	95	0.5	0.3	0.0				
3Н передміхурової залози																								C61			
■	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	0.3	1.5	4.3	18.5	40.9	76.9	115.0	172.7	164.6	158.8	3650	17.4	10.7	0.2	
3Н яєчка																								C62			
■	-	-	-	-	-	0.1	0.5	0.9	0.5	1.3	0.9	0.9	0.4	0.8	0.8	1.0	1.1	1.2	1.0	1.6	138	0.7	0.5	0.0			
3Н нирки																								C64			
■	0.4	0.2	0.1	-	-	0.1	0.2	0.2	0.9	2.4	5.4	12.7	17.3	26.7	31.3	26.5	37.8	30.8	24.1	1566	7.5	5.1	0.1				
▲	-	0.5	0.1	0.2	-	0.1	0.1	0.4	0.2	0.7	1.4	3.0	5.6	10.2	11.0	12.0	16.3	10.6	8.8	930	3.8	1.9	0.1				
3Н ниркової миски																								C65			
■	-	-	-	-	-	-	-	-	-	0.1	0.1	0.4	0.2	0.5	1.1	0.5	1.2	1.0	-	36	0.2	0.1	0.0				
▲	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	-	0.3	0.2	0.2	0.4	-	14	0.1	0.0	0.0				
3Н сечоводу																								C66			
■	-	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.2	0.3	0.5	0.9	0.7	1.6	20	0.1	0.1	0.0				
▲	-	-	-	-	-	-	-	-	0.1	-	0.1	0.1	0.1	0.2	0.3	0.6	0.4	-	19	0.1	0.0	0.0					
3Н сечового міхура																								C67			
■	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.5	2.1	6.5	11.7	23.7	36.8	57.4	90.4	80.4	85.6	1998	9.5	5.9	0.1		
▲	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.6	1.5	1.9	3.8	5.2	9.5	11.7	6.8	394	1.6	0.6	0.0				
3Н ока																								C69			
■	-	0.2	-	-	-	-	-	0.1	0.2	0.1	-	0.3	0.3	0.5	0.8	1.0	1.3	1.4	-	0.8	57	0.3	0.2	0.0			
▲	-	0.1	-	-	-	-	-	-	0.1	-	0.3	0.1	0.5	0.5	0.8	0.5	0.6	0.9	1.0	0.9	71	0.3	0.2	0.0			

"-“ - випадків не зареєстровано; 0.0 - показник менший за 0.05

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки	Грубий	Станд.	Похибка	
ЗН мозкових оболонок та ін. відділів ЦНС																								C70-C72
♀	1.2	0.7	1.2	1.2	1.0	0.6	1.3	3.0	3.4	4.7	5.8	9.2	11.1	11.4	14.1	9.3	7.9	2.4	6.2	981	4.7	3.7	0.1	
♂	2.1	0.7	1.3	0.4	0.5	0.7	1.1	1.2	1.9	4.0	4.3	5.2	7.8	9.2	6.7	6.3	5.1	2.6	3.5	882	3.6	2.5	0.1	
з них: ЗН головного мозку																								C71
♀	1.2	0.7	1.2	1.2	0.8	0.6	1.3	2.9	3.4	4.5	5.7	8.9	10.7	11.0	13.9	8.9	7.9	2.4	6.2	955	4.6	3.6	0.1	
♂	1.7	0.7	1.2	0.4	0.4	0.5	1.0	1.2	1.8	3.9	4.0	5.0	7.8	9.0	6.5	6.2	4.9	2.4	3.3	852	3.5	2.4	0.1	
ЗН щитовидної залози																								C73
♀	-	-	-	-	-	-	-	0.2	-	0.1	0.5	0.8	0.5	2.1	2.1	1.6	2.3	3.8	1.6	104	0.5	0.3	0.0	
♂	-	-	-	-	-	0.1	0.2	-	0.1	0.4	0.5	0.9	1.0	2.0	2.2	2.8	5.2	5.4	2.6	250	1.0	0.5	0.0	
ЗН інших ендокринних залоз																								C74-C75
♀	-	0.3	-	-	0.1	0.1	0.1	0.3	0.1	0.2	0.3	0.5	0.7	1.4	1.8	1.0	1.6	1.0	0.8	83	0.4	0.3	0.0	
♂	-	-	-	-	0.1	0.1	0.1	-	-	0.1	0.2	0.2	0.7	0.4	0.5	1.0	0.1	0.1	0.7	55	0.2	0.1	0.0	
Лімфоми та інші імуно- та лімфопроліферативні новоутворення																								C81-C85, C88, C90
♀	0.4	0.7	0.2	0.3	0.6	1.3	2.0	3.7	2.8	3.2	5.2	8.2	10.4	14.5	21.3	20.6	22.3	15.6	6.2	1198	5.7	4.1	0.1	
♂	0.8	0.1	0.1	0.1	0.4	1.3	1.5	2.4	2.8	2.4	3.0	5.5	5.8	9.5	13.9	12.4	15.4	6.8	5.7	1136	4.6	2.7	0.1	
з них: Хвороба Ходжкіна																								C81
♀	-	0.1	-	-	0.2	0.6	1.1	1.1	0.7	0.6	1.0	1.3	1.8	2.0	2.3	2.2	2.1	1.0	-	201	1.0	0.7	0.1	
♂	-	-	-	-	0.2	0.8	0.9	1.5	1.5	1.1	0.4	0.8	0.5	0.8	1.1	1.2	1.8	0.7	0.9	200	0.8	0.6	0.0	
Неходжкінські лімфоми																								C82-C83, C85
♀	-	0.5	0.2	0.3	0.4	0.6	0.9	2.4	1.7	1.9	2.9	5.1	5.3	7.5	13.0	12.6	13.2	10.7	5.4	700	3.3	2.4	0.1	
♂	0.4	0.1	0.1	0.1	0.2	0.4	0.5	0.8	1.3	1.1	1.6	2.6	3.1	4.4	6.9	7.0	9.0	4.8	4.0	588	2.4	1.3	0.1	
Множинна мієлома та злюйкіні плазмоклітинні новоутворення																								C90
♀	0.4	-	-	-	-	-	-	-	-	0.1	0.5	1.1	1.6	2.8	4.5	5.3	4.5	5.6	2.8	0.8	243	1.2	0.8	0.1
♂	0.4	-	-	-	-	-	-	-	-	0.1	0.9	1.8	2.1	3.7	5.1	3.9	4.3	1.2	0.7	308	1.3	0.7	0.0	
Лейкемії																								C91-C95
♀	1.2	2.0	2.0	0.8	1.1	1.6	1.3	1.9	1.9	2.4	3.1	7.0	8.6	14.5	26.1	25.8	30.4	18.7	20.2	1237	5.9	4.4	0.1	
♂	2.1	1.7	0.7	1.0	1.0	1.1	1.0	0.8	1.4	2.4	2.4	4.7	4.6	9.6	12.5	13.6	13.3	13.7	8.1	1119	4.6	2.7	0.1	
з них: Лейкемія лімфоїдна																								C91
♀	0.4	1.5	1.3	0.6	0.7	0.9	0.6	0.6	0.5	0.8	0.9	2.9	4.4	8.9	13.3	14.1	17.2	12.1	13.2	645	3.1	2.3	0.1	
♂	0.8	1.0	0.6	0.6	0.5	0.2	0.1	0.2	0.6	0.6	1.5	1.6	4.2	5.5	6.2	7.4	9.1	5.1	499	2.0	1.2	0.1		
Лейкемія мієлоЯдна																								C92
♀	0.8	0.4	0.6	0.2	0.2	0.5	0.6	0.7	1.0	1.0	1.7	2.5	3.1	4.0	7.2	7.8	9.3	5.5	3.9	400	1.9	1.4	0.1	
♂	1.2	0.3	0.1	0.4	0.1	0.4	0.6	0.4	0.8	1.1	1.3	1.9	3.6	5.0	5.0	3.7	2.7	2.0	407	1.7	1.0	0.1		
Лейкемія неуточненого клітинного типу																								C95
♀	-	0.1	0.1	-	0.1	0.2	0.1	0.4	0.3	0.5	0.1	0.8	0.7	0.9	3.0	2.6	2.8	0.7	2.3	118	0.6	0.4	0.0	
♂	-	0.1	-	-	0.2	0.1	0.1	0.2	0.1	0.3	0.2	0.5	0.7	1.1	0.6	1.9	1.5	1.5	0.9	124	0.5	0.3	0.0	
ЗН неуточненої первинної локалізації																								C77-C80
♀	-	-	-	-	-	0.3	0.3	0.6	1.5	3.0	5.6	13.1	22.1	31.2	40.9	44.2	47.5	41.9	30.4	2006	9.6	6.4	0.1	
♂	-	-	0.1	0.1	-	0.3	0.2	0.6	1.0	1.4	3.1	5.9	8.2	12.8	16.0	19.8	24.7	17.8	17.8	1467	6.0	2.9	0.1	

"-“ - випадків не зареєстровано; 0.0 - показник менший за 0.05