

Adjusted rates 2012

Rates for selected cancer sites by age group and gender, incidence

Annex A

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases	CR	ASR	ER			
All sites																							C00-C96			
♂	21.4	21.8	13.9	9.6	17.0	20.6	32.3	48.4	75.7	132.0	254.2	490.4	800.8	1223.5	1608.7	1805.0	2078.1	1684.5	1542.7	82258	392.1	268.0	1.0			
♀	19.0	15.2	8.8	10.8	17.5	30.3	53.7	99.4	146.9	244.6	348.9	464.1	611.1	788.4	911.7	963.9	1057.8	830.9	692.5	90794	370.9	206.5	0.8			
All sites (non-melanoma of skin excluded)																							C00-C96 (C44, C46.0 excluded)			
♂	21.4	21.8	13.9	9.4	16.7	19.6	30.2	44.8	70.1	120.8	233.9	453.4	738.3	1119.9	1448.4	1598.9	1788.1	1393.1	1173.8	73741	351.5	241.7	0.9			
♀	19.0	15.2	8.8	10.7	17.2	29.3	51.5	95.4	139.7	232.6	325.4	425.4	556.0	700.5	789.8	795.5	846.3	615.8	483.5	78619	321.2	184.5	0.7			
Lip																							C00			
♂	-	-	-	-	0.1	-	0.1	0.2	0.4	0.9	1.7	3.5	4.9	7.7	13.9	20.8	27.4	24.6	20.2	728	3.5	2.2	0.1			
♀	-	-	-	-	-	-	-	0.1	-	-	0.1	0.2	0.5	1.1	1.6	4.6	6.6	8.7	7.0	274	1.1	0.4	0.0			
Oral cavity																							C01-C08, C46.2			
♂	-	-	-	-	0.1	-	0.1	0.2	0.4	0.9	1.7	3.5	4.9	7.7	13.9	20.8	27.4	24.6	20.2	728	3.5	2.2	0.1			
♀	-	-	-	-	-	-	-	0.1	-	-	0.1	0.2	0.5	1.1	1.6	4.6	6.6	8.7	7.0	274	1.1	0.4	0.0			
Pharynx																							C09-C14			
♂	-	-	0.1	0.2	0.1	0.2	0.2	0.9	2.2	5.9	11.9	24.5	35.8	39.5	37.6	23.4	14.8	7.3	3.9	2148	10.2	7.4	0.2			
♀	-	-	-	0.1	-	-	0.3	0.2	0.5	1.4	0.7	2.1	2.5	2.3	1.2	1.9	2.3	2.2	2.4	260	1.1	0.6	0.0			
Esophagus																							C15			
♂	-	-	-	-	-	0.1	-	-	0.4	2.5	7.6	15.0	22.5	33.4	34.1	28.5	28.3	18.7	13.2	1707	8.1	5.7	0.1			
♀	-	-	-	-	-	-	-	0.1	0.2	0.3	0.4	0.4	1.0	2.2	2.3	3.7	3.7	4.8	6.6	254	1.0	0.4	0.0			
Stomach																							C16			
♂	-	-	-	-	0.2	0.5	0.7	1.8	5.0	8.8	20.9	38.2	67.1	96.4	124.9	160.4	176.2	148.3	101.2	6568	31.3	20.7	0.3			
♀	-	-	-	-	0.1	0.5	1.0	1.6	4.1	7.3	10.1	16.9	24.2	35.3	49.9	64.6	76.8	59.4	38.0	4510	18.4	8.8	0.1			
Small intestine																							C17			
♂	-	-	-	-	0.1	-	0.1	0.2	0.2	0.6	0.4	0.8	1.6	2.0	2.5	3.5	4.2	1.4	0.8	147	0.7	0.5	0.0			
♀	-	-	-	-	0.1	-	0.1	0.2	0.1	0.3	0.3	0.9	1.0	1.6	2.4	1.5	1.7	1.2	1.5	154	0.6	0.3	0.0			
Colon																							C18			
♂	-	-	-	-	0.2	0.2	0.6	2.3	3.8	6.5	10.9	22.8	40.6	73.4	104.2	132.8	158.1	136.2	121.4	5067	24.2	15.8	0.2			
♀	-	-	-	0.1	0.2	0.2	0.6	1.3	3.1	6.1	10.7	20.9	36.5	51.8	72.6	87.0	100.7	68.3	59.8	5971	24.4	11.5	0.2			
Rectum, anus																							C19-C21			
♂	-	-	-	-	-	0.1	0.4	1.1	2.8	4.1	10.3	25.3	47.1	77.7	114.0	118.1	142.3	109.1	85.6	4898	23.3	15.6	0.2			
♀	-	-	-	-	-	0.4	0.6	1.1	2.8	5.7	10.1	20.6	31.3	42.4	57.9	65.3	67.4	49.9	31.9	4660	19.0	9.4	0.1			
Liver and intrahepatic bile ducts																							C22			
♂	0.8	0.9	0.2	-	0.1	0.2	0.4	0.5	1.5	1.6	3.1	5.6	10.2	17.9	18.7	21.7	25.7	20.8	24.1	1047	5.0	3.5	0.1			
♀	1.7	0.7	-	-	0.1	0.1	0.4	0.4	0.8	0.8	2.1	2.5	3.4	6.1	8.3	11.0	13.9	12.5	9.2	804	3.3	1.6	0.1			
Gallbladder and extrahepatic bile ducts																							C23-C24			
♂	-	0.1	-	-	-	-	0.2	0.1	0.6	0.7	1.3	2.3	3.6	6.8	8.0	12.3	14.4	9.7	10.9	462	2.2	1.5	0.1			
♀	0.4	-	-	-	0.1	0.1	0.1	0.2	0.1	0.7	0.9	1.4	4.4	5.8	8.1	10.9	14.5	8.7	7.9	711	2.9	1.3	0.1			
Pancreas																							C25			
♂	-	-	-	-	0.1	0.1	0.5	1.2	2.9	6.6	10.4	19.9	30.0	44.7	54.0	60.7	64.2	56.8	48.3	2882	13.7	9.3	0.2			
♀	-	-	-	0.1	0.1	0.2	0.1	0.6	1.0	2.8	4.6	7.3	13.0	20.8	25.8	37.8	44.6	39.5	33.4	2534	10.4	4.6	0.1			

"-" - no cases registered; 0.0 - rate less than 0.05

Adjusted rates 2012

Rates for selected cancer sites by age group and gender, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases	CR	ASR	ER			
Nasal cavity, accessory sinuses and middle ear																							C30-C31			
♂	-	0.2	-	-	0.2	0.1	0.2	0.2	0.5	0.6	1.5	2.4	2.9	3.7	2.6	3.5	3.5	3.5	3.1	245	1.2	0.8	0.1			
♀	-	-	-	-	0.1	0.1	0.2	0.3	0.2	-	0.8	0.9	0.9	1.7	1.7	2.1	1.2	2.0	2.6	177	0.7	0.4	0.0			
Larynx																							C32			
♂	-	-	-	-	-	-	0.1	0.4	1.4	4.9	11.7	23.5	38.1	45.2	40.9	34.0	29.7	23.6	11.7	2405	11.5	8.0	0.2			
♀	-	-	-	-	-	-	-	-	0.4	0.2	0.4	0.7	1.3	1.3	1.2	0.8	0.7	0.4	0.9	110	0.4	0.3	0.0			
Trachea, bronchus and lung																							C33-C34			
♂	-	-	-	-	-	0.6	0.7	2.3	5.0	14.2	40.5	94.1	165.9	245.7	307.8	322.2	323.6	230.7	175.1	14245	67.9	45.9	0.4			
♀	-	-	-	-	0.4	0.5	0.5	1.0	2.7	4.8	7.3	12.4	19.6	28.9	39.4	43.5	55.5	42.3	36.7	3361	13.7	6.6	0.1			
Thymus																							C37			
♂	-	0.1	-	-	-	0.3	0.1	0.1	0.2	0.3	0.3	0.8	0.2	0.4	1.5	0.7	0.5	-	-	57	0.3	0.2	0.0			
♀	-	-	-	-	0.1	0.1	0.2	0.3	0.3	0.2	0.4	0.5	0.5	0.5	0.3	0.4	0.1	-	-	62	0.3	0.2	0.0			
Heart, mediastinum																							C38 (C38.4 excluded)			
♂	1.9	0.6	0.1	0.2	0.1	0.2	0.3	0.2	0.4	0.6	0.5	0.7	0.9	1.5	3.4	2.3	2.6	1.4	3.1	150	0.7	0.6	0.1			
♀	0.8	0.2	0.1	-	0.2	-	0.2	0.1	-	0.1	0.2	0.3	0.3	0.3	1.1	1.0	0.9	1.2	0.7	80	0.3	0.2	0.0			
Pleura																							C38.4, C45.0			
♂	-	-	-	-	-	0.1	-	0.1	0.2	0.5	0.9	0.7	1.7	2.7	2.8	2.9	6.5	3.8	0.8	169	0.8	0.5	0.0			
♀	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.1	0.5	0.9	1.0	1.8	1.5	1.1	0.7	98	0.4	0.2	0.0			
Bones, joints and articular cartilage																							C40-C41			
♂	-	0.2	0.7	1.1	1.1	0.3	0.8	0.5	0.8	0.7	1.6	1.3	1.7	2.3	3.0	3.4	3.7	0.7	0.8	245	1.2	1.0	0.1			
♀	-	0.1	0.4	1.1	1.1	1.2	0.3	0.6	0.3	0.6	0.5	0.8	1.7	1.3	1.5	1.7	1.1	2.3	1.3	230	0.9	0.8	0.1			
Melanoma of skin																							C43			
♂	-	-	0.3	0.1	0.3	0.9	2.0	3.1	4.0	5.1	7.5	8.5	11.3	14.8	24.3	20.6	22.3	22.9	25.7	1333	6.4	4.6	0.1			
♀	-	-	-	0.3	0.4	1.7	2.8	4.5	5.4	7.5	9.0	11.1	12.6	15.5	17.1	15.5	20.7	13.2	12.7	1956	8.0	4.9	0.1			
Other skin																							C44, C46.0			
♂	-	-	-	0.2	0.3	1.0	2.1	3.6	5.6	11.1	20.3	37.1	62.5	103.6	160.3	206.1	290.0	291.4	368.9	8517	40.6	26.4	0.3			
♀	-	-	-	0.1	0.3	1.0	2.1	4.1	7.2	12.0	23.5	38.7	55.1	87.9	121.8	168.5	211.4	215.1	208.9	12175	49.7	22.0	0.2			
Mesothelioma (pleura excluded)																							C45.1-9			
♂	-	-	-	-	-	-	-	-	-	0.1	-	0.3	0.2	0.4	-	0.2	0.2	-	-	16	0.1	0.1	0.0			
♀	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.3	0.5	0.3	0.3	0.2	0.5	0.2	33	0.1	0.1	0.0			
Retroperitoneum and peritoneum																							C48			
♂	2.3	1.4	0.1	-	0.2	0.2	0.3	0.4	0.9	0.9	0.7	1.4	3.1	3.0	3.9	4.3	4.6	4.9	3.1	272	1.3	1.0	0.1			
♀	0.8	1.4	0.2	0.2	-	-	0.2	0.4	0.2	0.9	1.2	1.0	2.3	3.1	3.3	3.9	6.0	3.3	2.9	359	1.5	0.9	0.1			
Connective and other soft tissues																							C 46.1, C49			
♂	1.6	0.8	0.4	0.4	0.5	0.6	0.9	1.4	0.9	1.9	1.9	3.6	3.1	4.9	7.1	8.2	8.8	5.9	10.1	483	2.3	1.8	0.1			
♀	0.4	0.5	0.1	-	0.6	0.7	1.0	1.1	0.7	2.0	1.9	2.2	2.7	4.8	4.9	5.8	6.6	6.5	4.6	571	2.3	1.4	0.1			
Breast																							C50			
♂	-	-	-	-	-	-	0.1	-	0.1	0.3	0.5	0.9	1.3	2.3	2.8	2.4	2.8	2.1	2.3	131	0.6	0.4	0.0			
♀	-	-	-	-	-	1.0	5.0	17.8	34.2	68.7	101.9	111.5	142.5	168.2	170.3	154.7	155.8	103.5	92.3	17746	72.5	42.6	0.3			

"-" - no cases registered; 0.0 - rate less than 0.05

Adjusted rates 2012

Rates for selected cancer sites by age group and gender, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases	CR	ASR	ER		
Vulva																							C51		
▲	-	-	-	-	-	0.1	0.2	-	0.5	0.7	1.1	1.9	2.4	4.2	6.4	9.8	13.3	12.6	11.4	668	2.7	1.2	0.1		
Vagina																							C52		
▲	-	-	-	-	-	-	-	0.1	0.4	0.3	0.5	0.8	1.4	1.3	1.7	1.7	2.1	1.9	1.3	165	0.7	0.3	0.0		
Cervix uteri																							C53		
▲	-	-	-	-	0.2	1.9	10.4	25.2	33.6	43.9	44.0	39.9	33.3	32.9	31.7	23.5	19.1	12.1	8.1	5508	22.5	16.2	0.2		
Corpus uteri																							C54		
▲	-	-	-	-	-	0.2	1.1	2.5	4.8	16.7	33.6	56.1	80.3	96.2	89.9	66.6	53.3	33.4	17.6	7708	31.5	18.2	0.2		
Uterus, NOS																							C55		
▲	-	-	-	-	-	-	0.1	0.1	0.2	0.5	0.7	0.7	0.9	1.3	1.5	1.2	1.2	2.0	1.1	138	0.6	0.3	0.0		
Ovary																							C56		
▲	0.4	0.1	0.2	0.4	1.3	1.9	3.4	7.2	10.5	18.6	27.2	34.2	34.3	38.8	38.8	37.3	31.8	20.0	12.3	4492	18.4	11.5	0.2		
Other female genital organs																							C57		
▲	-	-	-	-	-	0.1	-	-	0.2	0.2	0.5	0.9	1.3	0.8	1.1	0.7	0.6	0.3	0.7	101	0.4	0.2	0.0		
Placenta																							C58		
▲	-	-	-	-	0.4	0.6	0.4	0.5	0.1	0.1	0.1	-	-	-	-	-	-	-	-	37	0.2	0.2	0.0		
Penis																							C60		
▼	-	-	-	-	-	-	-	0.1	-	0.6	0.7	2.0	2.0	3.8	5.1	3.9	4.2	6.9	2.3	224	1.1	0.7	0.1		
Prostate gland																							C61		
▼	0.4	-	0.2	-	-	0.1	0.1	0.1	0.1	0.9	3.8	15.4	45.3	112.8	197.9	264.7	332.0	270.6	239.0	8109	38.7	24.5	0.3		
Testis																							C62		
▼	1.2	0.4	0.3	-	1.8	2.7	4.6	4.9	5.1	4.7	2.6	1.5	1.4	0.8	2.3	1.6	0.9	4.2	0.8	539	2.6	2.2	0.1		
Kidney																							C64		
▼	2.3	1.8	0.7	-	0.1	0.5	0.7	1.9	4.3	8.3	16.6	28.5	40.9	59.1	64.2	50.7	58.2	35.3	37.4	3397	16.2	11.6	0.2		
▲	2.1	1.8	0.4	0.2	0.2	0.3	0.6	1.6	2.3	4.3	8.8	13.3	21.6	29.1	29.1	22.3	25.3	14.4	10.1	2434	9.9	5.8	0.1		
Renal pelvis																							C65		
▼	-	-	-	-	-	-	0.1	-	0.1	0.1	0.1	0.4	1.1	1.0	2.0	2.2	0.7	1.0	0.8	74	0.4	0.2	0.0		
▲	-	-	-	-	-	-	-	0.1	-	0.1	0.1	0.2	0.1	0.5	0.5	0.5	0.6	0.4	-	38	0.2	0.1	0.0		
Ureter																							C66		
▼	-	-	-	-	-	-	0.1	-	0.1	-	0.1	0.3	0.3	0.4	1.0	2.0	0.5	1.4	-	45	0.2	0.1	0.0		
▲	-	-	-	-	-	-	-	-	0.1	0.1	-	0.2	0.1	0.3	0.6	0.4	0.1	0.3	-	25	0.1	0.1	0.0		
Bladder																							C67		
▼	-	0.1	-	-	-	0.2	0.9	1.3	2.4	4.1	10.9	19.9	36.7	62.1	94.2	113.3	145.4	110.5	124.5	4428	21.1	13.9	0.2		
▲	-	-	-	-	0.2	0.6	0.1	0.4	0.6	1.2	1.6	3.6	5.5	8.5	11.9	15.9	19.1	17.5	16.0	1115	4.6	2.1	0.1		
Eye and adnexa																							C69		
▼	2.7	1.2	0.2	-	-	0.1	0.3	0.1	0.2	0.2	1.0	1.2	1.1	2.2	2.0	1.2	2.1	2.1	0.8	148	0.7	0.6	0.1		
▲	1.7	0.5	-	0.4	-	-	0.1	0.5	0.4	0.6	0.6	1.0	0.9	1.8	1.3	1.0	1.2	1.2	0.4	164	0.7	0.5	0.0		

“-“ - no cases registered; 0.0 - rate less than 0.05

Adjusted rates 2012

Rates for selected cancer sites by age group and gender, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases	CR	ASR	ER			
Meninges and other parts of central nervous system																							C70-C72			
▼	1.9	2.2	3.2	2.1	2.0	1.8	3.1	5.1	6.0	5.7	8.1	10.9	13.7	14.0	16.9	13.1	10.0	4.5	7.0	1377	6.6	5.4	0.2			
▲	2.9	2.0	2.0	1.8	1.1	2.1	2.5	3.6	4.1	5.0	6.1	8.0	9.4	10.4	10.2	7.6	6.8	3.3	3.1	1270	5.2	4.0	0.1			
of them: Brain																							C71			
▼	1.9	1.9	3.0	1.7	2.0	1.8	3.0	5.0	5.6	5.1	7.7	10.7	12.9	13.6	16.9	12.4	9.7	4.5	7.0	1321	6.3	5.2	0.2			
▲	2.1	1.8	2.0	1.6	1.0	1.9	2.4	3.5	4.0	4.9	5.8	7.6	9.2	9.8	10.1	7.4	6.6	3.1	2.9	1220	5.0	3.8	0.1			
Thyroid																							C73			
▼	-	-	0.1	0.4	1.3	1.3	2.1	1.6	2.5	3.2	4.1	4.5	4.8	8.4	3.9	5.1	3.2	4.9	-	589	2.8	2.2	0.1			
▲	-	-	-	1.0	3.1	4.8	9.5	11.2	13.1	14.4	16.1	19.7	19.4	19.2	19.3	11.4	7.0	6.5	3.5	2736	11.2	8.3	0.2			
Other endocrine glands																							C74-C75			
▼	0.8	0.4	-	-	0.2	0.1	0.2	0.2	0.4	0.5	0.3	1.2	1.7	1.9	1.3	1.1	2.6	1.7	1.6	132	0.6	0.5	0.0			
▲	0.4	0.2	-	0.3	0.2	0.2	0.3	0.1	0.4	0.5	0.4	0.5	1.3	1.0	1.1	1.0	0.6	0.3	0.7	123	0.5	0.4	0.0			
Lymphomas and other immune- and lymphoproliferative diseases																							C81-C85, C88, C90			
▼	0.4	1.7	2.4	2.2	5.2	5.9	6.6	7.6	6.0	10.0	11.1	15.6	18.9	21.9	26.6	31.4	32.7	16.6	9.3	2271	10.8	8.4	0.2			
▲	0.4	0.2	1.1	2.0	4.3	7.2	6.6	6.7	5.9	7.6	7.3	10.4	14.4	18.2	22.5	18.4	20.2	9.8	6.8	2318	9.5	6.6	0.2			
of them: Hodgkin lymphoma																							C81			
▼	-	0.5	0.9	0.6	3.8	4.3	3.9	3.6	2.4	2.8	2.9	2.5	2.7	3.4	2.5	3.3	2.1	1.7	-	578	2.8	2.4	0.1			
▲	-	-	0.3	1.1	3.7	5.3	4.6	3.9	2.7	3.1	2.1	1.7	1.4	1.8	2.0	2.1	2.3	1.1	0.4	598	2.4	2.3	0.1			
non- Hodgkin lymphomas																							C82-C83, C85			
▼	-	1.0	1.4	1.6	1.1	1.3	2.6	3.6	2.9	5.5	5.9	10.0	11.2	12.5	17.6	21.4	24.1	10.7	8.6	1285	6.1	4.6	0.1			
▲	-	0.2	0.8	0.8	0.5	1.9	1.9	2.5	2.9	3.3	4.0	6.2	7.7	9.8	11.7	11.1	12.7	6.7	5.3	1186	4.8	3.1	0.1			
Multiple myeloma and plasma cell tumors																							C90			
▼	0.4	-	-	-	0.1	0.1	0.1	0.1	0.4	1.3	1.9	2.9	4.0	5.4	5.9	5.5	5.8	2.8	0.8	335	1.6	1.1	0.1			
▲	0.4	-	-	-	-	-	-	0.1	0.2	1.0	0.9	2.4	4.7	5.8	8.0	4.6	4.9	2.0	0.9	469	1.9	1.1	0.1			
Leukemias																							C91-C95			
▼	2.7	8.9	4.8	2.5	2.8	1.8	2.0	2.5	3.3	4.0	7.6	12.3	15.2	25.3	33.6	33.2	44.0	28.4	28.0	2019	9.6	7.9	0.2			
▲	4.6	6.5	3.9	2.6	1.9	1.8	1.7	2.1	2.6	3.6	5.2	8.0	9.8	16.1	19.7	20.8	19.9	17.0	8.1	1884	7.7	5.4	0.2			
of them: Lymphoid leukemias																							C91			
▼	1.2	7.9	4.1	1.9	1.7	0.8	0.6	0.5	1.1	1.4	3.5	6.4	8.3	15.4	17.9	17.3	26.4	17.3	15.6	1112	5.3	4.6	0.2			
▲	3.3	5.2	3.3	1.6	1.0	0.5	0.4	0.6	0.4	0.9	2.1	3.3	3.9	8.3	9.8	10.9	12.0	10.2	5.5	940	3.8	2.8	0.1			
Myeloid leukemias																							C92			
▼	0.8	0.7	0.3	0.4	0.9	0.8	0.9	1.1	1.5	1.7	2.7	3.4	4.9	6.1	9.4	9.9	10.7	8.7	6.2	573	2.7	2.1	0.1			
▲	1.2	0.9	0.6	0.7	0.6	0.8	1.0	0.9	1.6	1.9	2.1	2.8	3.5	4.4	5.9	5.9	4.4	4.2	1.5	582	2.4	1.6	0.1			
Leukemia of unspecified cell type																							C95			
▼	-	0.3	0.3	0.1	0.1	0.2	0.4	0.3	0.5	0.4	0.4	0.9	0.9	1.2	2.6	3.0	3.5	1.4	4.7	151	0.7	0.6	0.0			
▲	-	0.1	0.1	0.3	0.2	0.2	0.2	0.3	0.1	0.3	0.3	0.6	0.8	1.9	0.7	2.4	2.0	1.6	1.1	166	0.7	0.4	0.0			
Unknown primary site																							C77-C80			
▼	-	-	-	-	-	0.3	0.5	1.5	1.9	4.0	8.5	16.4	27.6	38.0	52.0	58.7	62.1	54.0	41.3	2590	12.3	8.3	0.2			
▲	-	-	0.1	-	0.2	0.3	0.4	0.9	1.2	2.3	4.6	6.5	10.5	17.1	23.4	27.7	32.0	23.6	20.0	1954	8.0	3.8	0.1			

“-“ - no cases registered; 0.0 - rate less than 0.05