

Adjusted rates 2014

Rates for selected cancer sites by age groups, incidence

Annex A

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases*	CR	ASR	ER			
All sites																							C00-C96			
▼	25.0	22.3	13.1	13.2	18.6	21.9	28.8	46.6	79.2	134.2	257.2	457.6	799.3	1195.7	1695.7	1830.5	2029.4	1578.0	1351.4	65415	388.1	267.1	1.1			
▲	22.1	16.5	10.3	11.1	21.7	27.2	54.1	98.6	155.8	240.5	341.8	446.9	590.8	760.9	921.7	905.7	1033.9	769.6	603.5	69892	358.8	202.2	0.8			
All sites, non-melanoma of skin excluded																							C00-C96 (C44, C46.0 excluded)			
▼	24.6	22.3	13.1	13.1	18.1	20.8	26.9	44.1	72.0	122.7	236.5	425.2	741.9	1098.3	1550.4	1632.2	1748.9	1276.6	997.8	58887	349.4	242.1	1.0			
▲	22.1	16.5	10.3	11.0	21.6	26.0	52.1	95.2	149.1	227.6	320.3	413.5	540.6	684.7	804.6	750.7	822.9	578.3	408.4	60916	312.7	181.9	0.8			
Lip																							C00			
▼	-	-	-	-	-	-	0.1	0.1	0.2	0.6	1.2	2.5	3.9	7.3	12.4	17.9	22.7	24.4	18.2	496	2.9	1.9	0.1			
▲	-	0.1	-	-	-	-	-	0.1	0.1	-	0.2	0.1	0.6	0.9	2.1	3.2	6.0	7.1	8.0	199	1.0	0.4	0.0			
Oral cavity																							C01-C08, C46.2			
▼	-	-	-	-	0.2	0.1	0.4	1.0	2.7	7.0	15.1	22.9	33.8	38.1	38.2	23.0	20.6	13.5	16.6	1791	10.6	7.6	0.2			
▲	-	-	0.1	-	0.2	0.1	0.5	0.1	1.0	1.5	2.1	2.4	3.5	6.8	5.3	4.7	8.3	6.9	5.9	469	2.4	1.3	0.1			
Pharynx																							C09-C14			
▼	-	0.1	-	0.2	0.2	0.2	0.3	0.6	2.4	6.2	13.6	25.7	38.4	41.8	44.9	24.8	19.2	10.9	5.0	1900	11.3	8.1	0.2			
▲	-	-	-	0.1	0.2	0.1	0.1	0.4	1.3	1.5	1.7	2.0	2.3	2.9	2.7	0.9	2.6	1.6	2.7	244	1.3	0.8	0.1			
Esophagus																							C15			
▼	-	-	-	-	0.1	0.1	-	0.1	0.8	2.7	9.2	15.1	25.3	35.7	37.1	27.3	26.0	22.3	7.5	1459	8.7	6.1	0.2			
▲	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.7	0.9	1.3	2.2	2.1	3.1	3.6	4.9	3.2	193	1.0	0.5	0.0			
Stomach																							C16			
▼	-	-	-	-	0.1	0.2	0.5	2.7	6.1	10.5	18.4	33.5	63.5	97.4	133.2	159.1	165.2	123.7	96.1	5104	30.3	20.4	0.3			
▲	-	-	-	0.1	0.1	0.7	0.9	1.7	3.7	5.2	10.9	13.9	21.2	30.2	41.9	61.6	74.8	55.5	33.2	3246	16.7	7.9	0.2			
Small intestine																							C17			
▼	-	-	-	-	-	-	0.1	0.1	0.1	0.5	1.0	1.6	2.2	1.7	2.1	2.9	3.3	-	2.5	126	0.7	0.5	0.0			
▲	-	-	-	-	-	-	0.1	0.1	0.2	0.5	0.6	0.7	1.1	1.3	1.3	1.3	1.0	0.4	1.5	104	0.5	0.3	0.0			
Colon																							C18			
▼	-	-	-	0.2	0.1	0.2	0.7	1.9	3.7	5.8	11.9	23.3	45.3	72.3	113.3	134.6	175.5	127.8	99.4	4195	24.9	16.4	0.3			
▲	-	-	-	0.1	0.3	0.2	0.8	2.2	3.4	4.6	12.3	19.6	32.5	50.2	77.8	79.6	98.1	74.6	41.5	4582	23.5	11.2	0.2			
Rectum, anus																							C19-C21			
▼	-	-	-	-	0.1	0.5	0.4	1.1	3.0	6.9	10.8	25.1	46.5	78.3	111.7	127.5	138.3	97.7	72.9	3968	23.5	15.8	0.3			
▲	-	-	-	0.1	-	0.2	0.5	1.3	2.8	5.3	9.9	19.7	31.7	40.9	52.7	58.4	69.3	43.9	31.7	3528	18.1	8.9	0.2			
Liver and intrahepatic bile ducts																							C22			
▼	0.9	0.4	0.2	-	-	0.2	0.1	0.3	0.8	1.5	3.9	5.9	11.5	14.1	13.5	22.2	24.6	19.2	13.2	767	4.6	3.1	0.1			
▲	0.5	0.1	-	-	0.1	0.2	0.2	0.1	0.7	1.2	1.2	2.5	3.1	6.6	9.4	9.8	10.1	10.2	9.8	577	3.0	1.5	0.1			
Gallbladder and extrahepatic bile ducts																							C23-C24			
▼	-	-	-	-	-	-	0.1	0.2	0.2	0.6	1.2	2.0	4.7	5.1	9.4	10.5	15.0	6.8	9.9	347	2.1	1.4	0.1			
▲	-	-	-	-	-	-	0.1	0.1	0.1	0.5	0.8	2.0	3.7	6.2	8.8	10.0	12.4	11.2	7.6	552	2.8	1.3	0.1			
Pancreas																							C25			
▼	-	-	-	-	-	0.2	0.6	1.2	2.3	4.9	9.9	18.1	32.4	43.5	60.9	63.4	65.3	44.2	41.4	2294	13.6	9.3	0.2			
▲	-	-	-	-	-	0.1	0.3	0.3	1.2	2.4	4.3	7.0	12.0	22.0	32.8	35.9	47.6	32.1	28.8	2009	10.3	4.7	0.1			

“-” - no cases registered; 0,0 - rate less than 0,05

* - does not include cases of Donetsk and Luganska oblast, AR Krym, Sevastopol city

Adjusted rates 2014

Rates for selected cancer sites by age groups, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases*	CR	ASR	ER			
Nasal cavity, accessory sinuses and middle ear																							C30-C31			
▼	-	-	-	0.1	-	0.1	-	0.3	0.4	0.9	1.5	1.8	2.0	3.7	5.2	3.1	2.3	4.7	0.8	183	1.1	0.8	0.1			
▲	-	-	-	0.1	-	0.1	0.3	0.2	0.2	0.8	0.6	0.8	0.9	1.2	1.4	1.4	2.4	1.6	0.7	128	0.7	0.4	0.0			
Larynx																							C32			
▼	-	-	-	-	-	-	-	0.3	1.5	3.9	11.6	20.1	38.7	41.2	49.4	33.2	31.1	15.6	9.9	1882	11.2	7.8	0.2			
▲	0.5	-	-	-	-	0.2	-	-	0.3	0.3	0.8	0.6	1.1	0.9	1.4	0.9	0.3	0.4	0.5	85	0.4	0.3	0.0			
Trachea, bronchus and lung																							C33-C34			
▼	-	-	-	0.1	0.3	0.2	0.5	1.7	5.0	14.6	35.6	84.8	163.1	238.7	308.4	308.7	299.9	192.8	136.6	10866	64.5	43.9	0.4			
▲	-	0.1	0.1	-	0.4	0.3	0.4	1.3	2.7	4.1	9.1	11.3	18.7	27.6	35.0	40.1	44.2	40.7	34.9	2462	12.6	6.2	0.1			
Thymus																							C37			
▼	-	-	-	-	-	0.1	0.1	0.2	0.2	0.4	0.4	0.6	0.5	0.2	0.7	0.4	0.2	-	-	39	0.2	0.2	0.0			
▲	-	-	-	-	-	-	0.1	-	0.2	0.4	0.3	0.7	0.1	0.4	0.6	0.5	0.1	-	-	41	0.2	0.1	0.0			
Heart, mediastinum																							C38 (C38.4 excluded)			
▼	-	0.2	-	0.1	0.2	0.3	0.1	0.3	0.2	0.6	0.3	1.0	1.2	1.3	2.0	1.0	1.4	2.1	1.7	93	0.6	0.4	0.0			
▲	0.5	0.4	-	0.3	0.1	-	0.3	0.3	0.1	0.2	0.3	0.3	0.4	0.4	0.8	0.9	0.3	0.2	0.2	60	0.3	0.3	0.0			
Pleura																							C38.4, C45.0			
▼	-	-	-	-	0.1	0.1	0.1	0.1	0.2	0.6	0.9	1.0	1.4	2.0	1.6	1.4	2.1	1.6	1.7	98	0.6	0.4	0.0			
▲	0.5	-	-	-	-	-	-	-	-	0.1	0.2	0.6	0.4	0.8	0.9	1.2	1.2	0.8	0.5	67	0.3	0.2	0.0			
Bones, joints and articular cartilage																							C40-C41			
▼	0.9	0.1	0.7	0.7	2.5	0.9	0.6	0.5	0.4	0.9	1.7	1.0	2.7	2.7	3.7	2.3	3.3	3.6	-	225	1.3	1.2	0.1			
▲	-	0.2	0.3	1.4	1.4	0.4	0.2	0.6	0.4	0.5	0.5	0.6	1.1	1.3	1.8	1.2	1.7	1.4	1.0	159	0.8	0.7	0.1			
Melanoma of skin																							C43			
▼	-	-	-	0.1	0.8	0.8	1.9	3.5	4.2	4.6	6.4	8.5	10.9	16.7	21.1	19.1	28.5	20.3	21.5	1067	6.3	4.5	0.1			
▲	-	0.1	-	0.3	1.2	1.7	2.4	5.4	4.8	6.6	8.4	9.0	12.4	12.4	17.6	18.0	17.1	14.8	11.5	1478	7.6	4.6	0.1			
Non-melanoma of skin																							C44, C46.0			
▼	0.5	-	-	0.1	0.5	1.1	1.9	2.6	7.2	11.5	20.6	32.4	57.4	97.4	145.3	198.3	280.5	301.4	353.6	6528	38.7	25.0	0.3			
▲	-	-	-	0.1	0.1	1.2	1.9	3.4	6.8	12.9	21.4	33.4	50.2	76.2	117.1	155.0	211.0	191.3	195.1	8976	46.1	20.3	0.2			
Mesothelioma (pleura excluded)																							C45.1-9			
▼	-	-	-	-	-	-	-	-	0.1	0.1	-	0.2	0.3	0.7	0.5	0.4	0.2	0.5	0.8	21	0.1	0.1	0.0			
▲	-	-	0.1	-	-	-	0.1	-	-	0.1	0.1	0.1	0.3	0.2	0.3	0.3	0.3	-	0.2	22	0.1	0.1	0.0			
Retroperitoneum and peritoneum																							C48			
▼	2.8	2.0	0.4	0.1	0.2	0.2	0.1	0.4	0.8	0.5	0.7	2.2	2.1	2.9	2.5	3.7	5.6	2.6	2.5	207	1.2	1.0	0.1			
▲	5.0	1.2	0.1	0.1	-	0.1	0.2	0.4	0.4	0.5	1.2	1.6	1.8	3.3	2.8	3.6	3.9	2.6	2.7	268	1.4	0.9	0.1			
Connective and other soft tissues																							C 46.1, C49			
▼	1.9	0.9	0.3	0.5	0.5	0.8	0.8	1.5	1.8	1.9	2.2	2.8	4.4	5.0	7.5	5.7	7.3	8.3	6.6	395	2.3	1.8	0.1			
▲	1.0	0.2	0.1	0.5	0.6	0.4	1.3	1.2	1.3	1.7	3.3	2.3	3.2	5.6	5.8	5.0	7.6	5.3	2.7	495	2.5	1.6	0.1			
Breast																							C50			
▼	-	-	-	-	-	-	-	0.1	0.1	0.3	0.3	1.0	1.1	1.9	2.0	2.1	3.5	6.2	3.3	103	0.6	0.4	0.0			
▲	-	-	-	-	0.1	0.6	6.7	17.2	39.9	68.4	93.7	110.2	130.1	167.5	177.7	143.0	145.2	95.5	74.9	13641	70.0	41.7	0.4			

“-” - no cases registered; 0,0 - rate less than 0,05

* - does not include cases of Donetsk and Louganska oblast, AR Krym, Sevastopol city

Adjusted rates 2014

Rates for selected cancer sites by age groups, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases*	CR	ASR	ER		
Vulva																							C51		
▲	-	-	-	-	-	-	0.2	0.4	0.5	0.5	0.5	1.2	2.1	4.1	5.9	10.6	15.1	13.6	9.5	524	2.7	1.1	0.1		
Vagina																							C52		
▲	0.5	-	-	-	-	-	0.1	0.2	0.3	0.4	0.5	1.3	0.9	1.2	1.6	2.0	1.8	2.6	1.0	133	0.7	0.4	0.0		
Cervix uteri																							C53		
▲	-	-	-	-	0.1	1.7	7.7	19.7	33.0	45.1	40.5	35.5	35.0	30.5	28.4	20.8	19.6	12.4	9.3	4101	21.1	15.0	0.2		
Corpus uteri																							C54		
▲	-	-	-	-	0.1	-	0.8	2.8	6.0	15.9	34.4	59.1	84.3	94.2	97.6	65.5	60.0	28.3	18.3	6312	32.4	18.8	0.2		
Uterus, NOS																							C55		
▲	-	-	-	-	-	-	-	0.1	0.1	0.5	0.9	1.8	1.6	1.7	1.8	0.8	1.3	0.8	0.5	134	0.7	0.4	0.0		
Ovary																							C56		
▲	0.5	-	0.4	0.9	2.6	1.8	4.8	6.0	12.0	18.7	26.5	30.7	36.4	38.2	40.0	32.5	30.8	19.1	9.0	3494	17.9	11.5	0.2		
Other female genital organs																							C57		
▲	-	-	-	-	-	-	-	0.1	0.1	0.4	0.7	0.7	0.9	1.3	1.2	0.5	0.6	0.8	-	83	0.4	0.3	0.0		
Placenta																							C58		
▲	-	-	-	-	0.3	0.8	0.4	0.3	0.4	0.2	0.1	0.1	-	-	-	-	-	-	-	34	0.2	0.2	0.0		
Penis																							C60		
▼	-	-	-	-	-	-	-	0.4	0.2	0.4	1.2	1.5	1.5	3.5	3.6	5.3	7.0	3.6	10.8	191	1.1	0.8	0.1		
Prostate gland																							C61		
▼	-	-	-	-	-	0.2	-	0.1	0.1	1.0	3.9	13.4	43.4	109.2	240.0	307.7	341.1	258.2	215.3	6851	40.6	26.2	0.3		
Testis																							C62		
▼	0.9	0.6	0.1	0.4	1.6	3.0	4.9	7.0	5.3	3.3	3.4	1.5	1.0	2.2	1.2	2.0	2.1	2.1	3.3	474	2.8	2.4	0.1		
Kidney																							C64		
▼	1.9	1.9	0.8	-	-	0.2	0.8	1.5	5.6	8.8	18.0	26.4	39.2	52.1	62.9	53.8	46.6	31.7	26.5	2611	15.5	11.1	0.2		
▲	5.0	2.6	1.1	0.3	0.4	0.4	0.5	1.9	2.6	3.6	7.6	14.6	19.5	28.4	31.6	22.7	21.0	13.6	8.8	1916	9.8	5.9	0.2		
Renal pelvis																							C65		
▼	-	-	-	-	0.1	-	0.1	-	-	0.1	0.3	0.6	0.6	1.0	1.4	1.6	2.3	1.6	-	59	0.4	0.2	0.0		
▲	-	-	-	-	-	-	-	0.1	-	-	-	0.1	-	0.6	0.3	0.4	0.3	0.2	-	22	0.1	0.1	0.0		
Ureter																							C66		
▼	-	-	-	-	-	-	0.1	-	0.1	-	0.5	0.1	0.4	1.0	2.5	1.2	2.1	1.0	-	53	0.3	0.2	0.0		
▲	-	-	-	-	-	-	-	-	0.1	-	0.1	-	0.4	0.4	0.2	0.6	0.7	0.6	0.2	31	0.2	0.1	0.0		
Bladder																							C67		
▼	-	0.1	-	-	-	0.2	1.0	1.4	2.0	3.9	9.6	19.1	33.6	61.2	100.4	118.4	133.6	114.3	90.3	3462	20.5	13.6	0.2		
▲	-	-	-	-	-	0.2	0.3	0.4	0.4	1.5	1.5	4.1	4.6	7.3	10.7	14.0	18.3	14.8	12.9	796	4.1	1.9	0.1		
Eye and adnexa																							C69		
▼	0.9	0.9	0.2	-	-	0.2	0.2	0.3	0.5	0.4	0.8	0.8	0.6	1.4	2.0	1.8	1.9	3.1	0.8	107	0.6	0.5	0.1		
▲	3.0	0.5	-	-	0.1	-	0.1	0.2	0.2	0.6	0.6	1.1	0.8	1.4	1.2	1.3	1.1	0.4	0.5	116	0.6	0.5	0.1		

"-" - no cases registered; 0,0 - rate less than 0,05

* - does not include cases of Donetska and Louganska oblast, AR Krym, Sevastopol city

Adjusted rates 2014

Rates for selected cancer sites by age groups, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases*	CR	ASR	ER		
Meninges and other parts of central nervous system																							C70-C72		
▼	2.4	2.7	3.0	2.2	2.2	1.9	2.7	3.8	3.8	4.8	7.4	9.9	12.3	12.7	14.2	10.9	9.1	4.7	3.3	976	5.8	4.9	0.2		
▲	2.0	2.0	2.4	1.6	0.9	1.0	1.9	3.0	2.7	4.7	6.3	7.5	9.5	11.0	11.8	6.8	7.2	2.2	2.7	968	5.0	3.7	0.1		
of which: Brain																							C71		
▼	2.4	2.7	2.7	2.1	2.1	1.9	2.4	3.7	3.7	4.5	7.1	9.9	12.3	12.5	13.3	10.5	8.7	4.7	2.5	943	5.6	4.7	0.2		
▲	1.5	2.0	2.4	1.4	0.9	1.0	1.8	3.0	2.6	4.4	6.1	7.2	9.3	10.6	11.7	6.5	6.9	2.2	2.4	935	4.8	3.6	0.1		
Thyroid																							C73		
▼	-	-	0.1	0.7	1.0	1.5	1.9	2.5	3.6	4.3	4.5	6.2	8.5	7.8	8.9	5.5	5.4	3.1	1.7	605	3.6	2.8	0.1		
▲	-	-	0.2	1.6	4.1	5.9	9.9	16.1	15.0	16.6	18.1	21.6	23.4	21.3	19.4	11.3	7.8	3.9	2.9	2451	12.6	9.5	0.2		
Other endocrine glands																							C74-C75		
▼	1.4	0.2	-	0.1	0.1	0.2	0.1	-	0.2	0.3	1.0	0.6	1.4	1.5	2.0	1.2	0.9	2.1	-	89	0.5	0.4	0.0		
▲	1.0	0.6	0.2	0.3	0.4	-	0.2	0.3	0.3	0.3	0.6	0.9	0.9	1.0	1.2	0.5	0.6	0.4	0.2	100	0.5	0.4	0.1		
Lymphomas and other immune- and lymphoproliferative diseases																							C81-C85, C88, C90		
▼	0.5	1.8	2.5	3.2	5.1	6.2	5.2	5.5	8.2	9.2	12.3	15.1	18.0	25.6	33.6	28.7	29.9	21.3	14.9	1860	11.0	8.8	0.2		
▲	-	0.7	0.3	1.6	5.8	7.0	8.1	7.9	6.3	6.7	8.1	10.6	13.5	17.9	24.4	21.8	21.0	10.8	5.6	1939	10.0	7.0	0.2		
of which: Hodgkin lymphoma																							C81		
▼	-	0.6	1.0	1.7	3.3	4.3	3.4	3.2	2.4	2.8	2.9	2.7	2.4	2.1	2.7	1.4	2.6	2.6	0.8	431	2.6	2.4	0.1		
▲	-	0.1	0.1	1.2	5.2	5.3	5.6	4.4	3.3	2.1	2.4	2.0	2.0	1.2	2.5	0.9	2.2	0.8	0.5	502	2.6	2.5	0.1		
non- Hodgkin lymphomas																							C82-C83, C85		
▼	0.5	1.2	1.4	1.2	1.6	1.8	1.5	2.1	4.9	4.5	7.1	8.0	10.0	15.6	17.2	18.5	19.7	10.9	11.6	991	5.9	4.5	0.2		
▲	-	0.5	0.2	0.4	0.5	1.5	2.5	3.4	2.7	3.3	4.1	6.1	7.1	10.1	14.9	13.5	12.1	7.7	4.4	996	5.1	3.2	0.1		
Multiple myeloma and plasma cell tumors																							C90		
▼	-	-	-	-	-	-	-	0.2	0.6	1.2	2.0	4.0	4.9	6.8	12.3	8.0	6.3	6.8	2.5	368	2.2	1.5	0.1		
▲	-	-	-	-	-	0.1	-	-	0.4	1.0	1.5	2.3	3.6	6.0	6.1	6.6	5.4	2.0	0.5	379	1.9	1.1	0.1		
Leukemias																							C91-C95		
▼	7.1	9.6	4.3	3.9	1.8	1.7	1.9	2.1	2.8	4.4	7.1	12.0	15.8	24.5	36.9	36.3	38.4	28.1	29.0	1636	9.7	8.0	0.2		
▲	2.0	7.2	4.4	1.7	1.4	1.3	1.1	1.8	2.0	3.3	5.1	7.1	10.4	13.9	19.4	21.1	23.4	13.8	6.3	1431	7.3	5.1	0.2		
of which: Lymphoid leukemias																							C91		
▼	4.7	7.5	3.5	2.9	1.0	0.6	0.5	0.8	1.2	1.9	3.2	6.2	8.0	12.9	18.7	21.1	23.2	17.7	14.9	890	5.3	4.6	0.2		
▲	1.0	5.7	3.3	0.8	0.5	0.5	0.3	0.1	0.6	1.1	1.9	2.8	4.4	5.6	8.2	12.0	12.8	8.1	4.4	686	3.5	2.5	0.1		
Myeloid leukemias																							C92		
▼	0.5	1.5	0.5	1.0	0.4	0.6	0.6	1.0	1.1	1.1	2.1	2.6	4.4	7.0	10.3	7.4	9.6	3.1	9.1	414	2.5	2.0	0.1		
▲	1.0	0.9	1.0	0.8	0.6	0.2	0.6	1.1	0.8	1.5	2.2	2.5	3.3	5.0	6.2	5.7	5.4	3.0	0.5	440	2.3	1.6	0.1		
Leukemia of unspecified cell type																							C95		
▼	0.5	0.5	0.2	-	0.2	0.3	0.3	-	0.2	0.5	0.7	0.9	1.6	2.2	3.2	3.1	2.6	4.2	4.1	141	0.8	0.6	0.1		
▲	-	0.5	0.1	0.1	0.1	0.2	-	0.2	0.1	0.4	0.2	0.5	0.9	0.8	1.7	1.3	2.7	1.8	1.2	117	0.6	0.4	0.0		
Unknown primary site																							C77-C80		
▼	-	-	-	-	-	0.1	0.3	1.2	1.8	4.4	7.5	15.1	27.6	39.1	54.5	59.5	59.7	51.4	30.6	2041	12.1	8.2	0.2		
▲	-	-	-	-	0.3	0.2	0.4	0.6	1.3	2.1	3.9	5.7	10.7	16.5	21.0	28.6	31.2	26.4	16.6	1502	7.7	3.6	0.1		

“-” - no cases registered; 0,0 - rate less than 0,05

* - does not include cases of Donetsk and Louganska oblast, AR Krym, Sevastopol city