

Adjusted rates 2015

Rates for selected cancer sites by age groups, incidence

Annex A

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases*	CR	ASR	ER			
All sites																							C00-C96			
▼	25.7	19.2	13.4	12.7	19.5	21.3	31.4	45.7	79.9	141.3	257.5	458.3	818.0	1170.1	1695.2	1788.0	1988.8	1618.0	1316.5	65617	389.9	266.0	1.1			
▲	28.2	19.5	10.5	12.8	19.4	28.1	56.4	99.3	169.4	260.3	349.9	451.0	601.3	775.1	945.3	888.5	969.3	766.4	580.0	70608	363.4	206.2	0.9			
All sites, non-melanoma of skin excluded																							C00-C96 (C44, C46.0 excluded)			
▼	25.7	19.2	13.3	12.7	19.2	20.3	29.2	42.5	71.8	129.0	234.7	424.3	761.6	1084.5	1535.8	1595.5	1705.7	1304.1	994.2	59039	350.8	240.9	1.0			
▲	28.2	19.5	10.4	12.8	19.0	27.4	54.4	94.5	162.2	246.9	327.0	418.9	546.9	696.0	822.8	745.1	782.2	581.4	394.9	61801	318.1	185.8	0.8			
Lip																							C00			
▼	-	-	-	-	-	-	-	0.1	0.2	0.8	1.4	2.4	3.4	6.1	10.3	16.2	22.3	16.4	16.8	444	2.6	1.7	0.1			
▲	-	-	-	-	-	-	-	-	0.1	-	0.2	0.2	0.5	0.6	2.3	3.0	7.4	7.2	7.7	206	1.1	0.3	0.0			
Oral cavity																							C01-C08, C46.2			
▼	-	0.1	-	-	-	0.2	0.5	0.6	2.5	5.7	16.5	23.3	34.8	40.9	38.6	24.7	21.0	14.8	12.0	1850	11.0	7.8	0.2			
▲	0.5	-	-	-	0.1	0.1	0.2	0.5	0.9	1.4	2.2	3.8	4.5	6.5	6.1	3.6	5.0	7.9	5.8	473	2.4	1.3	0.1			
Pharynx																							C09-C14			
▼	-	-	-	0.5	0.4	0.2	0.4	0.3	3.0	6.6	13.2	24.6	41.3	50.5	45.4	28.6	23.2	9.3	5.6	2059	12.2	8.7	0.2			
▲	-	-	0.2	0.1	-	0.3	0.1	0.3	0.4	1.4	2.0	1.8	2.7	3.4	2.1	2.8	1.8	1.5	1.2	245	1.3	0.8	0.1			
Esophagus																							C15			
▼	-	-	-	-	-	-	-	0.1	1.1	2.5	6.1	16.1	26.4	32.4	37.0	31.2	29.0	14.2	15.2	1454	8.6	5.9	0.2			
▲	-	-	-	-	-	-	-	-	0.1	0.3	0.6	1.0	1.4	1.9	3.2	3.0	4.0	3.7	2.2	196	1.0	0.5	0.0			
Stomach																							C16			
▼	-	-	-	-	0.2	0.1	0.7	2.1	5.0	11.0	19.4	34.8	57.5	87.8	132.2	147.1	160.8	124.3	100.0	4919	29.2	19.5	0.3			
▲	0.5	-	-	-	-	0.6	1.0	1.5	3.0	6.4	8.9	14.1	20.3	32.4	45.1	54.3	66.6	50.7	32.7	3116	16.0	7.7	0.2			
Small intestine																							C17			
▼	-	-	-	-	-	-	-	-	0.5	0.8	0.4	1.3	2.1	3.1	2.7	3.5	2.9	1.6	1.6	138	0.8	0.6	0.0			
▲	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.8	1.2	0.8	1.8	2.1	1.5	1.2	1.3	1.2	125	0.6	0.4	0.0			
Colon																							C18			
▼	-	-	-	-	0.2	-	1.1	1.3	3.6	7.9	10.8	20.8	47.3	71.3	122.8	132.0	162.5	128.2	108.0	4217	25.1	16.4	0.3			
▲	-	-	0.1	0.3	0.2	0.5	0.6	2.1	3.2	6.2	10.4	19.7	36.0	54.7	75.7	81.4	92.0	68.2	50.4	4668	24.0	11.5	0.2			
Rectum, anus																							C19-C21			
▼	-	-	-	-	-	0.1	0.5	0.7	2.4	6.4	11.8	21.8	49.1	79.9	113.1	121.5	129.8	106.3	66.4	3940	23.4	15.6	0.3			
▲	-	-	-	-	0.1	0.3	0.2	1.4	3.5	6.4	9.6	20.0	30.3	42.6	55.4	57.3	65.1	49.0	26.6	3556	18.3	9.1	0.2			
Liver and intrahepatic bile ducts																							C22			
▼	1.9	0.5	-	-	-	0.1	0.4	0.3	0.4	1.4	3.3	6.4	10.3	14.9	22.2	17.3	20.3	16.4	14.4	766	4.6	3.1	0.1			
▲	0.5	0.4	-	0.1	-	0.2	0.1	0.3	0.5	0.6	1.0	2.5	4.9	5.6	7.7	9.3	10.0	8.5	5.8	535	2.8	1.4	0.1			
Gallbladder and extrahepatic bile ducts																							C23-C24			
▼	-	-	-	-	-	0.1	0.1	0.2	0.1	0.2	1.1	2.0	3.5	6.0	8.3	9.4	10.8	8.2	6.4	307	1.8	1.2	0.1			
▲	-	-	-	-	-	0.1	-	0.1	0.6	0.5	0.9	2.1	4.2	7.1	8.7	11.0	12.7	9.6	6.2	583	3.0	1.4	0.1			
Pancreas																							C25			
▼	-	0.1	-	-	-	0.1	0.1	0.7	2.7	6.0	8.9	20.1	33.1	42.8	62.6	64.9	67.0	58.6	40.8	2383	14.2	9.5	0.2			
▲	-	0.1	-	0.1	0.1	0.1	-	0.3	1.5	2.6	3.6	6.6	11.4	22.2	30.1	37.4	45.6	39.2	30.0	2016	10.4	4.6	0.1			

“-” - no cases registered; 0.0 - rate less than 0.05

* does not include cases of Donetsk and Luganska oblast, AR Krym, Sevastopol city

Adjusted rates 2015

Rates for selected cancer sites by age groups, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases*	CR	ASR	ER		
Nasal cavity, accessory sinuses and middle ear																							C30-C31		
▼	-	0.1	0.2	0.1	-	0.2	0.3	0.1	0.2	1.0	1.3	2.1	2.8	4.2	3.3	3.3	3.8	3.3	4.8	203	1.2	0.9	0.1		
▲	-	-	-	-	-	-	0.2	-	0.5	0.2	0.1	0.6	1.1	0.9	1.7	2.0	2.2	1.7	1.0	115	0.6	0.3	0.0		
Larynx																							C32		
▼	-	-	-	-	-	-	0.1	0.2	1.4	4.5	11.6	20.6	36.7	45.4	50.5	36.7	29.0	17.0	6.4	1941	11.5	8.0	0.2		
▲	-	-	-	-	-	0.1	0.1	-	-	0.6	0.6	0.8	1.2	1.1	0.9	0.8	1.2	0.2	1.0	93	0.5	0.3	0.0		
Trachea, bronchus and lung																							C33-C34		
▼	-	-	-	-	0.2	0.2	0.6	1.1	4.1	12.4	32.8	82.0	159.1	228.9	293.0	289.7	291.7	201.6	125.6	10486	62.3	41.9	0.4		
▲	0.5	-	-	-	-	-	0.5	1.6	3.0	5.0	7.7	11.7	21.1	24.5	35.3	41.5	46.9	43.3	28.6	2496	12.8	6.2	0.1		
Thymus																							C37		
▼	-	-	-	-	0.1	0.2	0.1	0.2	0.3	0.1	0.4	0.4	0.4	0.4	0.3	0.4	0.4	-	-	35	0.2	0.2	0.0		
▲	-	-	-	-	-	0.1	-	-	0.3	0.3	0.4	0.5	0.2	0.2	0.5	-	0.2	-	-	34	0.2	0.1	0.0		
Heart, mediastinum																							C38 (C38.4 excluded)		
▼	0.9	0.1	0.1	0.1	-	0.2	0.3	0.2	0.2	0.3	0.7	1.1	1.4	1.1	1.4	2.2	2.0	1.6	0.8	102	0.6	0.5	0.0		
▲	1.5	0.4	0.1	-	0.1	0.1	-	0.1	0.1	0.2	0.4	0.3	0.1	0.3	0.7	1.0	0.7	0.4	-	56	0.3	0.2	0.0		
Pleura																							C38.4, C45.0		
▼	-	-	-	-	-	-	-	0.3	0.2	0.3	1.0	1.1	1.8	1.9	1.3	2.2	1.5	2.2	4.0	106	0.6	0.4	0.0		
▲	-	-	-	-	0.1	0.1	-	0.1	0.1	0.3	0.3	0.3	0.7	1.3	0.4	1.2	0.9	0.9	1.0	75	0.4	0.2	0.0		
Bones, joints and articular cartilage																							C40-C41		
▼	0.9	0.1	0.9	2.2	1.3	0.6	0.7	0.5	0.9	1.0	0.8	1.8	1.6	1.9	3.2	1.7	1.8	0.5	1.6	197	1.2	1.1	0.1		
▲	0.5	0.3	0.3	1.3	1.1	0.1	0.6	0.1	0.2	0.7	0.6	0.7	0.7	1.1	1.1	1.0	1.5	0.7	1.0	133	0.7	0.6	0.1		
Melanoma of skin																							C43		
▼	-	0.1	-	0.4	0.8	1.9	1.6	3.6	5.1	6.1	6.9	7.6	12.0	17.1	24.1	25.3	31.0	20.8	21.6	1188	7.1	5.0	0.1		
▲	-	0.1	-	-	0.5	1.1	2.9	4.3	6.2	8.8	8.9	10.1	10.5	16.2	19.5	16.2	21.9	16.6	12.5	1608	8.3	4.9	0.1		
Non-melanoma of skin																							C44, C46.0		
▼	-	-	0.1	-	0.2	1.0	2.2	3.2	8.1	12.3	22.9	33.9	56.4	85.6	159.3	192.5	283.1	313.8	322.3	6578	39.1	25.1	0.3		
▲	-	-	0.1	-	0.5	0.8	2.1	4.8	7.2	13.4	22.9	32.1	54.4	79.1	122.6	143.4	187.1	185.0	185.1	8807	45.3	20.4	0.2		
Mesothelioma (pleura excluded)																							C45.1-9		
▼	-	-	-	-	-	0.2	-	-	-	-	-	0.1	0.2	0.4	0.2	-	-	-	-	10	0.1	0.0	0.0		
▲	-	-	-	-	-	-	-	0.1	-	-	0.2	-	0.1	0.3	0.7	0.6	0.1	0.4	-	25	0.1	0.1	0.0		
Retroperitoneum and peritoneum																							C48		
▼	2.8	1.5	0.2	0.2	0.3	0.1	0.1	0.1	0.2	0.9	0.9	1.5	1.8	3.0	4.8	2.8	3.3	3.8	0.8	186	1.1	0.9	0.1		
▲	4.9	1.5	0.4	0.3	0.1	0.2	0.3	0.1	0.4	0.8	1.0	1.8	2.0	2.6	2.9	2.2	2.9	2.4	0.7	244	1.3	1.0	0.1		
Connective and other soft tissues																							C 46.1, C49		
▼	1.9	0.8	0.1	0.2	0.8	1.0	0.9	1.1	1.2	2.0	2.9	3.2	5.1	4.6	6.5	9.2	10.4	8.8	10.4	435	2.6	1.9	0.1		
▲	2.0	0.4	0.4	0.4	0.9	0.6	1.2	1.0	1.4	1.7	1.2	2.4	3.0	3.8	5.5	4.5	6.3	5.2	5.3	443	2.3	1.5	0.1		
Breast																							C50		
▼	-	-	-	-	-	0.1	-	0.1	0.1	0.6	0.7	1.1	1.4	1.8	4.0	2.4	3.8	3.3	5.6	129	0.8	0.5	0.0		
▲	-	-	-	-	0.5	1.0	6.8	19.3	43.3	80.1	104.1	110.1	140.1	167.4	190.0	142.0	144.6	98.6	73.2	14332	73.8	44.1	0.4		

“-” - no cases registered; 0.0 - rate less than 0.05

* does not include cases of Donetsk and Luganska oblast, AR Krym, Sevastopol city

Adjusted rates 2015

Rates for selected cancer sites by age groups, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases*	CR	ASR	ER		
Vulva																							C51		
▲	-	-	-	-	-	0.1	-	0.3	0.6	0.8	1.0	1.3	2.2	4.4	5.7	10.0	12.6	9.6	11.8	500	2.6	1.1	0.1		
Vagina																							C52		
▲	-	-	-	-	-	-	0.1	0.1	0.1	0.5	0.5	0.9	0.8	0.7	0.7	2.0	1.7	1.7	0.7	99	0.5	0.3	0.0		
Cervix uteri																							C53		
▲	-	-	-	-	-	1.5	8.7	20.9	34.9	41.1	42.5	40.1	30.9	30.0	31.6	20.6	18.9	14.0	8.9	4166	21.4	15.3	0.2		
Corpus uteri																							C54		
▲	-	-	-	-	-	0.1	0.8	2.1	6.8	16.6	32.0	57.3	84.5	98.5	101.4	71.1	54.9	29.1	12.5	6383	32.9	18.9	0.2		
Uterus, NOS																							C55		
▲	-	-	-	-	0.1	-	-	0.1	0.2	0.5	0.6	1.5	0.8	1.9	1.6	1.7	1.0	0.7	-	120	0.6	0.4	0.0		
Ovary																							C56		
▲	0.5	0.1	0.4	1.1	2.1	2.2	4.6	6.4	10.1	19.5	27.1	29.6	35.5	39.6	40.1	34.3	28.4	19.9	6.7	3477	17.9	11.5	0.2		
Other female genital organs																							C57		
▲	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.9	0.9	0.8	1.4	1.1	0.9	0.5	0.4	0.2	89	0.5	0.3	0.0		
Placenta																							C58		
▲	-	-	-	-	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.2	-	-	-	-	-	-	-	23	0.1	0.1	0.0		
Penis																							C60		
▼	-	-	-	-	-	0.1	-	0.1	0.7	0.6	1.1	1.1	3.3	3.0	5.1	4.2	6.4	8.2	7.2	214	1.3	0.8	0.1		
Prostate gland																							C61		
▼	-	-	-	-	-	0.2	-	0.1	0.2	0.6	3.4	14.3	50.4	114.7	233.2	293.9	335.3	262.9	201.6	6898	41.0	26.2	0.3		
Testis																							C62		
▼	1.4	0.5	-	-	2.0	3.4	4.6	5.1	4.8	4.6	2.7	2.1	2.0	1.3	2.1	0.4	2.4	1.6	1.6	456	2.7	2.3	0.1		
Kidney																							C64		
▼	2.8	1.6	0.1	0.2	0.3	0.3	0.7	2.4	3.5	11.3	20.6	26.7	43.4	51.7	66.7	58.6	46.9	33.4	28.8	2775	16.5	11.7	0.2		
▲	3.5	2.3	0.9	0.1	0.2	0.3	0.5	1.4	2.5	4.6	7.6	13.7	19.8	24.7	30.8	22.0	20.4	13.8	8.9	1846	9.5	5.6	0.1		
Renal pelvis																							C65		
▼	-	-	-	-	-	-	-	0.1	0.2	0.1	0.1	0.6	1.2	1.0	0.8	1.3	1.5	2.2	0.8	57	0.3	0.2	0.0		
▲	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.3	0.5	0.5	0.9	0.7	0.4	-	35	0.2	0.1	0.0		
Ureter																							C66		
▼	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.6	1.0	1.7	1.1	1.1	1.1	0.8	44	0.3	0.2	0.0		
▲	-	-	-	-	-	-	-	-	0.1	-	0.2	-	0.2	0.2	0.5	0.6	0.6	0.4	-	28	0.1	0.1	0.0		
Bladder																							C67		
▼	-	-	-	-	0.3	0.6	0.5	1.7	3.0	5.2	9.4	20.0	36.4	56.6	94.8	109.7	133.1	120.0	104.0	3471	20.6	13.5	0.2		
▲	-	-	-	-	0.1	0.3	0.1	0.4	0.7	1.1	2.1	3.5	4.7	8.9	11.2	12.0	14.9	13.3	12.0	765	3.9	1.9	0.1		
Eye and adnexa																							C69		
▼	1.4	0.5	0.1	-	-	-	-	-	0.3	0.4	0.6	1.1	0.8	1.2	0.5	1.5	0.7	1.6	2.4	76	0.5	0.4	0.0		
▲	1.0	1.0	0.4	0.3	-	-	0.1	0.5	0.1	0.5	1.0	1.0	0.8	1.6	1.1	1.6	0.8	0.7	0.2	128	0.7	0.5	0.1		

“-” - no cases registered; 0.0 - rate less than 0.05

* does not include cases of Donetsk and Luganska oblast, AR Krym, Sevastopol city

Adjusted rates 2015

Rates for selected cancer sites by age groups, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases*	CR	ASR	ER		
Meninges and other parts of central nervous system																							C70-C72		
▼	3.7	2.9	2.7	1.8	1.6	1.6	3.2	3.4	3.7	5.3	8.1	11.2	14.7	13.9	15.1	12.2	7.3	4.4	4.8	1041	6.2	5.1	0.2		
▲	2.5	2.8	2.3	0.9	1.1	1.4	2.2	3.3	4.5	3.8	5.6	7.4	9.3	9.0	10.6	8.1	6.2	3.3	1.7	954	4.9	3.7	0.1		
of which: Brain																							C71		
▼	3.7	2.8	2.6	1.8	1.5	1.6	2.9	3.2	3.6	5.3	7.9	11.0	13.7	13.5	15.1	12.2	6.9	4.4	4.8	1007	6.0	4.9	0.2		
▲	2.5	2.6	1.9	0.8	0.7	1.2	2.0	3.2	4.1	3.6	5.4	6.9	9.0	8.9	10.3	7.8	6.1	3.1	1.7	906	4.7	3.5	0.1		
Thyroid																							C73		
▼	-	-	-	0.5	1.5	1.5	1.8	3.8	4.3	5.3	4.9	4.9	6.1	4.3	5.4	3.5	3.5	3.8	1.6	541	3.2	2.5	0.1		
▲	-	-	0.2	2.0	3.2	6.8	11.4	14.0	19.4	19.6	20.9	22.6	22.1	22.5	19.4	12.3	7.4	4.2	3.1	2604	13.4	10.2	0.2		
Other endocrine glands																							C74-C75		
▼	1.4	0.7	-	0.1	-	-	0.2	0.3	0.5	0.2	0.4	1.1	1.7	0.5	2.7	3.1	1.5	1.1	2.4	111	0.7	0.5	0.1		
▲	2.0	0.8	-	0.5	-	0.2	0.2	0.2	0.4	0.2	0.7	0.3	0.6	1.4	0.6	0.8	0.4	0.7	-	91	0.5	0.4	0.1		
Lymphomas and other immune- and lymphoproliferative diseases																							C81-C85, C88, C90		
▼	-	0.6	3.3	2.8	4.7	4.8	6.8	7.3	8.7	8.1	11.8	14.8	23.6	24.1	32.3	32.1	30.5	17.0	9.6	1919	11.4	8.8	0.2		
▲	1.0	0.9	0.5	1.9	6.7	7.1	8.4	8.4	6.7	6.9	7.9	11.2	13.6	20.7	23.7	22.3	18.4	12.0	7.2	2009	10.3	7.3	0.2		
of which: Hodgkin lymphoma																							C81		
▼	-	0.2	1.4	1.7	3.7	3.4	3.9	3.2	3.3	2.2	2.7	2.5	2.6	1.8	2.2	1.5	3.1	1.1	-	424	2.5	2.3	0.1		
▲	-	0.4	0.2	1.3	5.9	5.4	6.2	5.3	3.5	3.0	1.8	1.8	1.7	2.4	1.6	1.5	1.2	0.7	1.0	535	2.8	2.8	0.1		
non- Hodgkin lymphomas																							C82-C83, C85		
▼	-	0.4	1.8	0.8	0.9	1.2	2.7	3.9	4.8	4.8	7.0	8.3	13.8	13.7	19.9	19.2	18.4	11.0	7.2	1055	6.3	4.7	0.2		
▲	1.0	0.3	0.1	0.6	0.7	1.6	2.1	2.8	2.6	3.3	3.9	6.7	7.9	10.6	14.4	12.5	11.1	8.1	5.3	995	5.1	3.2	0.1		
Multiple myeloma and plasma cell tumors																							C90		
▼	-	-	-	-	-	0.1	0.1	-	0.4	0.8	1.9	3.6	5.9	7.6	8.6	9.6	7.3	3.3	2.4	357	2.1	1.5	0.1		
▲	-	-	-	-	-	-	-	0.1	0.4	0.5	1.9	2.3	3.9	6.9	7.0	7.9	5.3	3.1	0.7	420	2.2	1.2	0.1		
Leukemias																							C91-C95		
▼	3.7	7.9	4.8	3.4	3.8	2.1	1.9	2.4	4.3	4.2	9.0	11.4	15.1	21.3	34.6	39.1	39.8	33.4	22.4	1657	9.8	8.0	0.2		
▲	3.0	7.9	3.7	2.8	1.2	1.6	1.6	1.8	2.9	3.2	5.2	7.6	10.4	13.4	20.2	20.0	19.4	11.6	6.2	1418	7.3	5.2	0.2		
of which: Lymphoid leukemias																							C91		
▼	0.9	7.1	3.8	2.3	1.9	1.0	0.5	1.1	0.9	1.4	3.7	5.1	7.6	10.2	18.4	21.0	22.6	24.1	10.4	853	5.1	4.3	0.2		
▲	2.5	6.3	3.1	1.6	0.5	0.4	0.4	0.4	0.7	1.1	2.2	3.3	4.2	6.8	10.1	9.7	9.9	7.4	3.4	692	3.6	2.7	0.1		
Myeloid leukemias																							C92		
▼	1.9	0.7	0.4	1.0	1.2	0.7	0.7	0.9	1.7	1.5	2.9	3.5	4.1	5.6	9.5	11.4	10.4	4.9	8.0	458	2.7	2.1	0.1		
▲	0.5	1.0	0.3	1.0	0.7	0.6	0.7	1.0	1.6	1.4	2.3	2.3	3.5	3.1	5.5	6.0	5.3	2.4	1.7	426	2.2	1.5	0.1		
Leukemia of unspecified cell type																							C95		
▼	0.9	-	0.6	-	0.3	-	0.1	0.1	0.3	0.2	0.3	0.7	1.1	2.0	3.2	2.6	4.0	1.6	2.4	120	0.7	0.5	0.1		
▲	-	0.4	0.3	0.1	0.1	0.3	0.1	0.3	0.1	0.3	0.2	0.4	0.7	1.1	1.7	1.7	2.3	0.9	1.0	117	0.6	0.4	0.0		
Unknown primary site																							C77-C80		
▼	0.5	-	-	0.1	0.1	0.2	0.7	0.9	1.7	3.9	8.5	16.8	26.2	39.4	48.9	58.3	60.4	50.4	33.6	2033	12.1	8.1	0.2		
▲	-	-	-	-	-	0.1	0.3	0.5	1.8	2.0	4.4	6.1	9.8	16.2	20.9	24.3	31.8	25.6	18.7	1474	7.6	3.6	0.1		

“-” - no cases registered; 0.0 - rate less than 0.05

* does not include cases of Donetsk and Lugansk oblast, AR Krym, Sevastopol city