

2017 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток А

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки*	Грубий	Станд.	Похибка		
Всі злоякісні новоутворення																							C00-C96		
▼	22.6	20.9	11.9	13.5	19.7	22.6	26.8	43.1	75.4	131.7	238.3	445.9	758.6	1177.9	1634.8	2007.0	1951.6	1896.2	1189.4	65630	392.5	264.1	1.1		
▲	23.0	20.2	8.9	10.4	16.9	30.5	54.4	99.0	160.6	252.7	351.2	448.7	590.7	766.3	936.2	1000.9	945.8	917.1	583.9	71636	371.7	206.2	0.9		
Всі злоякісні новоутворення (за виключенням немеланомних ЗН шкіри)																							C00-C96 (за винятком C44, C46.0)		
▼	22.6	20.7	11.8	13.5	18.8	21.6	26.0	39.6	68.5	122.6	218.2	410.8	703.3	1086.0	1490.2	1791.4	1682.8	1556.1	908.1	59107	353.5	239.4	1.0		
▲	23.0	20.2	8.9	10.4	16.8	29.6	52.5	95.0	152.6	240.5	329.7	416.2	544.6	685.8	818.6	842.2	756.0	694.0	398.7	62649	325.1	185.9	0.8		
ЗН губи																							C00		
▼	-	0.1	-	-	-	-	0.1	0.2	0.1	0.8	1.4	2.1	3.6	7.9	8.6	14.5	16.9	18.0	15.7	422	2.5	1.6	0.1		
▲	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.7	0.9	1.6	3.8	5.5	8.6	4.7	186	1.0	0.3	0.0		
ЗН ротової порожнини																							C01-C08, C46.2		
▼	-	-	-	0.1	-	0.5	0.4	1.0	2.4	8.7	14.5	22.6	34.5	36.1	36.2	28.2	20.3	14.9	8.2	1830	10.9	7.6	0.2		
▲	-	-	-	0.2	-	0.2	0.3	0.5	1.0	1.4	3.1	3.3	4.2	4.6	4.9	4.3	6.3	7.5	5.4	461	2.4	1.3	0.1		
ЗН глотки																							C09-C14		
▼	0.5	-	-	-	0.1	0.3	0.1	0.4	2.2	5.8	17.2	24.6	38.1	45.3	48.9	32.7	17.3	11.8	6.7	2045	12.2	8.5	0.2		
▲	-	-	-	-	-	0.1	0.4	0.3	0.7	0.5	2.1	2.9	2.1	3.0	3.3	2.6	1.6	1.5	1.7	249	1.3	0.8	0.1		
ЗН стравоходу																							C15		
▼	-	-	-	-	-	-	0.1	0.3	0.3	3.1	6.1	13.9	23.7	35.1	37.5	40.1	23.4	15.9	9.7	1451	8.7	5.9	0.2		
▲	-	-	-	-	-	-	-	0.2	0.1	0.3	0.6	0.6	1.2	2.5	1.8	3.1	4.3	4.4	4.3	198	1.0	0.5	0.0		
ЗН шлунка																							C16		
▼	-	-	-	-	0.1	0.1	0.4	2.0	4.4	9.9	17.1	30.9	51.8	87.7	120.3	145.5	147.7	137.7	81.3	4647	27.8	18.3	0.3		
▲	-	0.1	-	-	0.2	-	1.0	1.6	3.5	6.7	7.8	13.5	19.6	30.4	42.2	52.0	59.6	58.9	38.1	3022	15.7	7.3	0.1		
ЗН тонкого кишечника																							C17		
▼	-	-	-	-	-	0.1	0.1	0.1	0.2	0.3	0.8	1.2	1.8	2.4	3.3	3.2	4.7	0.5	3.0	138	0.8	0.6	0.0		
▲	-	-	-	-	-	0.1	-	0.1	0.4	0.2	0.4	1.2	1.0	1.8	2.5	2.2	1.3	1.7	0.7	139	0.7	0.4	0.0		
ЗН ободової кишки																							C18		
▼	-	-	-	0.1	0.1	0.3	1.4	1.6	3.8	6.3	10.4	21.3	41.5	79.8	113.3	165.8	160.3	156.2	91.0	4359	26.1	17.0	0.3		
▲	-	-	-	0.1	0.1	0.4	0.9	1.8	3.6	5.5	11.5	20.1	34.4	52.2	72.6	93.6	91.0	88.8	51.4	4801	24.9	11.6	0.2		
ЗН прямої кишки, ануса																							C19-C21		
▼	-	-	-	-	-	0.3	0.7	0.8	3.1	6.1	12.5	27.2	44.3	77.8	105.0	140.8	128.5	126.9	61.9	4035	24.1	15.9	0.3		
▲	-	-	-	-	-	0.7	1.5	3.0	6.1	11.1	16.8	29.9	42.8	53.5	67.2	58.7	55.2	25.3	3553	18.4	9.0	0.2			
ЗН печінки та внутрішньопечінкових жовчних проток																							C22		
▼	-	1.3	0.2	-	-	0.2	0.1	0.3	1.3	2.1	4.1	8.8	12.7	14.5	18.1	20.8	23.9	22.6	11.9	869	5.2	3.5	0.1		
▲	1.1	0.4	0.3	-	0.1	-	0.1	0.2	0.4	0.3	2.3	2.6	3.8	5.7	8.0	11.3	11.9	12.3	9.0	603	3.1	1.5	0.1		
ЗН жовчного міхура та позапечінкових жовчних проток																							C23-C24		
▼	-	-	-	-	-	-	-	0.3	0.5	0.7	1.1	1.9	4.3	5.7	10.5	10.0	13.5	18.0	8.2	379	2.3	1.4	0.1		
▲	-	-	-	-	-	-	0.1	-	0.3	0.3	0.8	2.7	4.4	7.6	8.9	12.4	12.9	13.4	6.9	629	3.3	1.5	0.1		
ЗН підшлункової залози																							C25		
▼	-	-	-	-	0.1	-	0.1	0.8	2.0	5.0	9.6	19.5	30.1	45.3	52.2	61.7	67.3	66.8	41.0	2303	13.8	9.1	0.2		
▲	-	0.1	-	-	0.2	0.3	0.4	0.5	1.3	2.5	3.5	7.8	12.9	21.0	31.3	42.5	41.6	44.5	26.8	2077	10.8	4.9	0.1		

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

* - кількість випадків не охоплює дані Донецької, Луганської областей, АР Крим та м. Севастополь

2017 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток А - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки*	Грубий	Станд.	Похибка			
ЗН носової порожнини, придаткових пазух та середнього вуха																							C30-C31			
▼	-	0.1	-	-	-	0.1	0.2	0.1	0.7	0.7	1.7	1.8	2.7	4.1	4.1	3.2	4.5	4.6	3.0	211	1.3	0.9	0.1			
▲	-	-	-	-	-	-	0.1	0.1	0.3	0.2	0.7	1.0	0.8	0.9	1.8	2.1	1.2	1.9	2.1	122	0.6	0.3	0.0			
ЗН гортані																							C32			
▼	-	-	-	-	-	-	-	0.1	1.3	3.6	8.7	20.8	34.1	39.7	41.3	38.2	28.4	22.6	7.5	1792	10.7	7.3	0.2			
▲	-	-	-	-	-	-	-	-	0.1	0.4	0.4	0.8	0.8	1.3	1.9	1.0	0.7	0.4	0.7	94	0.5	0.3	0.0			
ЗН трахеї, бронхів, легені																							C33-C34			
▼	-	-	-	-	0.2	0.4	0.7	1.8	4.6	12.7	28.7	76.9	143.8	219.3	298.7	317.5	285.2	230.7	107.4	10417	62.3	41.2	0.4			
▲	-	-	-	-	-	0.3	0.4	0.9	2.6	4.8	7.5	14.1	19.2	27.7	38.0	41.1	49.9	44.5	28.2	2596	13.5	6.4	0.1			
ЗН тимуса																							C37			
▼	-	-	-	-	-	-	0.1	0.3	-	0.6	0.3	0.3	0.5	1.3	1.0	0.5	0.2	0.5	-	49	0.3	0.2	0.0			
▲	-	-	-	-	0.1	0.3	0.1	0.1	-	0.1	0.2	0.3	0.3	0.2	0.2	0.4	0.2	-	-	28	0.1	0.1	0.0			
ЗН серця, межистіння																							C38 (за винятком C38.4)			
▼	0.5	0.4	-	0.2	0.2	0.4	-	0.3	0.1	0.2	0.8	0.7	1.3	2.1	2.6	2.4	1.4	1.0	0.7	108	0.6	0.5	0.1			
▲	-	0.3	-	-	-	-	0.3	-	0.2	-	0.1	0.3	0.2	0.5	0.3	1.0	0.6	0.2	0.7	44	0.2	0.2	0.0			
ЗН плеври																							C38.4, C45.0			
▼	-	-	-	-	-	-	-	0.1	0.2	0.2	0.5	0.8	1.5	1.6	1.9	2.4	3.2	0.5	0.7	92	0.6	0.4	0.0			
▲	-	-	-	-	-	-	-	0.1	0.1	0.1	0.4	0.2	0.2	0.5	1.1	0.8	1.4	1.9	0.2	64	0.3	0.2	0.0			
ЗН кісток та суглобових хрящів																							C40-C41			
▼	-	0.4	0.2	1.7	1.9	0.6	0.4	0.2	0.7	0.6	1.1	1.0	1.5	2.0	2.3	4.5	2.3	1.0	1.5	176	1.1	1.0	0.1			
▲	0.6	-	0.5	1.2	1.6	0.5	0.4	0.5	0.4	1.0	1.0	0.8	0.8	1.5	1.2	1.5	1.7	1.5	0.9	172	0.9	0.8	0.1			
Меланома шкіри																							C43			
▼	-	-	-	0.1	0.5	1.4	1.5	2.7	3.6	4.7	7.5	10.4	11.8	15.7	27.1	29.5	30.8	31.3	24.6	1219	7.3	5.0	0.1			
▲	-	-	0.2	0.1	0.6	1.7	2.8	4.5	6.1	9.0	10.4	11.7	12.1	17.6	18.8	21.7	18.8	18.0	15.6	1736	9.0	5.4	0.1			
Інші ЗН шкіри																							C44, C46.0			
▼	-	0.1	0.1	-	0.8	1.0	0.8	3.4	6.9	9.1	20.0	35.2	55.3	92.0	144.7	215.7	268.8	340.1	281.3	6523	39.0	24.7	0.3			
▲	-	-	-	-	0.1	0.9	1.9	4.0	8.1	12.2	21.5	32.5	46.2	80.5	117.5	158.7	189.8	223.2	185.2	8987	46.6	20.3	0.2			
Мезотеліома (за викл. мезотеліоми плеври)																							C45.1-9			
▼	-	-	-	-	-	-	-	0.1	-	0.2	0.1	0.1	0.1	0.2	0.3	0.3	0.7	1.5	0.7	19	0.1	0.1	0.0			
▲	-	-	-	-	-	-	-	0.1	-	-	0.2	0.1	0.2	0.3	0.3	0.3	0.1	0.4	-	21	0.1	0.1	0.0			
ЗН заочеревинного простору та очеревини																							C48			
▼	0.5	0.5	0.3	0.1	0.2	0.2	0.4	0.3	0.4	0.6	0.6	1.0	1.8	2.0	4.4	5.3	4.7	3.6	1.5	177	1.1	0.9	0.1			
▲	1.7	1.1	0.1	0.4	0.1	0.3	0.3	0.2	0.4	0.5	1.0	1.4	2.0	2.5	3.4	3.2	2.5	4.4	0.5	241	1.3	0.9	0.1			
ЗН сполучної та м'якої тканини																							C 46.1, C49			
▼	1.6	0.6	0.7	0.5	0.5	0.6	0.6	0.6	1.4	2.0	2.2	3.0	3.1	4.7	5.3	7.9	7.0	11.3	8.2	364	2.2	1.6	0.1			
▲	0.6	0.1	0.2	0.8	0.6	0.2	0.4	1.3	0.6	1.6	1.2	1.7	2.3	3.3	4.2	6.1	4.5	4.8	4.5	367	1.9	1.3	0.1			
ЗН молочної залози																							C50			
▼	-	-	-	-	-	0.1	-	-	0.2	0.3	0.4	1.0	0.7	2.3	2.7	2.6	2.9	5.7	3.7	112	0.7	0.4	0.0			
▲	-	-	-	-	0.2	1.5	7.4	21.9	43.7	77.0	102.2	105.1	134.1	162.1	180.3	171.7	140.6	120.4	77.4	14402	74.7	43.8	0.4			

“-” - випадків не зареєстровано; 0.0 - показник менший за 0.05

* - кількість випадків не охоплює дані Донецької, Луганської областей, АР Крим та м. Севастополь

2017 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток А - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки*	Грубий	Станд.	Похибка	
ЗН вульви																							C51	
▲	-	-	-	-	-	-	0.2	0.1	0.7	0.7	0.8	1.9	2.0	3.5	6.3	9.9	11.9	13.2	8.3	490	2.5	1.1	0.1	
ЗН піхви																							C52	
▲	-	-	-	-	-	-	-	0.1	-	0.2	0.4	0.6	0.6	0.8	1.2	2.1	2.5	1.3	0.9	100	0.5	0.3	0.0	
ЗН шийки матки																							C53	
▲	-	-	-	-	0.2	2.7	6.6	18.9	28.7	41.2	45.1	40.9	35.8	30.4	27.4	26.2	19.3	16.3	8.1	4175	21.7	15.1	0.2	
ЗН тіла матки																							C54	
▲	-	-	0.1	-	0.2	-	1.0	2.2	6.4	15.4	32.9	55.1	89.5	103.3	107.8	84.9	54.7	37.8	12.8	6759	35.1	19.7	0.3	
ЗН неуточної частини матки																							C55	
▲	-	-	-	-	-	-	-	0.1	0.3	1.0	0.6	1.3	1.2	1.7	1.2	1.7	1.0	0.6	1.2	127	0.7	0.4	0.0	
ЗН яєчника																							C56	
▲	-	0.3	0.1	0.7	0.7	3.0	4.0	5.9	11.3	18.3	26.4	29.2	35.1	35.5	38.7	34.4	30.4	17.8	6.4	3383	17.6	11.0	0.2	
ЗН інших придатків матки																							C57	
▲	-	-	-	-	0.1	0.1	0.1	-	0.1	0.3	0.7	1.1	0.6	1.5	1.3	1.3	0.4	0.2	0.5	90	0.5	0.3	0.0	
ЗН плаценти																							C58	
▲	-	-	-	-	-	0.5	0.4	0.3	0.5	0.4	-	0.1	-	-	-	-	-	-	-	29	0.2	0.2	0.0	
ЗН статевого члена																							C60	
▼	-	-	-	-	-	-	0.1	0.1	0.2	0.5	1.1	1.1	2.0	3.5	3.5	5.5	3.8	5.1	5.2	174	1.0	0.7	0.1	
ЗН передміхурової залози																							C61	
▼	-	-	-	-	0.1	-	0.1	0.1	0.1	0.9	3.8	15.0	49.6	120.8	237.3	357.0	352.0	333.9	200.7	7495	44.8	28.3	0.3	
ЗН яєчка																							C62	
▼	0.5	0.6	0.1	0.2	1.8	3.8	4.4	4.8	4.2	3.7	2.6	1.9	0.9	0.8	1.8	2.6	1.8	1.0	1.5	408	2.4	2.1	0.1	
ЗН нирки																							C64	
▼	2.1	2.4	0.6	0.1	0.2	0.3	0.8	2.1	4.7	9.6	14.8	26.8	38.9	50.5	64.4	62.5	49.7	39.6	27.6	2702	16.2	11.3	0.2	
▲	2.2	1.6	0.2	0.4	0.2	0.2	0.7	1.7	2.9	5.0	6.6	13.6	20.8	29.1	36.3	26.9	22.1	19.2	9.5	2074	10.8	6.1	0.1	
ЗН ниркової миски																							C65	
▼	-	-	-	-	-	-	-	-	0.1	0.3	0.5	0.3	0.9	1.4	1.8	2.4	3.8	1.0	0.7	81	0.5	0.3	0.0	
▲	-	-	-	-	-	-	-	-	-	0.1	0.4	0.4	0.4	0.3	0.3	0.7	1.7	0.4	0.2	50	0.3	0.1	0.0	
ЗН сечоводу																							C66	
▼	-	-	-	-	-	-	-	-	-	0.1	0.1	0.5	0.6	1.4	1.5	1.3	2.5	2.1	-	59	0.4	0.2	0.0	
▲	-	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	0.3	0.3	0.4	0.6	0.6	-	23	0.1	0.1	0.0	
ЗН сечового міхура																							C67	
▼	-	0.1	-	0.2	0.1	0.6	0.8	1.2	2.1	4.2	10.6	18.9	37.1	60.4	88.9	116.8	129.0	132.5	103.0	3511	21.0	13.6	0.2	
▲	-	-	0.1	-	-	0.3	0.1	0.7	1.0	0.7	2.3	2.9	5.5	6.2	10.0	12.1	16.5	16.3	11.6	759	3.9	1.8	0.1	
ЗН ока																							C69	
▼	3.1	0.5	-	0.1	-	0.2	0.2	0.3	0.3	0.4	0.4	1.1	1.2	2.3	1.4	2.1	1.1	2.6	2.2	114	0.7	0.7	0.1	
▲	3.4	1.6	0.2	-	-	-	0.1	0.3	0.5	0.6	0.8	0.7	1.0	1.4	1.8	2.1	0.9	0.6	-	142	0.7	0.5	0.1	

“-” - випадків не зареєстровано; 0.0 - показник менший за 0.05

* - кількість випадків не охоплює дані Донецької, Луганської областей, АР Крим та м. Севастополь

2017 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток А - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки*	Грубий	Станд.	Похибка	
ЗН мозкових оболонок та ін. відділів ЦНС																							C70-C72	
▼	2.6	2.8	1.6	2.2	2.1	1.0	1.9	3.0	3.6	4.7	6.4	8.8	12.3	15.3	16.2	11.3	9.9	7.2	3.0	955	5.7	4.5	0.2	
▲	3.4	4.2	2.2	1.3	1.1	2.1	2.2	2.5	3.0	4.5	4.7	7.6	9.2	10.7	11.5	8.2	5.9	4.0	1.4	979	5.1	3.8	0.1	
з них: ЗН головного мозку																							C71	
▼	2.6	2.8	1.4	2.2	1.9	0.9	1.7	2.8	3.5	4.7	6.2	8.7	12.1	15.2	15.7	10.8	9.9	7.2	3.0	932	5.6	4.4	0.2	
▲	3.4	3.8	2.1	1.2	1.1	1.9	1.8	2.4	2.7	4.4	4.2	7.4	9.0	10.5	11.3	8.1	5.6	3.8	1.4	937	4.9	3.6	0.1	
ЗН щитовидної залози																							C73	
▼	-	-	0.2	0.6	1.1	2.2	2.9	3.6	4.9	4.3	5.0	5.9	5.4	6.8	4.6	4.5	3.8	2.6	1.5	581	3.5	2.7	0.1	
▲	-	0.1	0.2	1.4	4.0	5.7	10.4	14.3	16.3	19.6	20.0	22.1	21.8	18.3	19.2	12.7	6.0	5.0	3.6	2458	12.8	9.7	0.2	
ЗН інших ендокринних залоз																							C74-C75	
▼	1.0	0.4	0.2	-	0.1	-	0.1	0.1	0.4	0.2	0.9	0.9	1.2	1.0	1.4	1.6	1.1	1.5	1.5	87	0.5	0.5	0.1	
▲	3.9	0.5	0.2	0.1	0.1	0.3	0.2	0.2	0.4	0.6	0.2	0.5	0.8	0.9	0.7	0.3	0.3	0.4	-	83	0.4	0.3	0.0	
Лімфоми та інші імуні- та лімфопроліферативні новоутворення																							C81-C85, C88, C90	
▼	-	1.1	2.1	3.5	4.0	5.1	4.9	6.3	8.8	9.7	10.1	15.5	21.3	25.5	33.4	38.8	30.2	29.3	10.4	1933	11.6	8.9	0.2	
▲	-	0.3	1.3	1.7	4.2	6.8	7.9	7.9	7.6	7.0	7.9	13.1	14.5	20.3	28.7	23.4	17.8	16.3	7.6	2089	10.8	7.4	0.2	
з них: Лімфома Ходжкіна																							C81	
▼	-	0.2	0.8	1.6	2.1	3.2	2.9	3.3	3.9	2.5	2.2	2.8	2.8	2.1	2.2	2.1	2.0	0.5	0.7	396	2.4	2.1	0.1	
▲	-	0.1	0.5	1.0	3.1	5.1	5.5	3.9	3.3	3.1	1.8	2.1	1.2	1.8	1.4	1.1	1.1	1.0	0.2	444	2.3	2.3	0.1	
Неходжкінські лімфоми																							C82-C83, C85	
▼	-	0.8	1.3	1.7	1.9	1.9	1.9	2.8	4.5	5.9	5.5	8.2	12.7	14.7	21.5	23.2	18.2	20.5	5.2	1091	6.5	4.9	0.2	
▲	-	0.1	0.8	0.7	1.0	1.6	2.0	3.7	4.1	3.1	4.3	7.4	8.4	10.9	16.4	14.6	11.3	9.6	6.2	1113	5.8	3.6	0.1	
Множинна мієлома та злоскісні плазмоклітинні новоутворення																							C90	
▼	-	-	-	-	-	-	-	-	0.4	0.9	2.2	4.0	5.4	7.8	7.9	11.1	7.7	7.2	3.7	374	2.2	1.5	0.1	
▲	-	-	-	-	-	-	0.3	0.3	0.2	0.6	1.6	3.3	4.2	7.1	9.7	6.7	4.9	5.6	0.9	476	2.5	1.3	0.1	
Лейкемії																							C91-C95	
▼	7.3	8.4	5.0	3.1	4.3	2.4	1.6	1.9	2.7	3.8	6.8	9.1	16.8	22.7	33.4	39.6	38.5	33.9	16.4	1602	9.6	7.9	0.2	
▲	3.9	7.9	2.3	1.8	1.2	1.7	1.4	2.2	2.5	2.7	6.6	8.2	8.2	15.0	20.2	21.2	18.9	17.8	6.6	1446	7.5	5.1	0.2	
з них: Лейкемія лімфоїдна																							C91	
▼	3.7	6.5	4.3	2.6	2.5	0.8	0.5	0.6	0.8	1.3	2.9	4.3	8.4	12.2	18.4	20.0	23.2	21.1	8.2	862	5.2	4.6	0.2	
▲	1.7	6.4	1.8	1.1	1.0	0.5	0.4	0.5	0.8	0.9	2.4	3.2	3.2	7.2	9.4	10.2	10.0	8.1	4.7	681	3.5	2.6	0.1	
Лейкемія мієлоїдна																							C92	
▼	1.6	1.1	0.4	0.3	1.5	0.9	0.7	0.9	1.2	1.0	2.1	3.4	4.7	5.1	7.4	11.6	8.8	7.7	2.2	414	2.5	1.9	0.1	
▲	1.1	0.8	0.4	0.6	0.1	1.1	0.8	1.1	1.3	1.0	2.9	2.9	3.1	3.9	5.5	6.7	4.7	5.4	0.9	445	2.3	1.5	0.1	
Лейкемія неуточноного клітинного типу																							C95	
▼	2.1	0.2	-	-	0.1	0.2	0.1	0.1	0.4	0.4	0.3	0.4	1.0	1.7	2.2	3.4	3.4	3.1	4.5	115	0.7	0.5	0.1	
▲	-	0.6	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.6	0.6	0.6	1.2	1.6	2.0	1.7	2.9	0.9	123	0.6	0.4	0.0	
ЗН неуточноної первинної локалізації																							C77-C80	
▼	-	-	-	-	0.2	0.1	0.4	1.3	1.6	4.2	6.9	12.0	23.7	36.6	50.8	60.9	54.2	56.0	32.8	1930	11.5	7.7	0.2	
▲	-	-	-	-	0.2	0.3	0.4	0.8	1.4	2.5	3.3	6.5	8.7	12.6	19.8	23.7	25.8	28.8	14.2	1341	7.0	3.3	0.1	

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

* - кількість випадків не охоплює дані Луганської області та м. Севастополь