

2002 - adjusted rates, Ukraine

Rates for selected cancer sites by age group and gender, incidence

Annex A

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases	CR	ASR	ER			
All sites																							C00-C96			
●	16.9	15.2	11.3	10.6	18.6	21.6	28.3	40.5	70.4	128.3	271.4	512.9	797.4	1011.6	1636.5	1673.5	2205.9	2002.0	1295.9	80 002	358.5	259.4	0.8			
▲	14.9	11.7	9.1	8.1	18.1	25.8	46.3	76.3	122.6	202.8	317.4	458.2	525.4	582.8	882.8	839.0	974.4	878.0	487.9	80 601	310.9	180.7	0.7			
All sites (non-melanoma of skin excluded)																							C00-C96 (C44, C46.0 excluded)			
●	16.3	15.2	11.3	10.6	17.7	21.1	27.1	38.6	65.3	119.6	251.0	475.6	737.7	928.0	1480.6	1480.4	1883.2	1620.1	948.9	71 982	322.6	234.0	0.8			
▲	14.9	11.7	9.1	7.9	17.9	25.2	44.9	72.7	116.4	192.1	297.7	422.6	472.9	518.2	762.1	688.5	772.0	656.0	324.0	69 781	269.2	161.1	0.7			
Lip																							C00			
●	-	-	-	-	-	-	0.1	0.1	0.5	0.9	2.4	5.2	11.1	17.2	30.3	31.9	37.7	36.5	25.4	1 236	5.5	3.9	0.1			
▲	-	-	-	-	0.1	-	-	-	0.1	0.1	0.5	0.9	0.5	2.4	5.2	7.1	9.4	9.8	8.2	429	1.7	0.7	0.0			
Oral cavity																							C01-C08, C46.2			
●	-	-	-	-	-	0.2	0.1	0.4	1.7	5.9	15.0	28.0	32.0	30.5	36.6	26.7	26.0	16.9	18.4	2 195	9.8	7.4	0.1			
▲	-	-	-	-	0.1	0.3	0.2	0.4	0.7	1.4	1.1	2.9	2.7	2.7	4.7	5.0	6.3	10.0	7.3	485	1.9	1.0	0.1			
Pharynx																							C09-C14			
●	-	-	0.1	0.1	0.3	0.2	0.2	0.3	1.3	4.5	10.7	21.5	26.9	24.3	25.6	16.2	14.9	8.8	4.6	1 619	7.3	5.5	0.1			
▲	-	-	0.2	0.2	0.1	0.1	0.1	0.1	0.5	0.9	1.1	1.3	1.4	1.3	1.3	2.3	2.9	1.3	2.8	217	0.8	0.5	0.0			
Esophagus																							C15			
●	-	-	-	-	-	-	-	-	0.6	1.9	5.7	15.6	21.5	29.5	36.4	28.1	28.4	23.0	26.5	1 685	7.6	5.5	0.1			
▲	-	-	-	-	-	-	-	-	-	0.3	0.4	0.5	0.7	1.4	2.4	3.8	5.2	7.0	4.2	246	0.9	0.4	0.0			
Stomach																							C16			
●	-	-	-	-	0.3	0.5	0.6	2.8	6.8	15.2	30.2	53.8	85.3	110.3	181.2	186.2	237.9	177.8	101.5	8 456	37.9	26.9	0.2			
▲	-	-	-	-	0.3	0.8	1.4	3.0	4.7	10.2	14.5	20.8	28.3	39.1	71.3	74.3	87.9	83.0	36.0	5 559	21.4	11.0	0.2			
Colon																							C18			
●	-	-	-	-	0.2	0.4	0.8	1.4	3.8	5.9	11.5	19.5	35.6	49.9	99.6	104.1	155.0	154.8	88.8	4 359	19.5	13.7	0.2			
▲	-	-	-	-	0.2	0.5	0.8	1.2	2.8	5.9	11.5	20.7	27.7	39.5	63.1	67.2	81.9	72.4	31.5	5 000	19.3	9.7	0.1			
Rectum, anus																							C19-C21			
●	-	-	-	-	-	0.3	0.3	0.9	2.2	6.1	10.7	23.3	41.4	59.6	104.6	114.1	147.3	127.7	71.5	4 581	20.5	14.3	0.2			
▲	-	-	-	-	-	0.1	0.5	1.5	3.0	4.9	9.9	17.2	24.0	34.7	54.7	51.0	64.2	56.1	22.5	4 104	15.8	8.1	0.1			
Liver and intrahepatic bile ducts																							C22			
●	1.6	0.7	0.2	-	0.2	0.5	0.5	0.3	0.7	1.5	3.8	7.2	11.5	14.7	23.7	23.6	30.8	26.4	13.8	1 125	5.0	3.7	0.1			
▲	1.1	0.3	0.1	-	0.1	0.1	0.4	0.6	0.6	0.8	1.8	3.6	5.0	6.0	11.5	11.6	11.8	10.6	7.6	842	3.2	1.7	0.1			
Gallbladder and extrahepatic bile ducts																							C23-C24			
●	-	-	0.1	-	-	-	0.1	0.2	0.4	0.3	0.8	2.0	3.5	4.9	6.2	9.3	9.1	8.8	4.6	342	1.5	1.1	0.0			
▲	-	-	-	-	-	-	-	0.1	0.3	0.2	0.9	2.5	2.9	6.5	9.3	10.5	11.0	11.0	5.6	692	2.7	1.3	0.1			
Pancreas																							C25			
●	-	-	-	-	0.2	0.2	0.5	1.3	3.2	6.4	11.1	19.5	27.4	35.8	53.4	51.2	72.3	68.9	33.4	2 724	12.2	8.8	0.1			
▲	-	-	-	-	0.2	0.1	0.2	0.5	1.4	1.8	3.8	7.6	11.1	16.7	29.2	31.3	38.3	38.9	21.4	2 235	8.6	4.2	0.1			
Nasal cavity, accessory sinuses and middle ear																							C30-C31			
●	-	-	0.1	-	-	0.2	0.1	0.3	0.4	1.5	1.4	2.5	2.9	2.3	4.3	3.1	4.1	5.4	2.3	252	1.1	0.9	0.0			
▲	-	-	0.1	-	0.1	0.1	0.1	0.1	0.1	0.4	0.3	0.9	1.0	1.1	1.8	1.9	1.8	1.1	1.4	149	0.6	0.3	0.0			

“-“ - no cases registered; 0.0 - rate less than 0.05

2002 - adjusted rates, Ukraine

Rates for selected cancer sites by age group and gender, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases	CR	ASR	ER		
Larynx																							C32		
♂	-	0.1	-	-	0.1	-	0.2	0.2	1.4	4.8	14.0	30.5	44.9	38.5	52.6	38.4	37.0	25.7	12.7	2 700	12.1	9.0	0.2		
♀	-	0.1	-	-	-	-	-	0.1	0.2	0.3	0.8	0.9	1.3	0.9	1.2	1.2	1.2	0.6	0.3	123	0.5	0.3	0.0		
Trachea, bronchus and lung																							C33-C34		
♂	-	-	-	0.1	0.1	0.7	1.1	3.0	6.7	19.6	54.9	112.7	187.6	252.3	390.8	367.8	422.2	301.4	151.0	16 980	76.1	54.0	0.4		
♀	-	-	-	0.1	0.1	0.3	0.5	1.2	2.1	4.3	7.7	13.7	17.6	27.6	42.6	49.1	59.8	51.4	27.0	3 525	13.6	6.7	0.1		
Thymus																							C37		
♂	0.5	-	-	0.1	0.2	0.5	0.6	0.4	0.4	0.3	0.6	0.6	0.7	0.4	0.6	0.5	0.5	-	-	83	0.4	0.3	0.0		
♀	-	-	-	0.1	-	0.1	0.5	0.6	0.3	0.1	0.4	0.2	0.3	0.2	0.3	0.2	0.5	-	0.3	60	0.2	0.2	0.0		
Heart, mediastinum																							C38 (C38.4 excluded)		
♂	-	-	0.1	-	0.2	0.2	0.4	0.5	0.6	0.3	0.9	1.4	1.8	3.6	3.8	4.6	4.6	1.4	2.3	234	1.0	0.8	0.0		
♀	2.3	0.5	0.2	-	0.2	0.1	0.2	0.2	0.3	0.3	0.2	0.7	0.4	0.6	0.9	0.9	1.0	1.3	-	108	0.4	0.4	0.0		
Pleura																							C38.4, C45.0		
♂	-	-	-	-	0.1	0.1	0.1	0.1	0.3	0.3	0.8	1.1	1.8	2.0	2.1	3.0	2.2	4.1	-	147	0.7	0.5	0.0		
♀	-	-	-	-	0.1	-	-	-	0.2	0.3	0.3	0.5	0.5	0.8	1.5	1.5	1.1	0.8	0.8	108	0.4	0.2	0.0		
Bones, joints and articular cartilage																							C40-C41		
♂	-	0.1	0.5	1.0	1.9	1.2	1.2	0.9	0.5	1.3	1.8	3.2	2.8	3.6	5.4	4.6	6.7	2.7	3.5	422	1.9	1.6	0.1		
♀	0.6	0.4	0.5	0.8	1.1	0.6	0.6	0.7	0.5	1.0	0.9	1.5	1.5	1.3	2.9	2.4	2.5	3.0	2.0	310	1.2	0.9	0.1		
Melanoma of skin																							C43		
♂	-	-	-	0.1	0.4	1.0	1.4	2.0	3.3	3.3	5.2	7.6	9.3	9.3	15.4	12.4	17.1	19.6	13.8	951	4.3	3.2	0.1		
♀	-	0.1	-	0.1	0.5	1.2	1.4	3.1	3.5	4.7	7.3	9.9	10.6	8.8	12.0	10.3	13.3	14.2	8.4	1 407	5.4	3.5	0.1		
Other skin																							C44, C46.0		
♂	0.5	-	-	-	1.0	0.5	1.2	1.9	5.1	8.7	20.5	37.3	59.7	83.6	155.9	193.0	322.7	381.9	347.0	8 020	35.9	25.4	0.2		
♀	-	-	-	0.1	0.2	0.6	1.4	3.6	6.2	10.7	19.7	35.6	52.5	64.6	120.7	150.5	202.4	221.9	163.8	10 820	41.7	19.7	0.2		
Retroperitoneum and peritoneum																							C48		
♂	2.2	0.8	0.3	0.2	0.2	0.1	0.4	0.6	0.7	1.0	1.3	2.3	2.2	3.1	6.1	6.1	7.2	9.5	1.2	336	1.5	1.2	0.1		
♀	1.1	0.9	0.2	0.1	0.1	0.2	0.2	0.2	0.8	1.0	1.8	1.7	2.1	3.4	6.1	4.9	7.5	7.0	2.0	485	1.9	1.1	0.1		
Connective and other soft tissues																							C 46.1, C49		
♂	1.1	-	0.2	0.3	1.2	0.7	1.2	1.3	1.5	1.7	2.5	4.7	3.8	4.3	7.8	7.7	11.8	7.4	6.9	543	2.4	1.9	0.1		
♀	0.6	0.5	0.3	0.1	0.4	0.8	0.9	0.7	1.5	1.3	1.6	2.5	3.3	3.2	4.5	5.7	5.3	7.2	4.8	533	2.1	1.3	0.1		
Breast																							C50		
♂	-	-	-	-	-	-	0.1	-	0.1	0.3	0.9	0.4	0.8	1.9	2.3	2.9	5.5	4.7	6.9	141	0.6	0.4	0.0		
♀	-	-	-	-	0.1	0.6	3.5	11.4	29.9	59.8	99.3	121.3	124.4	115.9	150.2	115.3	126.8	104.3	51.2	15 273	58.9	36.9	0.3		
Vulva																							C51		
♂	-	-	-	-	-	-	0.2	-	0.2	0.5	0.6	1.4	2.5	3.9	8.5	10.5	15.7	14.2	9.6	691	2.7	1.2	0.0		
Cervix uteri																							C53		
♂	-	-	-	-	0.3	2.8	11.4	19.4	24.1	33.6	33.5	36.5	29.1	25.3	33.7	28.6	29.3	19.8	10.1	5 035	19.4	13.8	0.2		
Corpus uteri																							C54		
♂	-	-	-	-	0.1	0.2	0.5	2.2	5.5	13.5	28.7	53.9	66.9	64.0	82.0	54.4	46.9	25.7	12.4	6 427	24.8	15.2	0.2		

“-“ - no cases registered; 0.0 - rate less than 0.05

2002 - adjusted rates, Ukraine

Rates for selected cancer sites by age group and gender, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases	CR	ASR	ER	
Ovary																							C56	
♀	-	0.1	0.6	0.6	1.1	2.3	4.0	4.9	8.8	14.1	23.7	32.6	31.7	30.3	44.2	34.0	30.5	20.4	8.4	4 144	16.0	10.4	0.2	
Penis																							C60	
♂	-	-	-	-	-	-	-	0.2	0.2	0.8	0.7	0.8	1.7	2.2	3.0	5.1	7.2	9.5	4.6	205	0.9	0.6	0.0	
Prostate gland																							C61	
♂	-	-	0.1	0.1	-	-	0.1	0.1	0.3	0.5	3.1	10.5	29.7	58.1	120.8	168.1	241.5	254.1	161.4	5 225	23.4	15.8	0.2	
Testis																							C62	
♂	-	0.1	0.1	-	1.1	2.9	4.0	4.7	4.2	2.6	2.0	2.3	1.7	1.4	1.4	3.0	3.8	2.0	2.3	491	2.2	1.9	0.1	
Kidney																							C64	
♂	1.6	1.9	0.7	0.2	0.3	0.2	0.4	0.9	3.1	7.8	13.0	27.7	34.3	30.0	43.6	41.2	47.6	35.1	24.2	2 577	11.5	8.7	0.2	
♀	1.7	1.3	1.0	0.1	0.3	0.3	0.8	0.9	2.1	3.1	6.3	12.4	14.4	14.1	22.5	16.1	15.4	9.6	3.7	1 689	6.5	4.1	0.1	
Bladder																							C67	
♂	-	0.1	0.1	-	0.1	0.3	0.2	1.2	2.0	3.3	8.4	18.3	33.5	49.8	89.1	103.2	150.4	152.8	78.4	4 050	18.1	12.6	0.2	
♀	-	-	-	-	0.1	0.3	0.1	0.1	0.4	0.9	1.2	2.1	3.4	5.8	11.2	11.5	15.9	15.9	9.3	836	3.2	1.5	0.1	
Eye and adnexa																							C69	
♂	-	0.6	0.1	0.1	0.2	0.1	0.1	-	0.2	0.5	1.1	1.2	2.0	1.2	1.5	0.9	2.4	2.0	3.5	131	0.6	0.5	0.0	
♀	1.1	0.5	0.3	0.1	-	-	0.1	0.1	0.3	0.7	0.5	1.0	0.9	0.7	1.8	1.7	2.2	1.1	0.3	162	0.6	0.4	0.0	
Brain																							C71	
♂	1.6	1.6	2.2	2.9	1.8	1.7	2.8	3.0	3.9	5.1	8.3	9.0	13.4	10.3	13.6	8.4	6.7	2.0	4.6	1 166	5.2	4.5	0.1	
♀	1.1	2.3	1.4	1.5	2.1	1.1	1.6	2.2	3.8	4.2	5.7	8.3	8.8	7.1	7.0	5.6	1.8	2.3	0.8	1 028	4.0	3.3	0.1	
Meninges and other parts of central nervous system																							C70, C72	
♂	1.6	1.8	2.3	3.0	1.8	2.0	2.9	3.2	4.2	5.6	8.7	9.6	14.3	10.6	14.4	8.7	7.0	2.0	4.6	1 232	5.5	4.8	0.1	
♀	1.1	2.3	1.5	1.8	2.3	1.3	1.8	2.2	4.0	4.6	6.0	8.6	9.2	7.4	7.1	5.6	1.9	2.3	0.8	1 081	4.2	3.5	0.1	
Thyroid																							C73	
♂	-	-	-	0.3	1.1	0.8	0.9	1.6	1.4	1.0	3.2	2.9	3.9	3.0	5.6	3.7	4.6	4.7	3.5	404	1.8	1.5	0.1	
♀	-	-	-	1.0	2.2	3.6	4.5	6.7	7.3	8.4	10.8	14.2	13.7	9.3	10.2	8.0	7.1	4.0	2.5	1 742	6.7	5.1	0.1	
Hodgkin lymphoma																							C81	
♂	-	0.6	0.6	1.4	3.1	3.5	4.2	3.3	3.8	2.1	2.2	1.9	3.2	3.0	3.7	1.9	4.3	2.0	-	588	2.6	2.4	0.1	
♀	-	0.3	0.1	1.0	4.6	5.3	5.2	4.5	3.2	2.7	1.7	2.4	1.5	1.6	1.6	1.5	1.9	0.8	0.3	662	2.6	2.5	0.1	
Non-Hodgkin lymphomas																							C82-C83, C85	
♂	0.5	1.2	1.4	0.8	1.5	1.4	1.3	2.0	2.6	2.5	5.4	6.1	10.3	11.4	14.9	12.6	17.5	13.5	12.7	1 004	4.5	3.6	0.1	
♀	-	0.4	0.5	0.6	0.7	0.9	1.4	1.5	1.8	1.9	3.7	4.5	5.8	5.7	9.2	9.3	8.8	9.3	3.4	896	3.5	2.2	0.1	
Peripheral T-cell and cutaneous lymphomas																							C84	
♂	-	-	-	0.1	0.2	-	-	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.1	0.2	-	0.7	-	20	0.1	0.1	0.0	
♀	-	-	-	-	0.1	-	-	0.1	-	-	0.2	0.1	0.2	0.4	0.2	0.3	0.2	0.2	-	26	0.1	0.1	0.0	
Malignant immunoproliferative diseases																							C88	
♂	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.2	-	0.6	0.7	1.4	-	19	0.1	0.1	0.0	
♀	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	-	0.2	-	0.1	0.1	0.2	-	12	0.0	0.0	0.0	

"-" - no cases registered; 0.0 - rate less than 0.05

2002 - adjusted rates, Ukraine

Rates for selected cancer sites by age group and gender, incidence

Annex A - continued

Age	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Cases	CR	ASR	ER		
Multiple myeloma and plasma cell tumors																							C90		
♂	-	0.1	-	-	-	-	0.1	0.1	0.1	0.7	1.1	2.2	3.5	2.9	4.8	4.7	4.6	6.1	4.6	249	1.1	0.8	0.0		
♀	-	-	-	-	0.1	0.1	0.1	0.2	0.3	0.8	1.1	1.7	3.3	3.7	4.5	3.4	3.3	1.5	0.6	339	1.3	0.8	0.0		
Leukemias (all)																							C91-C95		
♂	4.4	6.3	4.3	2.6	3.1	2.5	2.2	2.5	3.6	4.4	6.8	11.1	14.3	19.8	33.5	35.5	48.3	52.0	25.4	2 038	9.1	7.6	0.2		
♀	4.0	3.4	3.2	1.5	2.3	1.6	2.1	2.5	2.4	4.0	5.8	7.6	9.8	13.6	22.3	17.0	20.6	14.2	4.5	1 829	7.1	4.9	0.1		
Lymphoid leukemias																							C91		
♂	1.1	4.9	3.4	1.5	1.7	1.0	0.6	0.4	0.9	1.5	3.3	5.5	8.6	12.3	18.2	19.5	30.3	30.4	17.3	1 109	5.0	4.2	0.1		
♀	1.1	2.5	2.5	1.0	1.0	0.6	0.6	0.6	0.6	1.3	1.9	2.7	4.4	6.8	11.2	8.6	12.5	9.8	3.1	885	3.4	2.4	0.1		
Among them: acute lymphoid leukemia																							C91.0		
♂	1.1	4.7	3.4	1.5	1.7	1.0	0.4	0.3	0.4	0.2	0.5	1.1	0.9	1.4	2.0	2.2	4.1	2.0	-	290	1.3	1.6	0.1		
♀	1.1	2.5	2.3	1.0	0.9	0.3	0.6	0.4	0.3	0.7	0.4	0.5	0.9	1.6	1.6	1.0	1.2	1.1	0.3	241	0.9	1.1	0.1		
Myeloid leukemias																							C92		
♂	2.2	1.0	0.8	0.8	0.7	1.0	1.0	1.1	1.2	1.7	1.7	3.0	2.9	4.1	9.0	9.3	9.1	10.1	3.5	515	2.3	1.9	0.1		
♀	1.7	0.4	0.4	0.2	0.8	0.6	1.2	1.0	1.3	1.9	2.7	3.0	3.0	4.4	6.6	4.3	4.7	1.9	1.1	572	2.2	1.6	0.1		
Among them: acute myeloid leukemia																							C92.0		
♂	0.5	0.8	0.6	0.6	0.5	0.4	0.4	0.4	0.4	0.4	0.7	0.5	0.7	1.1	2.8	2.7	3.6	1.4	1.2	177	0.8	0.7	0.1		
♀	1.7	0.4	0.3	0.1	0.4	0.5	0.5	0.6	0.5	0.6	0.9	1.3	0.6	1.5	2.3	1.3	1.6	0.6	0.8	212	0.8	0.6	0.1		
Monocytic leukemias																							C93		
♂	-	0.1	-	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.6	0.6	0.7	0.4	1.4	1.4	-	51	0.2	0.2	0.0		
♀	-	0.4	-	-	-	0.2	0.1	-	0.1	0.3	0.1	0.4	0.3	0.6	0.5	0.3	0.3	0.4	-	52	0.2	0.2	0.0		
Among them: acute monocytic leukemia																							C93.0		
♂	-	0.1	-	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.6	0.6	0.5	0.4	0.5	-	-	41	0.2	0.2	0.0		
♀	-	0.4	-	-	-	0.2	0.1	-	0.1	0.2	0.1	0.4	0.3	0.5	0.5	0.3	0.3	0.2	-	49	0.2	0.2	0.0		
Other leukemia																							C94		
♂	-	-	-	-	0.1	0.2	0.1	0.2	0.7	0.3	0.8	1.4	1.0	1.3	2.1	1.7	2.2	2.7	-	131	0.6	0.4	0.0		
♀	-	-	-	0.1	-	0.1	0.1	0.2	0.1	0.2	0.3	0.5	0.8	1.0	1.2	1.5	0.5	0.2	-	98	0.4	0.2	0.0		
Among them: acute erythremia and erythroleukemia																							C94.0		
♂	-	-	-	-	0.1	0.1	0.1	0.2	0.5	0.1	0.4	0.9	0.6	0.6	1.4	1.2	1.2	1.4	-	80	0.4	0.3	0.0		
♀	-	-	-	0.1	-	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.6	0.6	0.5	0.7	0.5	-	-	56	0.2	0.1	0.0		
Leukemia unspecified																							C95		
♂	1.1	0.2	0.1	0.1	0.5	0.3	0.4	0.6	0.8	0.7	0.9	1.1	1.2	1.5	3.6	4.6	5.3	7.4	4.6	232	1.0	0.8	0.1		
♀	1.1	0.1	0.3	0.2	0.4	0.1	0.1	0.6	0.3	0.4	0.9	1.0	1.3	0.9	2.9	2.4	2.7	1.9	0.3	222	0.9	0.6	0.0		
Among them: acute unspecified leukemia																							C95.0		
♂	1.1	0.1	-	0.1	0.5	0.3	0.4	0.6	0.7	0.7	0.8	0.8	0.8	1.1	2.5	3.3	3.4	4.1	4.6	177	0.8	0.6	0.0		
♀	1.1	0.1	0.2	0.1	0.3	0.1	-	0.5	0.3	0.4	0.6	0.9	1.2	0.7	2.4	1.7	2.2	0.8	-	173	0.7	0.5	0.0		
Unknown primary site																							C77-C80		
♂	-	-	-	0.1	-	0.2	0.3	0.8	1.6	3.7	6.6	14.5	24.1	31.5	49.2	42.9	58.4	48.7	30.0	2 204	9.9	7.1	0.1		
♀	-	-	-	-	0.2	0.1	0.5	0.6	1.3	1.8	5.0	7.2	8.6	13.6	20.8	23.1	25.6	19.1	8.4	1 665	6.4	3.3	0.1		

"-" - no cases registered; 0.0 - rate less than 0.05