

Додаток А

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка	
Всі злоякісні новоутворення																					C00-C96			
▼	19.5	19.9	12.4	9.7	17.3	22.7	27.8	41.1	68.3	129.7	272.4	497.6	877.2	977.8	1634.7	1574.1	2099.1	1936.4	1425.0	79502	359.8	258.2	0.9	
▲	14.4	15.3	10.5	7.3	17.8	25.7	45.5	77.3	128.8	202.4	336.7	448.0	592.9	578.4	885.8	771.8	950.7	818.6	542.5	80850	314.7	183.1	0.7	
Всі злоякісні новоутворення (за виключенням немеланомних ЗН шкіри)																					C00-C96 (за винятком C44, C46.0)			
▼	19.0	19.9	12.4	9.6	16.9	21.6	26.4	38.5	63.8	119.2	254.9	461.9	807.1	897.8	1482.2	1398.7	1803.6	1559.2	1064.9	71638	324.2	233.3	0.9	
▲	14.4	15.3	10.5	7.2	17.2	24.7	44.0	74.4	121.8	191.8	316.1	416.1	544.1	514.0	767.0	636.5	760.7	617.8	367.5	70449	274.2	164.2	0.7	
ЗН губи																					C00			
▼	-	-	-	-	-	0.1	0.1	0.1	0.4	1.1	2.7	6.3	9.1	16.3	30.8	32.5	38.4	48.8	37.2	1283	5.8	4.0	0.1	
▲	-	-	-	-	-	0.1	-	-	0.1	0.3	0.4	1.4	2.7	6.2	6.8	8.6	9.3	11.2		444	1.7	0.7	0.0	
ЗН ротової порожнини																					C01-C08, C46.2			
▼	-	0.3	-	-	0.1	0.2	0.3	0.6	1.9	4.8	13.1	25.0	34.2	30.6	38.9	22.6	22.1	16.1	12.8	2102	9.5	7.1	0.2	
▲	-	-	0.1	-	0.2	0.1	0.1	0.5	0.8	1.2	1.8	3.2	3.3	3.4	4.2	4.9	6.5	7.9	5.3	501	1.9	1.1	0.1	
ЗН глотки																					C09-C14			
▼	-	0.1	-	0.1	0.1	0.2	0.3	0.6	0.9	3.6	11.1	22.0	29.9	24.4	25.6	16.1	12.8	7.4	3.8	1632	7.4	5.6	0.1	
▲	-	-	0.1	-	0.2	0.1	0.2	0.4	0.4	0.7	0.9	1.2	2.1	1.6	2.0	2.4	2.8	1.5	1.6	236	0.9	0.6	0.0	
ЗН стравоходу																					C15			
▼	-	-	-	-	-	-	-	0.2	0.5	1.5	6.8	14.3	27.7	26.0	34.3	27.9	29.5	18.5	20.5	1663	7.5	5.5	0.1	
▲	-	-	-	-	-	-	-	0.1	0.1	0.2	0.3	0.9	1.5	1.5	3.3	3.3	6.1	6.4	4.4	281	1.1	0.5	0.0	
ЗН шлунка																					C16			
▼	-	-	-	-	0.1	0.6	0.9	3.5	7.5	16.2	29.4	50.0	90.4	100.7	178.3	178.0	224.1	163.8	117.9	8261	37.4	26.2	0.3	
▲	-	-	-	0.1	0.3	0.3	2.0	3.2	5.8	7.6	14.4	19.6	30.7	38.5	70.3	73.2	89.8	72.9	41.7	5538	21.6	10.9	0.2	
ЗН тонкого кишківника																					C17			
▼	-	-	-	-	-	0.1	-	0.4	0.2	0.5	1.5	1.1	1.0	0.8	1.7	1.7	1.9	1.3		97	0.4	0.3	0.0	
▲	-	-	-	-	0.1	-	-	0.1	0.1	0.3	0.3	0.6	0.7	0.6	0.6	1.2	1.4	-	-	83	0.3	0.2	0.0	
ЗН ободової кишки																					C18			
▼	-	-	-	-	0.1	0.1	0.5	1.4	2.3	5.4	10.6	20.0	43.1	51.2	94.1	99.5	135.5	125.5	94.8	4230	19.1	13.3	0.2	
▲	-	-	-	-	0.2	0.3	0.5	0.9	2.7	5.9	11.5	21.2	34.8	39.5	67.9	61.0	81.5	72.9	38.2	5127	20.0	10.0	0.2	
ЗН прямої кишки, ануса																					C19-C21			
▼	-	-	-	-	-	0.1	0.6	0.9	1.9	4.7	11.0	22.9	47.3	57.4	108.8	101.7	136.6	124.9	69.2	4513	20.4	14.1	0.2	
▲	-	-	-	-	0.1	0.1	0.8	1.0	2.2	5.0	10.7	17.9	30.4	35.9	55.9	52.5	58.3	50.7	27.0	4207	16.4	8.5	0.1	
ЗН печінки та внутрішньопечінкових жовчних протоків																					C22			
▼	1.5	0.1	-	0.1	0.2	0.2	0.3	0.5	0.6	2.4	4.2	6.4	13.0	14.6	22.6	21.0	28.4	32.1	16.7	1115	5.0	3.6	0.1	
▲	-	0.7	-	-	0.1	0.1	0.4	0.1	0.7	1.3	1.9	2.8	4.9	6.7	9.2	9.8	13.4	8.5	6.2	799	3.1	1.6	0.1	
ЗН жовчного міхура та позапечінкових жовчних протоків																					C23-C24			
▼	-	-	-	-	-	-	0.1	-	0.3	0.5	1.1	1.8	3.2	4.5	8.2	8.3	11.1	11.7	10.3	365	1.7	1.1	0.1	
▲	-	-	-	-	-	-	-	0.1	0.2	0.7	1.1	2.3	3.5	5.8	11.7	9.7	13.7	8.9	7.2	746	2.9	1.4	0.1	
ЗН підшлункової залози																					C25			
▼	-	-	0.1	-	0.1	0.2	0.4	1.0	3.7	6.0	12.7	19.4	31.9	32.1	50.5	46.6	65.4	69.9	34.6	2666	12.1	8.6	0.2	
▲	-	-	-	-	-	0.1	0.3	0.4	1.1	1.7	3.4	8.2	11.4	16.0	26.6	30.0	38.3	37.3	19.0	2171	8.4	4.0	0.1	

“-“ - випадків не зареєстровано; 0.0 - показник менший за 0.05

2003 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток А - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН порожнини носа, придаткових пазух та середнього вуха																							C30-C31		
▼	-	-	-	-	0.1	0.1	0.1	0.2	0.5	0.6	1.3	2.3	2.4	3.1	4.8	3.2	5.4	4.3	3.8	246	1.1	0.8	0.1		
▲	-	-	0.1	-	0.2	-	0.1	0.1	0.2	0.5	0.6	0.6	1.4	1.5	1.5	1.5	2.0	1.5	0.3	159	0.6	0.4	0.0		
ЗН гортані																							C32		
▼	-	-	-	-	-	0.1	0.1	0.2	2.2	5.4	14.4	27.7	42.0	34.6	49.4	33.7	38.7	25.3	12.8	2563	11.6	8.5	0.2		
▲	-	-	-	-	-	0.1	-	0.1	0.1	0.3	0.5	0.7	0.8	0.5	0.9	0.9	1.0	1.7	0.3	97	0.4	0.2	0.0		
ЗН трахеї, бронхів, легені																							C33-C34		
▼	-	0.1	-	-	0.2	0.6	1.3	2.4	6.3	17.6	53.6	109.3	203.5	246.4	380.0	345.4	405.6	293.1	170.4	16681	75.5	53.1	0.4		
▲	-	-	0.1	-	0.2	0.7	0.6	0.9	2.1	4.4	7.9	13.4	19.9	23.4	40.5	42.5	61.2	48.5	29.5	3397	13.2	6.5	0.1		
ЗН тимуса																							C37		
▼	-	-	-	-	0.4	0.6	0.5	0.4	0.6	0.5	0.5	0.3	0.4	0.4	0.4	0.4	0.9	-	-	83	0.4	0.3	0.0		
▲	-	-	-	0.1	0.5	0.3	0.5	0.7	0.8	0.8	0.3	0.6	0.4	0.2	0.3	-	0.1	-	-	95	0.4	0.3	0.0		
ЗН серця, межистіння																							C38 (за винятком C38.4)		
▼	0.5	0.4	0.2	0.1	0.3	0.6	0.4	0.4	0.4	0.6	0.7	1.1	2.2	2.5	2.9	4.2	4.3	3.1	2.6	219	1.0	0.8	0.1		
▲	0.5	0.3	0.3	0.1	0.2	0.1	0.1	0.4	0.2	0.3	0.3	0.2	0.5	0.6	0.8	0.8	1.3	0.8	0.6	99	0.4	0.3	0.0		
ЗН плеври																							C38.4, C45.0		
▼	-	-	-	-	0.1	0.1	-	0.1	0.5	0.4	1.0	0.7	2.1	1.6	2.8	2.9	2.0	1.2	1.3	147	0.7	0.5	0.0		
▲	-	-	-	-	-	-	0.1	0.2	0.2	0.2	0.2	0.6	0.9	0.9	2.0	1.6	0.9	0.9	0.6	122	0.5	0.3	0.0		
ЗН кісток та суглобових хрящів																							C40-C41		
▼	-	0.3	0.3	1.0	1.6	1.1	0.8	0.9	0.5	0.8	1.9	2.7	2.5	3.0	5.5	5.9	3.7	8.0	3.8	383	1.7	1.4	0.1		
▲	-	-	0.3	0.6	1.2	0.7	0.6	0.9	0.4	0.7	0.7	0.6	1.6	1.5	2.4	2.3	2.7	2.1	1.2	273	1.1	0.8	0.1		
Меланома шкіри																							C43		
▼	-	-	-	0.2	0.3	1.0	1.8	1.9	2.5	4.0	5.0	7.2	9.7	8.0	14.4	11.9	15.9	21.6	17.9	930	4.2	3.2	0.1		
▲	-	-	0.1	0.3	0.4	1.3	2.0	3.3	4.2	6.1	7.3	8.8	11.8	9.1	12.2	7.7	12.3	10.4	8.4	1408	5.5	3.6	0.1		
Інші ЗН шкіри																							C44, C46.0		
▼	0.5	-	-	0.1	0.4	1.1	1.4	2.6	4.5	10.4	17.4	35.8	70.1	80.0	152.5	175.4	295.5	377.1	360.1	7864	35.6	24.9	0.3		
▲	-	-	-	0.1	0.6	1.0	1.5	2.9	7.0	10.7	20.6	31.9	48.7	64.4	118.8	135.3	190.0	200.8	175.0	10401	40.5	18.9	0.2		
ЗН заочеревинного простору та очеревини																							C48		
▼	2.0	1.0	0.3	0.1	0.2	0.3	0.4	0.7	0.6	0.8	1.3	2.1	2.5	3.2	4.2	4.8	5.4	6.2	2.6	296	1.3	1.1	0.1		
▲	1.1	1.1	0.3	0.1	0.1	0.1	0.2	0.4	0.7	1.0	1.4	2.6	2.4	3.1	5.1	4.2	5.3	4.0	2.2	434	1.7	1.1	0.1		
ЗН сполучної та м'якої тканини																							C 46.1, C49		
▼	1.5	0.4	0.2	0.4	1.1	0.5	1.1	0.8	1.3	1.9	2.5	3.6	5.4	5.1	8.9	7.9	9.8	9.9	6.4	552	2.5	2.0	0.1		
▲	1.6	0.4	0.3	0.6	0.5	0.9	0.8	1.0	1.7	1.6	2.1	3.5	4.2	3.4	5.9	4.8	6.6	6.8	5.0	620	2.4	1.6	0.1		
ЗН молочної залози																							C50		
▼	-	-	-	-	-	-	0.1	0.1	0.3	0.2	0.6	0.9	1.5	1.9	2.1	2.1	3.5	3.7	5.1	134	0.6	0.4	0.0		
▲	-	-	-	-	0.1	0.8	4.1	12.8	33.4	63.0	106.0	120.0	134.6	115.4	156.2	104.6	122.0	100.1	71.5	15653	60.9	38.2	0.3		
ЗН вульви																							C51		
▼	-	-	-	-	0.1	-	-	0.1	0.1	0.5	0.7	1.3	2.6	3.4	7.3	9.5	15.2	18.0	9.9	673	2.6	1.1	0.0		
ЗН шийки матки																							C53		
▼	-	-	-	0.1	0.2	2.1	10.1	19.5	25.7	30.9	38.5	35.2	31.4	23.0	32.9	23.6	24.1	17.4	12.7	4900	19.1	13.7	0.2		

" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2003 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток А - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка	
ЗН тіла матки																							C54	
▲	-	-	-	-	0.2	0.3	1.0	1.2	4.7	12.1	30.5	52.4	80.9	64.0	79.6	49.0	45.0	27.6	10.6	6452	25.1	15.5	0.2	
ЗН яєчника																							C56	
▲	-	-	0.1	0.4	1.1	2.1	3.7	5.1	9.1	16.2	26.5	31.6	35.8	31.6	45.0	29.4	30.5	18.4	6.8	4234	16.5	10.7	0.2	
ЗН інших придатків матки																							C57	
▲	-	-	-	-	0.1	0.1	0.1	0.2	-	0.3	0.3	0.9	1.0	1.1	0.9	0.7	0.6	-	-	94	0.4	0.2	0.0	
ЗН плаценти																							C58	
▲	-	-	-	-	-	0.4	0.2	0.2	0.2	0.2	0.2	-	-	-	-	-	-	-	-	25	0.1	0.1	0.0	
ЗН статевого члена																							C60	
▼	-	-	0.1	-	-	-	0.1	0.1	-	-	0.8	1.4	3.0	2.0	3.2	4.4	6.9	5.6	7.7	201	0.9	0.7	0.0	
ЗН передміхурової залози																							C61	
▼	-	-	-	-	0.1	0.1	-	0.1	0.1	0.5	2.5	10.6	35.1	55.2	133.9	166.0	256.7	249.2	199.9	5512	24.9	16.5	0.2	
ЗН яєчка																							C62	
▼	0.5	-	-	0.2	1.3	2.1	3.5	5.9	4.2	3.0	2.0	1.4	1.2	1.9	3.0	0.8	2.8	4.3	5.1	489	2.2	1.9	0.1	
ЗН нирки																							C64	
▼	3.0	1.7	0.5	-	0.1	0.2	0.2	1.6	3.5	6.7	16.3	25.0	41.1	30.1	52.3	36.6	47.1	37.1	30.8	2708	12.3	9.2	0.2	
▲	3.7	2.4	0.9	0.1	0.3	0.3	0.4	1.2	2.2	2.9	7.1	12.0	19.7	14.0	19.5	16.4	17.7	10.0	7.2	1774	6.9	4.4	0.1	
ЗН сечового міхура																							C67	
▼	-	0.1	-	-	0.2	0.2	0.7	0.9	2.1	4.4	8.9	17.6	35.5	51.5	88.6	96.7	142.9	140.3	107.6	4076	18.4	12.7	0.2	
▲	-	-	-	-	0.1	0.1	-	0.2	0.7	0.9	1.0	2.7	5.4	5.3	11.4	12.5	16.7	14.0	10.3	890	3.5	1.6	0.1	
ЗН ока																							C69	
▼	1.5	0.9	-	0.1	0.1	0.1	0.1	0.1	0.2	0.5	0.7	0.9	1.3	1.1	2.2	1.6	2.4	1.9	2.6	129	0.6	0.5	0.1	
▲	1.6	0.5	-	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.8	0.5	0.8	1.0	1.2	1.0	1.2	1.1	0.3	126	0.5	0.4	0.0	
ЗН мозку																							C71	
▼	1.0	2.6	2.4	2.1	2.3	1.9	2.6	3.3	3.7	5.6	7.7	10.9	13.5	10.0	10.6	6.7	6.1	3.7	1.3	1149	5.2	4.5	0.1	
▲	2.1	1.6	2.6	1.3	1.3	1.8	1.7	3.2	3.0	3.2	6.5	8.2	10.4	6.6	8.0	3.7	2.5	0.9	0.9	1026	4.0	3.4	0.1	
ЗН мозкових оболонок та ін. відділів ЦНС																							C70, C72	
▼	1.0	3.1	2.6	2.4	2.4	2.2	2.7	3.5	4.0	5.8	8.4	11.2	13.8	10.6	11.3	7.3	6.3	3.7	1.3	1218	5.5	4.8	0.1	
▲	2.1	1.8	2.7	1.4	1.5	1.9	1.7	3.3	3.3	3.3	6.8	8.7	10.6	6.8	8.8	4.1	2.6	1.1	0.9	1087	4.2	3.6	0.1	
ЗН щитовидної залози																							C73	
▼	-	-	-	0.1	0.8	1.1	0.6	1.4	1.4	1.9	2.9	3.5	4.9	3.7	4.4	3.0	5.6	4.9	1.3	417	1.9	1.5	0.1	
▲	-	-	0.1	0.2	2.2	2.3	4.1	6.9	7.2	9.3	11.3	14.1	13.8	9.2	11.0	8.4	7.0	6.2	1.9	1754	6.8	5.1	0.1	
ЗН інших ендокринних залоз																							C74-C75	
▼	1.0	0.1	-	-	-	0.1	0.1	0.1	0.3	0.4	0.4	0.9	1.5	1.7	1.5	0.8	1.5	0.6	-	105	0.5	0.4	0.0	
▲	-	-	-	0.1	-	0.1	0.1	0.2	0.4	0.4	0.7	0.7	0.8	0.4	0.6	0.7	0.8	0.4	-	92	0.4	0.2	0.0	
Лімфоми та інші імуні- та лімфопроліферативні новоутворення																							C81-C85, C88, C90	
▼	0.5	1.7	2.4	2.6	4.6	6.4	5.5	4.8	6.6	6.9	9.2	13.0	18.1	15.9	26.6	24.0	24.5	19.2	12.8	1997	9.0	7.4	0.2	
▲	-	1.2	0.7	1.4	4.5	7.0	6.3	5.7	5.3	5.0	6.1	7.7	12.9	12.4	19.2	13.3	14.3	10.0	5.3	1949	7.6	5.6	0.1	

“-“ - випадків не зареєстровано; 0.0 - показник менший за 0.05

2003 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток А - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
Хвороба Ходжкіна																							C81		
▼	0.5	0.9	0.6	1.3	2.6	4.3	3.4	2.9	3.9	2.3	2.4	3.0	3.8	2.9	3.5	3.0	3.5	1.2	1.3	606	2.7	2.5	0.1		
▲	-	0.7	0.1	0.9	3.6	5.7	5.2	4.1	3.1	2.2	1.7	1.7	2.5	1.4	2.4	1.3	1.6	0.6	-	628	2.4	2.4	0.1		
Неходжкінські лімфоми																							C82-C83, C85		
▼	-	0.8	1.7	1.2	2.0	2.0	2.1	1.9	2.3	3.3	4.7	7.0	10.9	9.4	15.7	15.1	15.0	15.5	10.3	1052	4.8	3.8	0.1		
▲	-	0.5	0.6	0.5	1.3	1.1	1.4	2.0	2.1	3.3	4.0	5.8	6.8	10.0	8.6	8.9	7.9	5.0	915	3.6	2.3	0.1			
Периферичні та кожні Т-клітинні лімфоми																							C84		
▼	-	-	-	0.1	-	0.1	-	-	0.1	-	-	0.1	0.3	0.2	0.7	0.5	0.9	-	-	27	0.1	0.1	0.0		
▲	-	-	-	-	-	0.1	0.1	0.1	-	0.1	0.2	0.2	0.3	0.1	-	0.4	0.1	0.2	0.3	25	0.1	0.1	0.0		
Злоякісні імунопроліферативні захворювання																							C88		
▼	-	-	-	-	-	-	-	-	0.1	0.2	-	0.1	0.1	0.2	0.2	0.3	0.4	-	-	15	0.1	0.0	0.0		
▲	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.2	-	-	7	0.0	0.0	0.0		
Множинна мієлома та злоякісні плазмоклітинні новоутворення																							C90		
▼	-	-	-	-	-	-	-	0.1	0.3	1.2	2.1	2.8	3.0	3.2	6.5	5.2	4.8	2.5	1.3	297	1.3	1.0	0.1		
▲	-	-	-	-	-	-	-	0.1	0.2	0.7	1.0	1.8	4.3	3.9	6.6	3.1	3.5	1.3	-	374	1.5	0.8	0.0		
Лейкемії (всі)																							C91-C95		
▼	5.0	9.3	5.4	2.2	3.0	2.2	2.4	2.4	3.2	5.2	6.7	11.3	18.1	21.2	34.5	30.8	45.6	40.8	24.3	2078	9.4	8.0	0.2		
▲	2.7	6.2	4.1	1.5	2.0	1.3	1.8	1.5	3.2	2.7	5.3	8.0	9.8	12.3	17.3	15.7	19.2	17.0	5.6	1706	6.6	4.8	0.2		
Лейкемія лімфоїдна																							C91		
▼	1.5	7.3	4.5	1.5	1.3	0.7	0.9	0.7	0.9	2.4	3.1	6.2	10.1	13.3	20.7	20.2	28.4	27.8	16.7	1203	5.4	4.8	0.2		
▲	1.1	4.7	2.8	0.6	0.9	0.7	0.4	0.4	1.0	0.6	1.7	3.7	5.4	6.2	9.6	8.3	11.0	11.2	3.4	868	3.4	2.5	0.1		
З них: лейкемія лімфоїдна гостра																							C91.0		
▼	1.0	7.2	4.5	1.5	1.2	0.6	0.8	0.4	0.5	0.8	0.8	1.1	1.2	2.0	3.1	2.2	1.7	1.2	-	336	1.5	2.0	0.1		
▲	1.1	4.7	2.6	0.6	0.9	0.7	0.4	0.4	0.6	0.3	0.6	0.6	0.5	1.5	1.2	1.2	1.4	0.6	-	243	0.9	1.3	0.1		
Лейкемія мієлоїдна																							C92		
▼	1.5	0.8	0.6	0.7	1.0	0.8	1.1	1.1	1.4	1.5	1.5	2.8	4.1	3.9	6.6	5.9	9.8	7.4	5.1	467	2.1	1.7	0.1		
▲	1.1	0.8	0.6	0.6	0.8	0.3	1.0	0.7	1.4	1.5	2.1	2.7	2.2	3.2	3.7	3.9	4.0	3.2	1.9	473	1.8	1.3	0.1		
З них: лейкемія мієлоїдна гостра																							C92.0		
▼	1.0	0.5	0.5	0.5	0.6	0.6	0.7	0.5	0.4	0.4	0.6	0.7	1.4	1.6	2.0	1.1	3.0	2.5	3.8	180	0.8	0.7	0.1		
▲	1.1	0.7	0.4	0.5	0.6	0.2	0.5	0.3	0.4	0.2	0.8	1.1	0.5	1.1	1.5	2.1	1.6	1.3	0.9	195	0.8	0.6	0.1		
Лейкемія неуточненого клітинного типу																							C95		
▼	1.5	1.2	0.2	0.1	0.6	0.3	0.2	0.5	0.6	0.5	1.2	0.8	1.9	2.0	3.1	2.5	3.9	2.5	1.3	208	0.9	0.8	0.1		
▲	0.5	0.4	0.7	0.2	0.2	0.2	0.5	0.2	0.5	0.4	0.6	0.8	1.1	1.1	2.2	1.6	2.0	1.7	0.3	197	0.8	0.6	0.1		
З них: лейкемія неуточненого клітинного типу гостра																							C95.0		
▼	1.5	0.8	0.2	-	0.6	0.2	0.2	0.5	0.3	0.4	0.7	0.3	1.2	1.2	2.1	1.2	2.0	2.5	1.3	137	0.6	0.6	0.1		
▲	-	0.4	0.5	0.1	0.1	0.1	0.4	0.2	0.3	0.3	0.4	0.7	0.8	1.0	1.5	1.3	1.5	1.1	0.3	145	0.6	0.4	0.0		
ЗН неуточненої первинної локалізації																							C77-C80		
▼	-	-	-	-	0.2	0.4	0.2	0.7	1.6	4.3	9.3	16.5	25.2	31.2	49.1	44.1	56.7	48.2	25.6	2312	10.5	7.4	0.2		
▲	-	-	-	-	0.1	0.3	0.4	0.9	0.8	2.2	5.2	8.2	12.6	14.6	22.5	22.3	26.0	19.5	11.5	1795	7.0	3.6	0.1		

" - випадків не зареєстровано; 0.0 - показник менший за 0.05