

2005 рік - уточнена інформація

Статтєво-вікові показники захворюваності

Додаток Б

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка			
Всі злаякісні новоутворення																							C00-C96			
▼	22.9	19.4	11.4	10.2	14.4	21.1	28.9	44.7	69.8	125.4	254.7	484.6	897.7	1014.7	1519.6	1751.0	2009.2	2061.0	1605.3	80319	369.2	259.2	0.9			
▲	15.1	15.4	9.9	8.0	16.8	24.2	47.8	81.1	134.2	204.0	338.8	436.6	637.0	604.1	841.8	868.9	947.3	887.0	600.1	83593	329.8	187.3	0.7			
Всі злаякісні новоутворення (за виключенням немеланомних ЗН шкіри)																							C00-C96 (за винятком C44, C46.0)			
▼	22.9	19.4	11.4	10.0	14.2	20.2	27.8	41.9	62.6	115.4	235.7	450.2	828.1	926.8	1371.5	1552.6	1708.9	1667.3	1203.7	71986	330.9	233.3	0.9			
▲	15.1	15.4	9.9	7.8	16.3	23.0	46.4	78.2	127.3	192.9	316.4	403.0	574.8	533.5	721.8	722.1	752.2	665.3	404.1	72321	285.3	166.9	0.7			
ЗН губи																							C00			
▼	-	-	-	-	-	-	0.1	0.1	0.4	0.8	2.0	4.6	9.6	14.0	21.5	24.8	35.4	38.9	28.4	1039	4.8	3.2	0.1			
▲	-	-	-	-	-	0.1	0.1	-	0.1	0.2	0.4	0.4	1.3	1.8	3.9	5.5	8.2	10.0	8.0	375	1.5	0.6	0.0			
ЗН ротової порожнини																							C01-C08, C46.2			
▼	0.5	-	-	-	0.1	0.2	0.3	0.6	1.5	4.3	13.8	24.3	32.1	27.7	34.4	22.7	19.5	17.9	23.2	2011	9.2	6.8	0.2			
▲	-	-	0.1	0.1	0.1	0.1	0.2	0.4	0.9	1.1	1.7	2.8	3.0	2.9	4.2	5.6	5.3	8.4	4.8	481	1.9	1.0	0.1			
ЗН глотки																							C09-C14			
▼	-	-	0.3	0.1	0.2	0.3	0.4	0.2	1.0	3.3	10.7	20.9	30.9	27.8	26.9	16.8	15.0	5.3	9.0	1695	7.8	5.8	0.1			
▲	-	-	0.1	-	0.1	0.1	0.2	0.2	0.7	1.1	1.1	1.8	2.1	1.2	2.6	1.8	2.1	2.3	1.3	249	1.0	0.6	0.0			
ЗН стравоходу																							C15			
▼	-	-	-	-	-	-	-	0.2	0.3	2.5	5.0	14.4	28.7	28.3	27.7	27.2	24.9	27.9	20.7	1616	7.4	5.4	0.1			
▲	-	-	-	-	-	-	-	0.1	-	0.1	0.4	0.7	1.6	2.1	2.2	3.6	5.7	7.0	3.2	271	1.1	0.5	0.0			
ЗН шлунка																							C16			
▼	-	-	0.1	-	-	0.2	1.1	2.1	6.0	13.2	25.8	51.0	86.9	103.1	151.5	182.7	203.3	194.0	140.8	7892	36.3	25.0	0.3			
▲	-	-	-	0.1	0.1	0.2	1.0	2.5	4.9	7.1	13.8	19.6	29.5	35.3	62.6	74.2	85.1	77.7	43.8	5311	21.0	10.2	0.2			
ЗН тонкого кишківника																							C17			
▼	-	-	-	0.1	-	-	0.1	0.2	0.1	0.1	0.7	0.8	1.2	1.9	1.8	1.7	2.3	2.6	-	114	0.5	0.4	0.0			
▲	-	-	-	-	0.1	-	-	0.1	0.1	0.1	0.5	0.8	1.0	0.4	1.2	1.0	1.4	1.6	0.3	112	0.4	0.2	0.0			
ЗН ободової кишки																							C18			
▼	-	-	-	0.1	0.1	0.3	1.0	1.1	2.6	6.0	11.5	19.3	43.8	62.7	97.5	129.0	145.5	137.7	111.1	4755	21.9	14.8	0.2			
▲	-	-	0.1	-	0.1	0.3	0.6	1.6	3.0	5.6	12.1	20.2	35.0	38.8	68.9	75.1	81.1	68.2	43.5	5355	21.1	10.3	0.2			
ЗН прямої кишки, ануса																							C19-C21			
▼	-	-	-	-	0.1	0.1	0.3	1.0	1.8	4.4	11.2	22.5	46.6	62.5	96.3	120.3	130.9	119.3	105.9	4584	21.1	14.4	0.2			
▲	-	-	-	-	-	0.3	0.7	0.9	2.6	5.1	10.4	18.3	31.6	36.5	55.8	57.4	63.5	57.5	27.5	4435	17.5	8.7	0.1			
ЗН печінки та внутрішньопечінкових жовчних протоків																							C22			
▼	0.9	0.5	0.1	-	0.1	0.2	0.2	0.6	0.5	1.7	3.2	5.4	10.6	14.4	18.1	21.4	23.0	30.0	15.5	975	4.5	3.2	0.1			
▲	0.5	0.3	-	0.2	-	0.3	0.3	0.5	0.6	0.8	1.6	3.2	3.8	6.3	7.7	10.9	11.5	12.8	9.9	777	3.1	1.6	0.1			
ЗН жовчного міхура та позапечінкових жовчних протоків																							C23-C24			
▼	-	-	-	-	-	-	-	0.2	0.1	0.8	0.9	2.1	3.8	4.2	8.9	9.1	11.3	16.8	14.2	404	1.9	1.3	0.1			
▲	-	-	-	-	-	-	-	0.1	-	0.7	0.9	2.5	3.8	5.7	8.7	10.5	12.1	12.1	7.0	715	2.8	1.3	0.1			
ЗН підшлункової залози																							C25			
▼	-	-	-	0.1	0.1	0.3	0.5	1.6	2.9	6.9	9.5	18.6	33.2	35.3	46.3	55.4	54.3	63.1	38.7	2646	12.2	8.6	0.2			
▲	0.5	-	-	0.1	0.1	0.1	0.5	0.6	1.2	1.8	3.0	7.7	13.3	15.3	27.2	31.4	38.3	39.8	23.3	2255	8.9	4.1	0.1			

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2005 рік - уточнена інформація

Статеві-вікові показники захворюваності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН порожнини носа, придаткових пазух та середнього вуха																							C30-C31		
▼	-	-	-	-	0.2	0.1	0.2	0.1	0.4	0.4	1.1	2.3	3.7	3.4	3.2	3.5	4.1	7.9	2.6	244	1.1	0.8	0.1		
▲	-	-	-	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.6	1.1	0.8	1.4	2.0	1.3	2.9	1.3	148	0.6	0.3	0.0		
ЗН гортані																							C32		
▼	-	-	-	-	-	0.1	0.2	0.3	1.2	3.5	13.2	26.2	45.4	38.2	42.6	42.7	28.4	23.1	18.1	2518	11.6	8.4	0.2		
▲	-	-	-	-	-	-	0.1	0.1	0.1	0.3	0.6	0.8	1.9	1.3	1.2	0.5	1.6	0.8	0.3	134	0.5	0.3	0.0		
ЗН трахеї, бронхів, легені																							C33-C34		
▼	0.5	-	-	-	0.2	0.5	1.0	3.0	6.8	17.7	48.8	105.0	200.0	223.6	347.7	375.9	369.5	301.2	161.4	16095	74.0	50.9	0.4		
▲	-	-	-	-	0.1	0.2	0.6	1.5	2.4	4.4	7.5	10.8	21.2	24.2	35.0	44.2	56.4	52.8	31.0	3311	13.1	6.3	0.1		
ЗН тимуса																							C37		
▼	-	-	-	0.1	0.8	0.4	0.2	0.3	0.5	0.3	0.5	0.9	0.5	0.2	0.7	-	0.2	-	-	85	0.4	0.3	0.0		
▲	0.5	0.1	-	-	0.3	0.4	0.5	0.5	0.6	0.6	0.4	0.2	0.7	0.1	0.3	0.1	0.2	-	-	85	0.3	0.3	0.0		
ЗН серця, межистіння																							C38 (за винятком C38.4)		
▼	0.9	-	-	0.2	0.3	0.5	0.4	0.1	0.8	0.5	1.0	1.4	2.4	2.2	3.7	4.0	5.1	4.2	3.9	236	1.1	0.8	0.1		
▲	1.0	0.4	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.4	0.3	0.8	0.6	0.7	1.0	0.7	1.8	1.3	104	0.4	0.3	0.0		
ЗН плеври																							C38.4, C45.0		
▼	-	0.1	-	-	0.1	-	0.2	0.1	0.3	0.4	0.7	1.1	2.0	1.7	2.8	3.2	2.1	2.6	1.3	155	0.7	0.5	0.0		
▲	-	0.1	-	-	-	0.1	0.1	0.2	-	0.3	0.4	0.7	0.7	1.3	2.0	1.8	1.0	0.3	0.6	131	0.5	0.3	0.0		
ЗН кісток та суглобових хрящів																							C40-C41		
▼	0.5	-	0.5	0.8	1.3	1.1	0.7	0.9	0.7	0.9	1.5	2.5	2.8	3.1	3.6	4.0	4.5	4.7	-	337	1.5	1.3	0.1		
▲	0.5	0.1	0.5	0.8	1.2	0.5	0.5	0.8	0.6	0.5	0.7	1.1	1.6	1.6	2.1	2.5	3.6	2.1	1.3	288	1.1	0.8	0.1		
Меланома шкіри																							C43		
▼	-	-	0.2	0.1	0.3	1.4	1.4	3.3	2.8	4.0	5.0	6.7	11.3	9.7	14.7	14.8	17.5	17.3	10.3	1016	4.7	3.4	0.1		
▲	-	-	0.1	0.1	0.6	1.1	2.2	4.1	4.3	6.2	7.1	8.5	11.8	9.4	11.9	13.3	12.6	13.4	12.5	1531	6.0	3.8	0.1		
Інші ЗН шкіри																							C44, C46.0		
▼	-	-	-	0.1	0.3	0.9	1.0	2.8	7.3	10.0	19.0	34.5	69.6	87.9	148.1	198.4	300.3	393.7	401.6	8333	38.3	26.0	0.3		
▲	-	-	-	0.2	0.5	1.2	1.4	2.9	6.8	11.2	22.3	33.7	62.3	70.5	120.0	146.8	195.1	221.7	196.0	11272	44.5	20.4	0.2		
Мезотеліома (за викл. мезотеліоми плеври)																							C45.1-9		
▼	-	-	-	-	0.1	-	-	-	0.2	0.1	0.1	0.4	0.5	0.3	0.2	0.2	0.4	-	-	28	0.1	0.1	0.0		
▲	-	-	-	-	-	-	-	0.1	-	0.1	0.1	0.2	0.6	0.4	0.5	0.4	0.3	0.2	-	38	0.1	0.1	0.0		
ЗН заочеревинного простору та очеревини																							C48		
▼	3.2	1.3	0.1	0.1	0.1	0.3	0.6	0.4	0.5	0.9	1.6	2.9	3.3	3.7	4.6	4.3	5.8	5.8	1.3	327	1.5	1.2	0.1		
▲	-	1.1	0.4	-	-	0.4	0.5	0.4	0.8	1.0	1.7	1.7	3.1	3.0	3.1	4.3	5.0	5.0	3.2	411	1.6	1.0	0.1		
ЗН сполучної та м'якої тканини																							C 46.1, C49		
▼	0.9	1.4	0.3	0.4	1.0	0.5	0.6	1.8	1.8	2.1	2.3	3.5	5.9	4.3	7.3	5.9	9.2	7.4	11.6	540	2.5	2.0	0.1		
▲	1.5	0.7	-	0.4	0.7	0.5	0.8	0.9	1.1	2.0	2.1	3.5	3.4	3.1	4.5	6.2	5.4	6.3	7.4	587	2.3	1.5	0.1		
ЗН молочної залози																							C50		
▼	-	-	-	-	-	-	-	0.1	0.1	0.3	0.5	0.7	2.0	2.5	3.2	2.4	4.1	4.2	5.2	155	0.7	0.5	0.0		
▲	-	-	-	-	-	0.8	4.2	13.8	33.1	61.8	104.3	114.5	151.2	124.3	152.0	126.0	126.4	110.0	73.5	16346	64.5	39.2	0.3		

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2005 рік - уточнена інформація
Статеві-вікові показники захворюваності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН вульви																							C51		
▲	-	-	-	-	-	-	0.2	0.1	0.2	0.4	0.8	1.3	2.0	4.4	7.5	12.4	14.7	16.0	11.2	714	2.8	1.2	0.0		
ЗН піхви																							C52		
▲	-	0.1	-	-	-	-	-	0.2	0.2	0.3	0.5	0.7	1.1	0.9	1.5	2.1	2.3	1.8	1.3	154	0.6	0.3	0.0		
ЗН шийки матки																							C53		
▲	-	-	-	-	0.3	2.2	10.0	20.8	27.4	33.1	39.4	32.4	32.6	25.2	26.8	25.1	22.7	15.5	8.6	4901	19.3	13.8	0.2		
ЗН тіла матки																							C54		
▲	-	-	0.1	-	-	0.2	0.9	2.9	6.3	12.7	30.6	50.9	81.9	67.5	74.0	57.4	42.3	34.7	15.7	6683	26.4	15.8	0.2		
ЗН матки неуточної частини																							C55		
▲	-	-	-	-	0.1	-	-	-	0.1	0.3	0.5	0.7	0.4	0.7	0.6	0.3	0.6	0.8	-	70	0.3	0.2	0.0		
ЗН яєчника																							C56		
▲	-	-	0.2	0.7	1.7	1.7	4.0	4.7	9.4	14.8	22.5	29.0	38.0	32.5	37.6	33.7	30.6	19.4	9.3	4119	16.3	10.3	0.2		
ЗН інших придатків матки																							C57		
▲	-	-	-	-	-	-	0.1	0.1	0.1	0.5	0.5	1.2	0.6	1.1	0.7	0.5	0.4	0.3	-	93	0.4	0.2	0.0		
ЗН плаценти																							C58		
▲	-	-	-	-	0.2	0.3	1.1	0.1	0.3	0.2	0.2	0.1	-	-	-	-	-	-	-	42	0.2	0.2	0.0		
ЗН статевого члена																							C60		
▼	-	-	-	-	-	-	0.1	0.1	0.2	0.3	0.5	1.1	1.3	2.3	3.8	1.9	6.0	4.7	7.7	171	0.8	0.5	0.0		
ЗН передміхурової залози																							C61		
▼	-	-	-	-	0.1	0.1	0.1	0.1	0.3	0.6	2.2	10.5	35.8	64.2	132.2	184.0	258.1	293.8	207.9	5917	27.2	17.5	0.2		
ЗН яєчка																							C62		
▼	0.9	-	0.1	-	0.5	2.7	4.2	4.7	4.2	3.5	2.7	1.1	1.4	2.5	1.1	3.7	3.1	1.6	-	492	2.3	1.9	0.1		
ЗН нирки																							C64		
▼	2.8	1.8	0.1	0.1	0.1	0.3	0.4	1.3	4.0	8.4	16.0	26.5	45.8	35.9	43.4	47.8	41.1	47.3	31.0	2890	13.3	9.8	0.2		
▲	1.5	2.3	0.8	0.2	0.1	0.4	0.4	0.7	1.8	3.3	7.8	14.2	20.6	17.6	21.0	20.4	18.1	11.0	6.1	1980	7.8	4.8	0.1		
ЗН ниркової миски																							C65		
▼	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	0.7	0.8	0.7	0.5	0.4	1.1	-	38	0.2	0.1	0.0		
▲	-	-	-	-	-	-	0.1	-	-	-	0.1	0.1	0.3	0.4	0.2	0.5	0.3	-	-	27	0.1	0.1	0.0		
ЗН сечоводу																							C66		
▼	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.5	0.4	0.4	1.1	0.6	0.5	-	29	0.1	0.1	0.0		
▲	-	-	-	-	-	-	0.1	-	-	-	0.1	0.1	-	0.3	0.3	0.1	0.3	0.2	0.3	19	0.1	0.0	0.0		
ЗН сечового міхура																							C67		
▼	-	0.1	0.1	-	-	0.3	0.6	0.6	1.8	5.3	8.5	18.3	40.7	50.6	93.9	109.0	139.1	147.7	122.7	4330	19.9	13.4	0.2		
▲	-	-	-	-	0.1	0.2	-	0.4	0.8	0.8	1.4	3.2	5.0	5.1	9.7	13.7	15.4	16.2	10.2	898	3.5	1.6	0.1		
ЗН ока																							C69		
▼	1.4	0.9	0.2	0.1	-	0.2	0.1	0.2	0.2	0.4	0.4	1.4	1.3	1.4	1.4	2.1	1.2	2.6	2.6	128	0.6	0.5	0.1		
▲	1.0	0.7	0.2	-	0.1	0.1	-	0.1	0.2	0.3	0.5	0.6	1.7	0.8	1.7	1.1	1.2	1.3	1.3	144	0.6	0.4	0.0		

" - випадків не зареєстровано; 0.0 - показник менший за 0.05

2005 рік - уточнена інформація
Статеві-вікові показники захворюваності

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Всього випадків	Грубий	Станд.	Похибка		
ЗН головного мозку																							C71		
▼	1.8	2.9	2.7	2.5	1.5	2.3	2.9	4.2	4.4	4.6	7.2	10.5	17.3	10.9	12.7	10.2	6.8	1.1	7.7	1252	5.8	4.9	0.2		
▲	1.5	2.3	1.7	1.3	1.8	1.3	2.0	2.5	3.7	3.9	6.4	7.0	9.8	8.0	6.2	4.4	3.2	2.4	1.0	1030	4.1	3.3	0.1		
ЗН мозкових оболонок та ін. відділі ЦНС																							C70, C72		
▼	3.2	3.0	2.8	2.5	1.6	2.4	3.1	4.3	4.5	4.7	7.3	10.7	18.2	11.1	13.1	10.5	7.2	1.1	7.7	1298	6.0	5.1	0.2		
▲	1.5	2.4	1.8	1.4	1.9	1.4	2.0	2.9	4.0	4.1	6.6	7.5	10.0	8.2	6.5	4.4	3.3	2.4	1.0	1076	4.2	3.5	0.1		
ЗН щитовидної залози																							C73		
▼	-	-	-	0.1	0.4	0.9	1.0	1.5	1.6	2.0	2.4	2.9	5.0	3.3	4.2	4.0	3.3	5.3	5.2	404	1.9	1.4	0.1		
▲	-	0.1	0.2	0.6	2.0	2.9	4.9	6.6	8.6	9.8	14.1	14.7	16.8	10.6	11.4	9.8	7.2	5.0	2.9	1967	7.8	5.7	0.1		
ЗН інших ендокринних залоз																							C74-C75		
▼	0.9	0.3	-	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.5	0.7	1.4	1.2	1.4	1.7	1.0	0.5	1.3	103	0.5	0.4	0.0		
▲	0.5	0.1	0.2	-	0.1	0.2	0.1	0.2	0.3	0.4	0.8	0.5	0.6	0.7	0.6	0.7	0.3	0.6	0.3	93	0.4	0.3	0.0		
Лімфоми та інші імуні- та лімфопроліферативні новоутворення																							C81-C85, C88, C90		
▼	0.5	1.3	2.5	2.6	4.2	4.8	5.7	6.3	6.8	5.9	8.6	12.4	17.8	18.0	23.9	26.1	26.1	23.7	11.6	1971	9.1	7.2	0.2		
▲	0.5	0.4	1.0	1.2	3.9	5.6	6.4	6.1	5.7	5.0	6.4	8.4	12.0	12.6	18.0	14.9	13.5	7.6	6.7	1923	7.6	5.4	0.1		
Хвороба Ходжкіна																							C81		
▼	-	0.6	0.8	1.2	2.9	3.5	3.5	3.7	4.0	2.2	1.8	3.4	2.7	2.2	2.8	2.2	2.7	2.1	1.3	567	2.6	2.3	0.1		
▲	-	-	0.5	0.7	2.8	4.8	5.6	4.5	3.1	1.7	1.8	1.8	1.7	1.3	1.5	1.3	1.0	0.5	0.6	574	2.3	2.2	0.1		
Неходжкінські лімфоми																							C82-C83, C85		
▼	0.5	0.5	1.7	1.3	1.2	1.3	2.0	2.6	2.5	2.8	5.1	6.4	10.5	10.0	14.6	17.0	15.6	15.8	9.0	1035	4.8	3.7	0.1		
▲	0.5	0.4	0.6	0.4	1.1	0.8	0.8	1.4	1.9	2.7	3.0	4.2	6.1	7.4	9.5	8.9	8.5	5.2	5.1	902	3.6	2.3	0.1		
Множинна мієлома та злоякісні плазмоклітинні новоутворення																							C90		
▼	-	-	-	0.1	-	-	-	0.1	0.2	0.8	1.6	2.3	4.1	5.4	5.4	5.9	6.8	5.8	1.3	322	1.5	1.0	0.1		
▲	-	-	-	0.1	-	-	-	0.1	0.5	0.4	1.4	2.2	3.6	3.6	6.4	4.4	3.8	1.9	1.0	407	1.6	0.9	0.0		
Лейкемії (всі)																							C91-C95		
▼	4.6	8.1	4.1	2.5	1.9	1.8	1.9	3.0	3.1	4.3	6.6	8.6	19.1	22.1	33.2	35.1	43.6	33.6	29.7	1994	9.2	7.5	0.2		
▲	3.9	5.5	3.6	1.2	2.1	1.7	2.2	1.7	3.2	3.1	6.2	7.0	11.7	13.5	17.8	19.5	18.7	13.3	9.3	1796	7.1	5.0	0.2		
Лейкемія лімфоїдна																							C91		
▼	1.8	6.0	3.5	1.4	1.0	0.9	0.6	0.7	0.9	1.8	3.1	4.8	11.7	12.6	19.6	22.1	25.7	23.7	16.8	1136	5.2	4.4	0.2		
▲	2.4	4.4	3.1	0.8	0.9	0.9	0.4	0.7	0.9	1.2	2.0	2.5	6.4	7.1	9.1	11.3	11.1	8.4	6.4	924	3.6	2.7	0.1		
Лейкемія мієлоїдна																							C92		
▼	0.9	1.3	0.5	0.6	0.6	0.5	0.9	1.7	1.3	1.3	2.0	2.0	4.3	5.5	9.0	8.1	11.5	6.8	5.2	524	2.4	1.9	0.1		
▲	0.5	0.4	0.5	0.4	1.1	0.5	1.1	0.7	1.5	1.2	2.6	2.6	3.2	4.1	5.1	6.1	4.8	2.3	1.0	545	2.2	1.5	0.1		
Лейкемія неуточноного клітинного типу																							C95		
▼	1.4	0.5	0.1	0.4	0.2	0.2	0.2	0.4	0.6	0.5	0.7	0.6	1.4	2.4	2.5	2.5	4.9	2.1	5.2	182	0.8	0.7	0.1		
▲	1.0	0.7	-	0.1	0.1	0.3	0.4	0.1	0.2	0.4	0.8	0.6	0.7	1.0	1.9	1.3	1.6	1.6	1.6	168	0.7	0.5	0.0		
ЗН неуточноної первинної локалізації																							C77-C80		
▼	0.5	-	-	0.1	0.1	0.1	0.3	1.0	1.8	4.2	8.3	17.2	28.5	35.0	50.5	50.8	58.6	64.1	51.7	2524	11.6	8.1	0.2		
▲	-	-	-	-	0.1	0.2	0.4	0.7	1.3	2.1	5.5	8.3	13.7	13.1	23.4	24.8	29.5	24.5	14.4	1935	7.6	3.8	0.1		

" - випадків не зареєстровано; 0.0 - показник менший за 0.05